



A

Tiered UGO-Omics design



Purpose: separate atlas breadth from analytical depth and phylogenetic interpretation

11-species BUSCO phylogenetic backbone
531 BUSCO loci; 279,498 amino-acid sites



C

Conserved candidate module distribution

filled circles = species-level candidate support

Species	Clade	Organ	Meristematic regrowth	Stress resilience	Hormone switching	Regulatory TF	Cell-wall remodeling
Beta vulgaris	Eudicot	storage root	●	●	●	●	●
Brassica rapa	Eudicot	root/hypocotyl	●	●	●	●	○
Manihot esculenta	Eudicot	storage root	●	●	●	●	○
Dioscorea rotundata	Monocot	tuber	●	●	●	●	●
Musa acuminata	Monocot	corm/rhizome-like	●	●	●	●	●
Zingiber officinale	Monocot	rhizome	●	●	●	●	○
Oryza longistaminata	Monocot	rhizome	●	●	●	●	○
Panicum virgatum	Monocot	rhizome	●	●	●	●	●
Nelumbo nucifera	Eudicot	rhizome	●	●	●	●	○
Daucus carota	Eudicot	storage root	●	●	●	●	○
Solanum tuberosum	Eudicot	tuber	●	●	●	●	○

● present

○ not detected