Title

Subtitle

Author

University of XXXX

March 18, 2024

Outline

1. Introduction

2. Section 1

3. Section 2

4. Section 3

5. Conclusion

Outline

xxx xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx.

Outline

Lists

- Item 1
- Item 2
  1. First item
  2. Second item
  3. Third item
- Item 3
  1. First item
  2. Second item
  3. Third item

Introduction
○○

Section 1
○○●○○○

Section 2
○○○○

Section 3
○○○○○○○

Conclusion
○○○

Description

Description 1 Explanation 1

Description 2 Explanation 2

Description 3 Explanation 3

Columns

This is column one with 0.5 text width.

This is column two with 0.5 text width.

Columns

- First item
- Second item
- Third item

This is column two with 0.49 text width.

Reference

xxx xxx xxx xxx xxx xxx[1]. xxx xxx xxx xxx xxx xxx.

[1] Othmar Koch and Christian Lubich (Jan. 2007). "Dynamical Low-Rank Approximation". In: *SIAM Journal on Matrix Analysis and Applications* 29.2, pp. 434–454. ISSN: 0895-4798, 1095-7162. DOI: 10.1137/050639703.

Outline

Blocks 1

Block Title

This is a regular block.

Alert Block Title

This is an alert block.

Example Block Title

This is an example block.

Blocks 2

Definition (XXX)

This is a definition block.

Lemma (XXX)

This is a lemma block.

Corollary (XXX)

This is a corollary block.

Example (XXX)

This is an example block.

Blocks 3

Theorem (XXX)

This is a theorem block. $a^2 + b^2 = c^2$

Proof.

This is a proof block. $\qquad\square$

Outline

Tables

Header 1	Header 2	Header 3
Cell 1	Cell 2	Cell 3
Cell 4	Cell 5	Cell 6

Table 1: Example Table

| m	80	160	320	640
error	1.95e-4	4.88e-5	1.22e-5	3.05e-6
order	-	2.00	2.00	2.00
error	1.95e-4	4.88e-5	1.22e-5	3.05e-6
order	-	2.00	2.00	2.00

Table 2: Error and order

Figure

Figure 1: XXX

Columns

Figure 2: XXX

This is column one with 0.4 text width.

Figures

(a) XXX

(b) XXX

Figure 3: XXX

Algorithm

Algorithm 1: Euclid's algorithm

Data: Two nonnegative integers a and b

Result: Their greatest common divisor $d = \gcd(a, b)$

while $b \neq 0$ **do**

    $r \leftarrow a \bmod b$;

    $a \leftarrow b$;

    $b \leftarrow r$;

end

$d \leftarrow a$;

Code

```cpp
1  #include <iostream>
2
3  int main() {
4      std::cout << "Hello, world!" << std::endl;
5      return 0;
6  }
```

```python
1  def greet(name):
2      """
3      greets the person passed in as a parameter.
4      """
5      print(f"Hello, {name}!")
6
7  greet("John")
```

Outline

Conclusion

xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx. xxx xxx xxx xxx xxx xxx.

Introduction
○○

Section 1
○○○○○○

Section 2
○○○○

Section 3
○○○○○○○

Conclusion
○○●

Future work

xxx.