产品名称	规格	价格	数量
美国防护服	19122	人民币:118/件 美元:16.99/件	35000
美国防护服	DCWF	人民币:125/件 美元:18/件	6250
美国防护服	SAS	人民币:120/件 美元:17.28/件	35000

美国防护服

19122





# SPECIFICATION SHEET 19122



# **PRODUCT DESCRIPTION:**

ProGard<sup>™</sup> coverall with hood & boots

- Strong & durable material that provides nonhazardous particulate protection while offering excellent breathability
- Quick moisture transmission to keep the user dry and cool
- Low in lint
- Serged seams
- Attached hood
- Attached skid-resistant boots
- Elastic waist
- Elastic wrists & ankles
- Zipper front closure with storm-fly
- Closure at chin

# **PERFORMANCE DATA:**

**SPECIAL FEATURES:** 

**Not Applicable** 

# **TECHNICAL DATA:**

Material: SpunBonded Polypropylene/

MeltBlown Polypropylene/ SpunBonded Polypropylene

**Color:** White coverall

Sizes: M~4XL

Packaging: 25 pieces/case

**International Standards:** ASTM 1670-1671

**Registration Number (RN#):** 78713 **Country of Origin:** China

Harmonization Code (HTS#): 6210.10.5000

# **FABRIC PROPERTIES:**

## **Not Applicable**





# 汇总征税

# 中华人民共和国海关进口货物报关单





预录入编号: 223320201000138507

预录入编号: 223320201000138507	海关编号:	223320201000138	507 (浦东机场)					<b>页码/页数:</b> 1/1
境内收货人 (91110000700221103Q) 北京科园信海医药经营有限公司	<b>进境关别</b> 浦东机场	(2233)	<b>进口日期</b> 20200218		<b>申报日期</b> 20200219		备案号	
境外发货人 (NO) EXTREME SAFETY INC	<b>运输方式</b> (		运输工具名称及航沙 /CK222	(号	<b>提运单号</b> 11256901972_SAF	E302268	<b>货物存放地点</b> 宁波天运	
消费使用单位 (91110000700221103Q) 北京科园信海医药经营有限公司	<b>监管方式</b> (一般贸易		<b>征免性质</b> (101) 一般征税		许可证号		<b>启运港</b> (USA000) 美国	
合同协议号 0000002	<b>贸易国(地</b> 美国	区)(USA)	<b>启运国(地区)</b> (U 美国	SA)	<b>经停港</b> (USA000) 美国		入境口岸 (310302) 上海浦东国际机场	
<b>包装种类</b> (92) 再生木托	<b>件数</b> 6	毛重(千克) 1085	<b>净重(千克)</b> 750	<b>成交方式</b> (2) C&F	运费	<b>保费</b> 000/0	<b>杂费</b> 0.3/1	

# 随附单证及编号

随附单证2:代理报关委托协议(纸质);发票


### 标记唛码及备注

备注:<总担保010019AICBC000000018>非医疗器械 N/M

项号	商品编号	商品名称及规格型号	,	数量及单位	单价/总价/币制	原产国(地区)	最终目的国(地区)	境内目的地	征免
	6307900000 3M牌186 4 3 100	0非医用口罩			7 777	美国 (USA)	中国	(11063/110106)中关村国 自主创新示范区(丰台园	国家 照章征税
2		只 防护服 男女通用 聚丙烷	<b>希100%</b>			美国 (USA)		北京市丰台 (11063/110106) 中关村目 自主创新示范区(丰台园 北京市丰台	国家 照章征税
		ICATION   19122L							1 L
	特殊关系	确认:是	价格影响确认			双使用费确认: 否		自报自缴:是	
报关	人员 打	<b>最关人员证号</b> 22106501	电话	兹申明对	以上内容承担如实申报、依		海关批注及签章		
申报	单位(913101155916	273818)上海喆瑞国际货物	运输代理有限公司			申报单位(签章)			



# 汇总征税



页码/页数:1/1

预录入编号: 223320201000143218

海关编号: 223320201000143218

(浦东机场)

		220020201000110	210 (1111)11/10-20)					N 1 1 N 3 1 1 1
境内收货人 (91110000700221103Q)	进境关别	(2233)	进口日期		申报日期	备案号		
北京科园信海医药经营有限公司	浦东机场		20200219		20200220			
境外发货人(NO)	运输方式(	5)	运输工具名称及航次	号	提运单号	货物存放	地点	
EXTREME SAFETY INC	航空运输		/CK222		11256902031_SAE3022	266 宁波天道	运	
消费使用单位(91110000700221103Q)	监管方式(	0110)	<b>征免性质</b> (101)		许可证号	启运港(	(USA000)	
北京科园信海医药经营有限公司	一般贸易		一般征税			美国		
合同协议号	贸易国 (地	区) (USA)	启运国(地区)(U	SA)	<b>经停港</b> (USA000)	入境口岸	(310302)	
0000002	美国		美国		美国	上海浦	东国际机场	
包装种类 (92)	件数	毛重(千克)	净重(千克)	成交方式 (2)	运费	保费	杂费	
再生木托	10	1923	1182	C&F		000/0.3/1		

### 随附单证及编号

随附单证2:发票;代理报关委托协议(纸质)

### 标记唛码及备注

备注:<总担保010019AICBC000000018>非医疗器械 N/M

项号	商品编号	商品名称及规	各型号	数量及单位	单价/总价/币制	原产国(地区)	最终目的国(地区)	境内目的地	征免
1	621010300019122XX 4 3 机约  SPECIF	L防护服 R 防护服 男女通用 1 ICATION 19122XXL	.00%聚丙烯	6250件 750千克 6250件		中国 (CHN)	中国 (CHN)	(11063/110106)中关村 自主创新示范区(丰台园 北京市丰	
2	SPECIF	R 防护服 男女通用 1 ICATION 19122XL		1800件 432千克 1800件		中国 (CHN)	中国 (CHN)	自主创新示范区(丰台园 北京市丰	
	特殊关系			响确认: 否		使用费确认: 否		自报自缴:是	
报关	人员	<b>及关人员证号</b> 22106501	电话	兹申明对以上	内容承担如实申报、依然	去纳税之法律责任	海关批注及签章		
申报	<b>基单位</b> (913101155916	273818) 上海喆瑞国际	货物运输代理有限公司		E	申报单位(签章)			

美国防护服

**DCWF** 







The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Description Safety Zone DCWH-SM-BB Breathable Microporous Coverall

Test Performed Selected test(s) as requested by applicant

Sample Receiving Date

OCT 14, 2018

Testing Period OCT 14, 2018 - OCT 19, 2018

Test Result(s)

Unless otherwise stated the results shown in this test report refer only to the

sample(s) tested. For further details, please refer to the following page(s).

# **Test Result**

Physical Property	Unit	Test Method	Result
Basic Weight	(g/m2)	ASTM D3776	63
Tensile Grab-Method -MD / -CD	lbs	ASTM D5034	171.9 98.2
Elongation Grab-Method -MD / -CD	%	ASTM D5034	58.4 75.5
Bursting Strength	psi	AATCC 127	39.8
Water Resistance <resistance by="" penetration="" to="" water=""> Hydrostatic Head</resistance>	mmH2O	mmH2O	746.6
M.V.T.R <moisture rate="" transmission="" vapor=""></moisture>	g/m2/24 hours	ASTM E96	4330
Air Permeability	Mm/sec	ASTM D737	1.69

### Size description:

DCBH-MD	MEDIUM	C3140	76358380050
DCBH-LG	LARGE	C3141	76358380051
DCBH-XL	X-LARGE	C3142	76358380052
DCBH-2X	2X-LARGE	C3143	76358380053

DCBH-3X	3X-LARGE	C3144	76358380054
DCBH-4X	4X-LARGE	C3145	76358390340
DCBH-5X	5X-LARGE	C3146	76358390341

# Sample Photo





# The Safety Zone ®

# **White BB Coveralls**

# **Product Features**

- MFG#: DCWH-(SIZE)-BB-EWA
- WHITE BB COVERALLS
- 60g MICROPOROUS POLYPROPYLENE
- ELASTIC WRISTS & ANKLES
- 100% LATEX FREE
- SM-5X
- PACKED 25/CS



# PRODUCT SPECIFICATIONS





# **60 GRAM BREATHABLE BARRIER, MICROPOROUS COVERALL**

MATERIAL	SIZES	GRAM WEIGHT	HOOD	BOOTS	ELASTIC WRISTS & ANKLES	COLOR	CASE PACK
MICROPOROUS POLYPROPYLENE	SM-5X	60 g/m2	NO	NO	YES	WHITE	25/CS (INDIVIDUALLY BAGGED)

ACCEPTANCES: All Safety Zone components comply with the provisions of the Federal Food, Drug, and Cosmetic Act which allow repeated use in direct contact with food

# Breathable Barrier Diagram LIGUIDS DUSTOINT PARTICLES MICROPOROUS POLYETHYLENE SPUNBOND POLYPROPYLENE FABRIC

# PACKAGING SPECIFICATIONS

MFG#	UPC	SIZE	CASE WEIGHT (lbs)	PALLET	TIER	HIGH	CUBIC FEET	COUNTRY OF ORIGIN
DCWH-SM-BB-EWA	76358390167	SMALL	12	48	4	12	1.28	CHINA
DCWH-MD-BB-EWA	76358390168	MEDIUM	12	48	4	12	1.28	CHINA
DCWH-LG-BB-EWA	76358380147	LARGE	12	48	4	12	1.28	CHINA
DCWH-XL-BB-EWA	76358380148	X-LARGE	12	48	4	12	1.28	CHINA
DCWH-2X-BB-EWA	76358390151	2X-LARGE	12	48	4	12	1.28	CHINA
DCWH-3X-BB-EWA	76358390152	3X-LARGE	12	48	4	12	1.28	CHINA
DCWH-4X-BB-EWA	76358390153	4X-LARGE	12	48	4	12	1.28	CHINA
DCWH-5X-BB-EWA	76358390154	5X-LARGE	12	48	4	12	1.28	CHINA

385 Long Hill Road Guilford, CT 06437

t: 860.767.2600 800.821.5702

f: 860.767.0205 800.783.2987

www.safety-zone.com

美国防护服

SAS



QTY.: 24 COVERALLS N.W.: 5.2 KG G.W.: 5.9 KG

Lot No.: 19104193

STREET, COLOR

3031 Gardenia Ave Long Beach, CA 90 Tel (800) 262-0200 Fax (800) 244-1938



# **ANCCP**

# ASTM TYPE TESTING CERTIFICATE no. DPI 325 AT 304/6

#### PERSONAL PROTECTIVE EQUIPMENT EEC DIRECTIVE

Denomination: These disposable coveralls are a cost-effective solution to protect

garments from debris, paint and dust

Model number or type: **Gen-Nex**®

Size: S-5X

Firm (and/or Agent): SAS Safety Corporation 3031 Gardenia Ave, Long Beach, CA 90807

In accordance with the application made by the Firm on 17.04.2019,

# **Having ascertained**

- that the technical documentation submitted by the above firm together with the above-mentioned application has proved upon examination to be in order,
- the positive results of the checks and tests performed by this Agency, on the model representative of production.

Having ascertained that the documentation and the representative model comply with the provisions of Legislative Decree no. 475

#### **WE HEREBY CERTIFY**

that the model of Individual Protective Device of the above-mentioned type and category, submitted for examination. Which is an integral part of this certificate, complies with the documentation produced and with the essential health and safety requirements

Date: 19.05.2019

Rev. 1 27.04.2019

HEAD OF DPI

Arch. M. COLLI

(signature)

CHAIRMAN OF THE T.C.C

Avv. O. COLATO

(signature)

# CONDITIONS OF VALIDITY

The standards referenced herein are those in force as at the date shown on this certificate, whose validity is no longer assured following the issuance of replacement standards. In such a circumstance the Manufacturer shall be obliged to query ANCCP as to the continued validity thereof.

The present certificate must be kept by the manufacturer so that it may be exhibited, on request, to the inspection body or supervisory authority.

# **ANCCP ASTM TYPE TESTING CERTIFICATE** no. DPI 325 AT 304/6

Same as basic model, without hood, with mandarin collar Description of variants:

Same as basic model, without hood, with stiffened mandarin collar

Same as basic model, with incorporated boots

Same as basic model, without hood, with shirt-type collar

Same as basic model in sterile packaging

Protective clothing penetration testing for Isocyanate Based Paint. Applied standard: ASTM F903 Test performed using U.S.



Chemical and Plastics 22 Fast Activator Glamour Performance levels: Clear.

Gen-Nex® Professional Grade Coveralls have a higher grade of Designed for: protection against isocyanates and particulates. These disposable coveralls are a cost-effective solution to protect garments from debris,

paint and dust. Made with a cloth-like fiber, Gen-Nex® coveralls include elastic ankles and wrists and are also available with a hood.

The following information is given on the label Marking:

CE marking

Name of manufacturer

chemical, biological, external Order no. radiation, antistatic protection

Pictograms for size, type of