

Poisson and Negative Binomial Distribution

Chao Cheng

February 12, 2024

Contents

1	Introduction	1
2	Poisson Distribution	1
2.1	Basic Information	1
2.2	Some Additoinal Properties	2
3	Negative Binomial Distribution	2
3.1	Basic Information	2
3.2	Some Additional Properties	2
4	Modeling Counts Data	3
4.1	Basic Modeling	3
4.2	Zero Inflation	3

1 Introduction

This notes is about poisson and negative binomial distribution, and their application in modeling count data.

2 Poisson Distribution

2.1 Basic Information

The p.m.f of a random variable X that follows Poisson distribution is

$$P(X = x) = \frac{e^{-\lambda} \lambda^x}{x!}, \quad x = 0, 1, \dots$$

The expectation and variance of X is

$$EX = \text{Var}X = \lambda.$$

2.2 Some Additoinal Properties

1. Summation of independent poisson distributed variables is still poisson distributed. That is to say,

if

$$X_1 \sim \text{Poisson}(\lambda_1), \quad X_2 \sim \text{Poisson}(\lambda_2), \quad X_1 \perp X_2,$$

then

$$X_1 + X_2 \sim \text{Poisson}(\lambda_1 + \lambda_2).$$

2. Poisson distribution can be related to Gamma distribution, which is also mentioned in “gamma_and_beta.pdf” notes.
3. A poisson distributed variable can be seen as counts of customer to a store or occurence of some events. And the **time interval between each count** follows exponential distribution.

3 Negative Binomial Distribution

3.1 Basic Information

Denote X the number of failing attempts just before reaching a total of r times of success and p the probability of success. If each attempt is independent of each other, then the distribution of X is called a negative binomial distribution. And the p.m.f of X is

$$P(X = x) = C_{x+r-1}^x p^r (1-p)^x = \frac{(x+r-1)!}{(r-1)!x!} p^r (1-p)^x, \quad x = 0, 1, \dots.$$

In this notation, X is the number of failing attempts. In some cases, one will model the distribution of number of total attempts X' , which is just $X' = X + r$.

Previously, r is the number of required success, which is naturally an positive integer. But one can actually generalize r to positive real number using Gamma function. Then the p.m.f of X is written as

$$P(X = x) = \frac{\Gamma(x+r)}{\Gamma(r)\Gamma(x+1)} p^r (1-p)^x, \quad x = 0, 1, \dots,$$

which is also called **Polya** distribution.

The expectation of a negative binomial/Polya distribution is

$$EX = \frac{r(1-p)}{p}.$$

The variance of a negative binomial/Polya distribution is

$$\text{Var}X = \frac{r(1-p)}{p^2}.$$

3.2 Some Additional Properties

1. Summation of independent negative binomial distributed variables.
2. Relationship to Poisson and Gamma distribution.
3. Dispersion parameter and other parameterization of negative binomial distribution.

4 Modeling Counts Data

4.1 Basic Modeling

4.2 Zero Inflation

References