Sub-task

- [SLIDER-377] slider MiniHDFSCluster tests failing on windows+branch2
- [SLIDER-414] RAT is creating a dir that cannot be deleted
- [SLIDER-622] jenkins on windows failing
- [SLIDER-623] jenkins failing on cento5; python exec failing
- [SLIDER-643] revert to 2.6.0-SNAPSHOT profile for jenkins
- [SLIDER-654] TestStandaloneAgentAM intermittent failures
- [SLIDER-677] Keytab less Kerberos auth support required for Hadoop 2.6
- [SLIDER-708] Document existing (read-only) REST APIs
- [SLIDER-709] Draft new REST API with use cases
- [SLIDER-710] Restore insecure WS "back door" for REST dev
- [SLIDER-711] Implement initial read-only view of live REST resources
- [SLIDER-715] expose REST operation to stop the AM/application
- [SLIDER-719] Create slider REST client library
- [SLIDER-724] don't serve web content until AM is fully configured
- [SLIDER-741] expose raw/resolved views of app configurations
- [SLIDER-748] TestAgentAMManagementWS.testAgentAMManagementWS failing
- [SLIDER-754] add metering/counter of REST operations
- [SLIDER-761] disable WS back door for 0.70 release
- [SLIDER-762] Add API-level slider REST client
- [SLIDER-765] TestStandaloneYarnRegistryAM failing
- [SLIDER-771] root slider pages to link to new App view

Bug

- [SLIDER-216] Some agent funtest success depends on log level
- [SLIDER-384] Chaos monkey killed AM when amfailure was set to 0
- [SLIDER-625] Regression: interactively setting passwords in CredentialProvider no longer working
- [SLIDER-631] Slider should provide auto replacement of ganglia properties
- [SLIDER-641] multiple slider-agent tarballs in lib dir
- [SLIDER-645] Add rat check to jenkins build and modify the release doc to add a step to do rat check
- [SLIDER-649] TestStandaloneAMRestart fails intermittently on windows
- [SLIDER-659] NPE in slider am-suicide if you don't provide a message
- [SLIDER-661] hadoop_conf_dir not set on windows AM classpath if launched by slider client from unix
- [SLIDER-673] serialized application report saved with lookup operation doesn't save URLs
- [SLIDER-675] Allow for short lived applications to run in secure cluster w/o keytab files
- [SLIDER-676] Containers failing to launch on a secure windows cluster with an undefined variable exception
- [SLIDER-689] AgentWebPagesIT fails to run against a kerberos cluster
- [SLIDER-706] application installation failure does not result in clear failure indication
- [SLIDER-721] NPE in slider web view
- [SLIDER-752] No easy way to get list of applications via API from SliderClient
- [SLIDER-755] AgentProvider doesn't raise and exception when the agent tar isn't there
- [SLIDER-759] slider tarball doesn't always contain slider-agent.tar.gz
- [SLIDER-766] binary releases don't include license/3rd party metadata
- [SLIDER-769] Modify Slider app packages for seamless integration with AMS provider (Ambari Metrics Service)
- [SLIDER-778] Clean up AgentProviderService slightly
- [SLIDER-781] licensing inconsistencies in included python source
- [SLIDER-785] AgentClusterLifecycleIT failing if >1 slider instance running in the test cluster
- [SLIDER-814] slider has transient dependency on LGPL-licensed JAR
- [SLIDER-815] Binary files (dlls and exes) in git source and Slider source release (both .zip and .tar.gz)

Documentation

• [SLIDER-660] - modify existing incubator site document on ssl to reflect AM cert localization for two-way SSL

Improvement

- [SLIDER-147] Set up ganglia metrics for Accumulo
- [SLIDER-193] Improve site documentation
- [SLIDER-287] Allow more parameters to be passed to HBase thrift gateway
- [SLIDER-527] add slider demo script/tuning
- [SLIDER-655] split app packages out of slider POM for independent releases
- [SLIDER-656] drop providers/hbase and providers/accumulo

- [SLIDER-670] NPE in RMAuthenticationFilter chain, missing httpclient method in minicluster tests
- [SLIDER-671] Publish slider artifacts to maven
- [SLIDER-679] remove all uses of SliderXmlConfKeys.REGISTRY_PATH from source
- [SLIDER-680] cut test option to choose between shell and .py script as obsolete
- [SLIDER-723] Memcached component launch fail does not propagate
- [SLIDER-729] move state int enum from ConfigurationDescription to standalone
- [SLIDER-737] add LANG=en_US when executing shell command
- [SLIDER-740] support configurating HBASE_OPTS
- [SLIDER-743] Include node failure history when choosing placement hints
- [SLIDER-750] CertificateManager.generateServerCertificate to throw exceptions
- [SLIDER-758] Slider placement requests to skip unreliable nodes
- [SLIDER-768] API to indicate when all component instances are launched
- [SLIDER-772] add sample slider-server.xml with metrics configuration

Task

- [SLIDER-700] Add accumulo proxy component to accumulo app package
- [SLIDER-728] Placement policy for thrift / REST / thrift2 should be strict
- [SLIDER-760] Release Slider 0.70

Edit/Copy Release Notes

The text area below allows the project release notes to be edited and copied to another document.

```
Release Notes - Slider - Version Slider 0.70
 <h2>
                                                                         Sub-task
 </h2>
 <u1>
  (1i)[(a href='https://issues.apache.org/jira/browse/SLIDER-377')SLIDER-377(/a)] -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          slider MiniHDFSCluster tests
 failing on windows+branch2
 [<a href='https://issues.apache.org/jira/browse/SLIDER-414'>SLIDER-414'
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          RAT is creating a dir that
cannot be deleted
 [<a href='https://issues.apache.org/jira/browse/SLIDER-622'>SLIDER-622</a>] -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          ienkins on windows failing
 \[ \lambda ii \rangle \lambda \text{ href='https://issues.apache.org/jira/browse/SLIDER-623'>SLIDER-623'\rangle \rangle \rang
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           ienkins failing on cento5:
python exec failing
  (1i)[<a href='https://issues.apache.org/jira/browse/SLIDER-643'>SLIDER-643</a>] -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          revert to 2.6.0-SNAPSHOT
profile for jenkins
 \label{likelihood} $$ \langle 1i \rangle [\ a href='https://issues.apache.org/jira/browse/SLIDER-654'>SLIDER-654\langle a \rangle] - 1 \rangle [\ a href='https://issues.apache.org/jira/browse/SLIDER-654'>SLIDER-654'>SLIDER-654
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          TestStandaloneAgentAM
 intermittent failures
 \label{likelihood} $$ \langle 1i \rangle [\ a href='https://issues.apache.org/jira/browse/SLIDER-677' \rangle SLIDER-677' \ a href='https://issues.apache.org/jira/browse/SLIDER-677' \ a href='https://is
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Keytab less Kerberos auth
 support required for Hadoop 2.6
  (1i)[(a href='https://issues.apache.org/jira/browse/SLIDER-708'>SLIDER-708(/a)] -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Document existing (read-only)
REST APIs
 <1i>[<a href='https://issues.apache.org/jira/browse/SLIDER-709'>SLIDER-709</a>] -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Draft new REST API with use
 \label{liber-710'} $$ \  \  = 'https://issues.apache.org/jira/browse/SLIDER-710' > SLIDER-710 </a> ] - $$ \  \  = 'https://issues.apache.org/jira/browse/SLIDER-710' > SLIDER-710 </a> ] - $$ \  \  = 'https://issues.apache.org/jira/browse/SLIDER-710' > SLIDER-710' > S
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          Restore insecure WS " back
 door" for REST dev
 Implement initial read-only
view of live REST resources
 \(\lambda i) \( \lambda \) href='https://issues.apache.org/jira/browse/SLIDER-715' \( \rangle \) SLIDER-715\( \lambda \) -
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           expose REST operation to stop
the AM/application
```