

LIBRO STAMPI
MOULD DESIGN BOOK

Cliente / Customer
Vetreria / Site
Impianto / Plant
Linea / Line
Tipo I.S. / I.S. type
Processo / Process

JSC STEKLOZAVOD
LUNACHARSKOGO

L.1.1-1.2
D.G. 4-1/4"
BLOW & BLOW

CODICE DOCUMENTO / DOCUMENT CODE	LS_4252_BB_1
PERCORSO E NOME FILE PATH AND FILE NAME	...
DATA DI STESURA / DRAWING UP DATE	21/10/2009
DATA E ORA DI STAMPA DATE AND TIME OF PRINTING	

PREPARATO DA: PREPARED BY:	PERSONA / PERSON	DATA / DATE	FIRMA / SIGNATURE
			
VERIFICATO DA: VERIFIED BY:	PERSONA / PERSON	DATA / DATE	FIRMA / SIGNATURE
			
APPROVATO DA: APPROVED BY:	PERSONA / PERSON	DATA / DATE	FIRMA / SIGNATURE
			

Revisioni e aggiornamenti / Revision and up-dating

Vers. / Data Vers. / Date	Paragr. modif. / Pag. Page / Paragraph modified	Modifiche apportate Carried out modifications
0	----	Versione Originale / Original Version

“This proprietary mould design data book (the book and the presented know-how) is the property of Bottero. It is provided pursuant to a royalty-free license, to the licensee (the owner of a Bottero I.S. machine) subject to the following terms:

1. It will be used only in conjunction with the use of a Bottero I.S. machine
2. It will not be copied. Upon request, Bottero will provide additional copies
3. The book and the presented data will be treated as confidential and will not be disclosed to any third party”

Dati tecnici Modulo / Technical Information I.S.

Section Frame height	ST'D (533,4 mm)
Upper Plate 6-1/4"	---
Funnel mech. Motion mm	17,5 Straight lift 62,7 Swing for 55° 80,2 Total lift
Baffle mech. Motion mm	50 Straight lift 62,7 Swing for 55° 112,7 Total lift
Blow Head mech. Motion mm	79,4 Straight lift 92,1 Swing for 65° 171,5 Total lift
Cartridge 33 mm	Cod. A262-3051GR2A
Cartridge 48 mm	Cod. A262-3051GR2A
Maximum body diameter (mm)	75
Maximum finish diameter (mm)	83
Maximum height under finish (mm)	295
Minimum height under finish (mm)	59

INDICE / TABLE OF CONTENTS

Section 1

Mould Design Limits

Mould Design Limits	pag. 001-BB
Blow mold Limits	pag. D391-002-BB
Invert Limits	pag. D391-004-BB
Baffle Limits	pag. D391-005-BB

Section 2

MOUNTING ASSEMBLIES AND INVERT SELECTION CHARTS

N°.1 Blank Mould Holder Insert type mtg Ass'y	pag. D391-100-BB
N°.1 Blank Mould Holder Plate type mtg Ass'y	pag. D391-101-BB
N°.2 Blank Mould Holder Plate type mtg Ass'y	pag. D391-102-BB
N°.3 Blank Mould Holder Plate type mtg Ass'y	pag. D391-103-BB
N°.1 Blow Mould Holder Insert type mtg Ass'y	pag. D391-150-BB
N°.1 Blow Mould Holder Plate type mtg Ass'y	pag. D391-151-BB
N°.2 Blow Mould Holder Plate type mtg Ass'y	pag. D391-152-BB
N°.3 Blow Mould Holder Plate type mtg Ass'y	pag. D391-153-BB
Mould holder plates selection charts.....	pag. D391-160A-BB
Mounting parts selection charts	pag. D391-165-BB

Section 3

3-3/8" - 3-7/8", 4-5/8" BLANK (POST TYPE BAFFLE) AND BLOW MOULDS

Blank Mould	pag. D391-452-BB
Suggested Blank Mould specifications	pag. D391-463-BB
Stud	pag. D391-500-BB

Blow Mould	pag. D391-504-BB
Blow cooling design	pag. D391-505-BB
Suggested Blow Mould specifications.....	pag. D391-515-BB

Section 4

POSITIONERS

Method for Locating Neck rings Notches	pag. D391-600-BB
N°1 Finish Guide Ass'y	pag. D338-617
N°2 Finish Guide Ass'y	pag. D338-618

Section 5

EQUIPMENTS

Baffle	pag. D391-700-BB
Min. funnel position.....	pag. D391-800-BB
Funnel N°00.....	pag. 800A
Funnel N°0.....	pag. 800B
Funnel N°1.....	pag. 800C
Funnel N°2.....	pag. 800D
Bottom Plates	pag. D391-900-BB
Vacuum Bottom Plates	pag. D391-901-BB
Vacuum Modifications Blow Moulds	pag. D391-902-BB
N°1 Internal Cooling Blow Head	pag. D391-1000A-BB

Internal Cooling Blow Head	pag. D391-1000B-BB
Internal Cooling Pipe	pag. D391-1050-BB
N°.1Takeout Tongs.....	pag. D391-1101-BB
N°.2Takeout Tongs.....	pag. D391-1102-BB
F.C.C. Distributor Plate	pag. D391-1150-BB


MOULD DESIGN LIMITS




Content of the drawing is exclusive Bottero property. Reproduction partial or total of any part of it, is forbidden without the written consent of Bottero S.p.A.

* 71.4 MIN. WITH DOUBLE DECK
* 119.4 MIN. WITH TRIPLE DECK

SEE DATA SHEET D391-004-BB
** N.R. 47.6 INVERT MIN. 33/ INVERT MAX.86
** N.R. 57.2 INVERT MIN. 23.6/ INVERT MAX.76.4



BLOW MOULD OPENS 65°




DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	01.2015	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/1



Property of Bottero, please refer to license




DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	01.2015	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license


DOUBLE DECK

70 MM OFFSET



TRIPLE DECK


70 MM OFFSET



BLANK MOLD HOLDER
ROTATION CENTER

3 MIN. TRANSFER
CLEARANCE

USE SINGLE TOOTH WHEN
INVERT DIMENSION IS CLOSE
TO MAX TO AVOID INTERFERENCE
WITH NECK-RING ARM.



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet

1/1




Property of Bottero, please refer to license

STRAIGHT BAFFLE ARM



PANTOGRAPH BAFFLE ARM



MOUNTING ASSEMBLIES AND INVERT SELECTION CHARTS


DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		09.2014	DATE	...	GEOMETRICAL TOL.
					Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Property of Bottero, please refer to license

3-3/8"-3-7/8" & 4-5/8" DIA. BLANK MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLANK GLASS LINE	"A" MINIMUM	MINIMUM INVERT
①	3-3/8"	38.5	5.5	33
②	3-7/8"	38.5	5.5	33
③	4-5/8"	▲ 38.5 / 29.1 ●	5.5	▲ 33 / 23.6 ●




▲ DIMENSION REFERRED TO NECK RING H= 47.6
 ● DIMENSION REFERRED TO NECK RING H= 57.2

DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE	09.2014	DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license


MOULD DESIGN INVERT CENTER



MINIMUM LIMIT FOR NECK-RING
DIAMETER EXPANSION"

1


MOULD DESIGN INVERT CENTER



MINIMUM LIMIT FOR NECK-RING
DIAMETER EXPANSION"

2

MOULD DESIGN INVERT CENTER



▲ DIMENSION REFERRED TO NECK RING H= 47.6
● DIMENSION REFERRED TO NECK RING H= 57.2


3

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/3	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

3-7/8" & 4-5/8" DIA. BLANK MOULDS SEE DATA SHEET D391-160A.....


MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLANK GLASS LINE	"A" MINIMUM	MINIMUM INVERT
④	3-7/8"	75	42	33
⑤	3-7/8"	57.5	5.5	52
⑥	4-5/8"	▲ 75 / 65.6 ●	42	▲ 33 / 23.6 ●
⑦	4-5/8"	57.5	5.5	52
⑧	4-5/8"	▲ 49.5 / 40.1 ●	16.5	▲ 33 / 23.6 ●
⑨	4-5/8"	▲ 87.5 / 78.1 ●	54.5	▲ 33 / 23.6 ●
⑩	4-5/8"	70.5	5.5	65
⑪	4-5/8"	68	29	39



- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2


DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	2/3
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license




1-1/2" OFFSET MOULD HOLDER

4



1-1/2" OFFSET MOULD HOLDER


5



1-1/2" OFFSET MOULD HOLDER

▲ DIMENSION REFERRED TO NECK RING H= 47.6
● DIMENSION REFERRED TO NECK RING H= 57.2

6




1-1/2" OFFSET MOULD HOLDER

7


DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 3/3	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license



- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2


8



2" OFFSET MOULD HOLDER


- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2

9



2" OFFSET MOULD HOLDER

10



2-1/2" OFFSET MOULD HOLDER

11

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/2



Property of Bottero, please refer to license

3-7/8" & 4-5/8" DIA. BLANK MOULDS SEE DATA SHEET D391-160A.....


MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLANK GLASS LINE	"A" MINIMUM	MINIMUM INVERT
12	3-7/8"	143	67	76
13	4-5/8"	143	67	76
14	3-7/8"	168.5	92.5	76
16	4-5/8"	168.5	92.5	76




DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE	09.2014	DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Property of Bottero, please refer to license




12



13



14



16

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/2



Property of Bottero, please refer to license


4-5/8" DIA. BLANK MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLANK GLASS LINE	"A" MINIMUM	MINIMUM INVERT
⑱	4-5/8"	143.5	67.5	76
⑳	4-5/8"	194	118	76
㉒	4-5/8"	168.5	92.5	76




DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	2/2
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license




2" OFFSET MOULD HOLDER

18



2" OFFSET MOULD HOLDER

20



2-1/2" OFFSET MOULD HOLDER

22

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/3




Property of Bottero, please refer to license

3-3/8"-3-7/8" & 4-5/8" DIA. BLOW MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLOW GLASS LINE		"B" MINIMUM	MINIMUM INVERT
①	3-3/8"	▲ 39 / 29.6 ● *	▲ 59 / 49.6 ●	26 (6 *)	▲ 33 / 23.6 ●
②	3-7/8"	▲ 39 / 29.6 ● *	▲ 59 / 49.6 ●	26 (6 *)	▲ 33 / 23.6 ●
③	4-5/8"	▲ 39 / 29.6 ● *	▲ 59 / 49.6 ●	26 (6 *)	▲ 33 / 23.6 ●




* SEE DATA SHEETS D391-150A/150B-BB TO DEFINE BOTTOM PLATE HEIGHT



- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2


DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 2/3	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 3/3	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		


Property of Bottero, please refer to license




MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE

- ▲ DIMENSION REFERRED TO NECK RING H= 48
● DIMENSION REFERRED TO NECK RING H= 60

2



MINIMUM LIMIT FOR INCREASED
BOTTOM PLATE



MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE

- ▲ DIMENSION REFERRED TO NECK RING H= 48
● DIMENSION REFERRED TO NECK RING H= 60

3

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K




Property of Bottero, please refer to license

3-7/8" & 4-5/8" DIA. BLOW MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLOW GLASS LINE		"B" MINIMUM	MINIMUM INVERT
④	3-7/8"	77 (57 *)		26 (6 *)	51
⑤	3-7/8"	▲ 78 / 68.6 ●		45	▲ 33 / 23.6 ●
⑥	4-5/8"	77 (57 *)		26 (6 *)	51
⑦	4-5/8"	▲ 78 / 68.6 ●		45	▲ 33 / 23.6 ●
⑧	4-5/8"	▲ 39 / 32 ● *	▲ 59 / 52 ●	26 (6 *)	▲ 33 / 26 ●
⑨	4-5/8"	90 (70 *)		26 (6 *)	64
⑩	4-5/8"	▲ 90 / 80.6 ●		57	▲ 33 / 23.6 ●
⑪	4-5/8"	71		32	39

* SEE DATA SHEETS D391-151A/B/C-BB TO DEFINE BOTTOM PLATE HEIGHT




▲ DIMENSION REFERRED TO NECK RING H= 47.6


● DIMENSION REFERRED TO NECK RING H= 57.2

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 2/5	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license




MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE



MINIMUM LIMIT FOR INCREASED
BOTTOM PLATE

1-1/2" OFFSET MOULD HOLDER

4




- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2

1-1/2" OFFSET MOULD HOLDER


5

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	3/5
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license




MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE



MINIMUM LIMIT FOR INCREASED
BOTTOM PLATE

1-1/2" OFFSET MOULD HOLDER

6




- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2

1-1/2" OFFSET MOULD HOLDER


7

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 4/5	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license




MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE




MINIMUM LIMIT FOR INCREASED
BOTTOM PLATE

- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2

8



MINIMUM LIMIT FOR STANDARD
BOTTOM PLATE



MINIMUM LIMIT FOR INCREASED
BOTTOM PLATE

2" OFFSET MOULD HOLDER


9

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
5/5




Property of Bottero, please refer to license



- ▲ DIMENSION REFERRED TO NECK RING H= 47.6
- DIMENSION REFERRED TO NECK RING H= 57.2

2" OFFSET MOULD HOLDER

10



11

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/2



Property of Bottero, please refer to license


3-7/8" & 4-5/8" DIA. BLOW MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLOW GLASS LINE	"B" MINIMUM	MINIMUM INVERT
12	3-7/8"	140	64	76
13	4-5/8"	140	64	76
15	3-7/8"	165	89	76
17	4-5/8"	165	89	76




DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 2/2	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		


Property of Bottero, please refer to license




12



13



15



17

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/3



Property of Bottero, please refer to license

4-5/8" DIA. BLOW MOULDS SEE DATA SHEET D391-160A.....

MOUNTING ASSEMBLY	DIAM. MOULD	MIN. BLOW GLASS LINE	"B" MINIMUM	MINIMUM INVERT
19	4-5/8"	150	74	76
21	4-5/8"	158	82	76
25	4-5/8"	150	74	76
26	4-5/8"	158	82	76
27	4-5/8"	158	82	76




DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE	09.2014	DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
2/3




Property of Bottero, please refer to license




19



21



25



26



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		08.2014	DATE	...	GEOMETRICAL TOL.
					Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet

3/3



Property of Bottero, please refer to license



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		09.2014	DATE	...	GEOMETRICAL TOL. Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/3



Property of Bottero, please refer to license

ATTACHED 1/3

BLANK & BLOW (DOUBLE DECK)

INSERTS		MOUNTING ASSEMBLY											LOCATING BLOCK WIDTH
DIAMETER	CODE	1	2	3	4	5	6	7	8	9	10	11	
3-3/8"	A391-D-5810G20	X											31.75
3-7/8"	A391-D-5810G24		X										31.75
4-5/8"	A391-D-5810G23			X									31.75
3-7/8"	A425-*-912/8M				X	X							31.75
4-5/8"	A391-D-5810G44						X	X					31.75
4-5/8"	A391-D-5810G22								X				31.75
4-5/8"	A391-D-5810G42									X	X		19.05
4-5/8"	A391-D-5810G41											X	19.05

BLANK & BLOW (DOUBLE DECK)

UPPER PLATES		LOWER PLATES		MOUNTING ASSEMBLY				LOCATING BLOCK WIDTH
DIAMETER	CODE	DIAMETER	CODE	12	13			
3-7/8"	A391-D-5810G17	4-7/16"	A391-D-5810G18	X				31.75
4-5/8"	A391-D-5810G14	5"	A391-D-5810G15		X			31.75

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		09.2014	DATE	...	GEOMETRICAL TOL. Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license

ATTACHED 2/3

BLANK (DOUBLE DECK)

UPPER PLATES		LOWER PLATES		MOUNTING ASSEMBLY					LOCATING BLOCK WIDTH
DIAMETER	CODE	DIAMETER	CODE	14	16				
3-7/8"	A391-D-5810G17	4-7/16"	A391-D-5810G18	X					31.75
4-5/8"	A391-D-5810G14	5"	A391-D-5810G15		X				31.75


BLOW (DOUBLE DECK)

UPPER PLATES		LOWER PLATES		MOUNTING ASSEMBLY					LOCATING BLOCK WIDTH
DIAMETER	CODE	DIAMETER	CODE	15	17				
3-7/8"	A391-D-5810G17	4-7/16"	A391-D-5810G18	X					31.75
4-5/8"	A391-D-5810G14	5"	A391-D-5810G15		X				31.75

[illegible]

	DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
	S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE		09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

[illegible]

***3-3/8", 3-7/8", 4-5/8" BLANK (POST TYPE
BAFFLE) AND BLOW MOULDS***

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/1



Property of Bottero, please refer to license

NECK RING Ø	R	Z
63.5	17	14
89	27.5	16.5
101.5	33.5	16.5

MOULD DIA	A	B
3-3/8"	75.5	36
3-7/8"	88	42
4-5/8"	96.5	46





DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-100...
TO DETERMINE "H" & "P" DIMENSIONS

SECTION A-A



NECK RING Ø	A	B	E
63.5	65	49.9 ^{+0.06} _{+0.03}	---
89	90.5	75.3 ^{+0.06} _{+0.03}	108
101.5	103	88 ^{+0.06} _{+0.03}	119


BAFFLE SIZE	ØD
00	46.1 ^{+0.08} _{+0.03}
0	58.8 ^{+0.08} _{+0.03}

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-100... & 101...
TO DETERMINE "H" & "P" DIMENSIONS

SECTION A-A



NECK RING Ø	A	B	E
63.5	65	49.9 ^{+0.06} _{+0.03}	---
89	90.5	75.3 ^{+0.06} _{+0.03}	108
101.5	103	88 ^{+0.06} _{+0.03}	119

BAFFLE SIZE	ØD
00	46.1 ^{+0.08} _{+0.03}
0	58.8 ^{+0.08} _{+0.03}
1	65.2 ^{+0.08} _{+0.03}

BAFFLE SIZE	ØD
00	46.1 ^{+0.08} / _{+0.03}
0	58.8 ^{+0.08} / _{+0.03}
1	65.2 ^{+0.08} / _{+0.03}
2	77.9 ^{+0.08} / _{+0.03}

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/1



Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA SHEETS D391-102...
TO DETERMINE "H" & "G" DIMENSIONS

SECTION A-A



NECK RING Ø	A	B
63.5	65	49.9 $^{+0.06}_{+0.03}$
89	90.5	75.3 $^{+0.06}_{+0.03}$


BAFFLE SIZE	ØD
00	46.1 $^{+0.08}_{+0.03}$
0	58.8 $^{+0.08}_{+0.03}$
1	65.2 $^{+0.08}_{+0.03}$

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-102...
TO DETERMINE "H" & "G" DIMENSIONS

SECTION A-A



NECK RING Ø	A	B
63.5	65	49.9 ^{+0.06} _{+0.03}
89	90.5	75.3 ^{+0.06} _{+0.03}
101.5	103	88 ^{+0.06} _{+0.03}


BAFFLE SIZE	ØD
00	46.1 ^{+0.08} _{+0.03}
0	58.8 ^{+0.08} _{+0.03}
1	65.2 ^{+0.08} _{+0.03}
2	77.9 ^{+0.08} _{+0.03}

BAFFLE SIZE	ØD
00	46.1 ^{+0.08} _{+0.03}
0	58.8 ^{+0.08} _{+0.03}
1	65.2 ^{+0.08} _{+0.03}
2	77.9 ^{+0.08} _{+0.03}

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE		DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

ATTENZIONE: MTL SU PROFILO VERTICALE SE RICHIESTO
ATTENTION: MTL ON VERTICAL PROFILE MATCH ONLY IF REQUESTED






=====	DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
=====	S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		07.2014	DATE	...		GEOMETRICAL TOL.

Sheet

1/1



Property of Bottero, please refer to license



VITE TESTA SVASATA PIANA M8X25
HEX.SOCKET COUNT.HEAD SCREW M8X25

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/1




Property of Bottero, please refer to license

BOTTOM PLATE	R	Z
51	11	8.5
70	19	10
76	22	10
81	22	10
89	26	12.5
102	32	12.5

MOULD DIA	A	B
3-3/8"	75.5	36
3-7/8"	88	42
4-5/8"	96.5	46



SEE DATA SHEETS D391-160...



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/1



Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-150...
TO DETERMINE "H" & "P" DIMENSIONS

SECTION A-A



BOTTOM PLATE "A" Ø	ØA	ØB	ØE
51	54	35 ±0.02	---
70	73	54 ±0.02	---
76	79	60.4 ±0.02	95


BLOW HEAD	D
1	65
2	74

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS T950-150...& 151....
TO DETERMINE "H" DIMENSION

SECTION A-A



BOTTOM PLATE "A" Ø	ØA	ØB
51	54	35 ±0.02
70	73	54 ±0.02
76	79	60.4 ±0.02
81	84	60.4 ±0.02


BLOW HEAD	D
1	65
2	74

=====	DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
=====	S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE		09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA SHEETS D391-150...& 151... TO DETERMINE "H" DIMENSION

SECTION A-A



FIT TO ST'D I.S. "GO" GAGE


BOTTOM PLATE "A" Ø	ØA	ØB
51	54	35 ±0.02
70	73	54 ±0.02
76	79	60.4 ±0.02
81	84	60.4 ±0.02
89	92	73.1 ±0.02
102	105	85.8 ±0.02

BLOW HEAD	D
1	65
2	74
3	90
4	103

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-152....
TO DETERMINE "H" & "G" DIMENSIONS




BOTTOM PLATE "A" Ø	ØA	ØB	
51	54	35	±0.02
70	73	54	±0.02
76	79	60.4	±0.02
81	84	60.4	±0.02
89	92	73.1	±0.02

BLOW HEAD	D
1	65
2	74

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-152...
TO DETERMINE "H" & "G" DIMENSIONS




BOTTOM PLATE "A" Ø	ØA	ØB
51	54	35 ±0.02
70	73	54 ±0.02
76	79	60.4 ±0.02
81	84	60.4 ±0.02
89	92	73.1 ±0.02
102	105	85.8 ±0.02

BLOW HEAD	D
1	65
2	74
3	90
4	103

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-153...
TO DETERMINE "H" & "G" DIMENSIONS




BOTTOM PLATE "A" Ø	ØA	ØB	
51	54	35	±0.02
70	73	54	±0.02
76	79	60.4	±0.02
81	84	60.4	±0.02
89	92	73.1	±0.02
102	105	85.8	±0.02

BLOW HEAD	D
1	65
2	74
3	90
4	103

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license

NOTE: SEE CHART & MTG. ASS.Y ON DATA
SHEETS D391-153...
TO DETERMINE "H" & "G" DIMENSIONS



BOTTOM PLATE "A" Ø	ØA	ØB	
51	54	35	±0.02
70	73	54	±0.02
76	79	60.4	±0.02
81	84	60.4	±0.02
89	92	73.1	±0.02
102	105	85.8	±0.02

BLOW HEAD	D
1	65
2	74
3	90
4	103



DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE	09.2014	DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K




Sheet
1/1



Property of Bottero, please refer to license



ONLY RADIAL COOLING




SECTION **A-A**



DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE		DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license



*
ONLY RADIAL COOLING




SECTION **A-A**



DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE		DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license



*
ONLY RADIAL COOLING



SECTION **A-A**



DESIGNED	CHECKED	REV	
S.G.R.	CHESTA	INDEX	...
DATE	09.2014	DATE	...

DIMENSIONS WITHOUT TOLERANCES	
ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Sheet
1/1



Property of Bottero, please refer to license



SECTION A-A





SECTION A-A

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	01.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Property of Bottero, please refer to license



CARTRIDGES


DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/1



Property of Bottero, please refer to license

CUT TWO NOTCHES IN EACH HALF AS SHOWN TO PERMIT ROTATING THE NECK RING 180°



— IN ITS MAJOR ROTATION POINT THE NECK RING MAY INTERFERE WITH THE MOULD. IN ORDER TO AVOID THIS IT IS NECESSARY TO MACHINE THE NECK RING AS SHOWN AT POINT "A".

FURTHERMORE IT MAY BE NECESSARY TO MACHINE THE NECK RING AS PER "B" AND "C" ANGLES IN ORDER TO AVOID INTERFERENCES WITH THE INTERNAL PART OF THE MOULD.

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Property of Bottero, please refer to license

MOULD DESIGN INVERT


N.R.H.: Neck Ring height

* MOULD DESIGN = 1.6
MACHINE SETUP = 0.8

PLUNGER PULL FOR C'BLOW = 15
THIMBLE PULL = 26.2
TOTAL PLUNGER PULL = 42

33 MM MAX. FIN.

CARTRIDGES A262-3051GR2A







DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	GIACONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	05.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license


* MAY BE VARIED
TO SUIT FINISH



OPPOSITE CUTS MUST BE
THE SAME WITHIN 0.07




FOR LOCATION OF NOTCHES SEE
DATA SHEET D338-600



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	GIACCONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		05.2011	DATE	...	GEOMETRICAL TOL.
					Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K





Property of Bottero, please refer to license



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	GIACCONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	05.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Property of Bottero, please refer to license



DESIGNED	CHECKED	REV	DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX ...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE ...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/5



Property of Bottero, please refer to license

MOULD DESIGN INVERT


N.R.H.: Neck Ring height

* MOULD DESIGN = 1.6
MACHINE SETUP = 0.8

PLUNGER PULL FOR C'BLOW = 15
THIMBLE PULL = 26.2
TOTAL PLUNGER PULL = 42

48 MM MAX. FIN.



CARTRIDGES A262-3051GR2A




DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
		INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
S.G.R.	GIACCONI			GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K
DATE	05.2011	DATE	...		

Property of Bottero, please refer to license

* MAY BE VARIED
TO SUIT FINISH





FOR LOCATION OF NOTCHES
SEE DATA SHEET D338-600




OPPOSITE CUTS MUST BE THE SAME WITHIN 0.07

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 3/5	
S.G.R.	GIACONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE	05.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license






MILL THESE SURFACES
TANGENT TO 58.5 DIA.




	DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 4/5	
	S.G.R.	GIACCONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m		
DATE		05.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K		

Property of Bottero, please refer to license



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	GIACCONE	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	05.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Property of Bottero, please refer to license




EQUIPMENTS

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	08.2013	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K



Sheet
1/1




Property of Bottero, please refer to license



BAFFLE SIZE	A	B	"G" Max.
N0. 00	46 ^{+0.05} ₀	57	26
N0. 0	58.7 ^{+0.05} ₀	70	38
N0. 1	65.1 ^{+0.05} ₀	76	45
N0. 2	77.8 ^{+0.05} ₀	89	57



CENTER OF MOULD PARTING



"G"- BAFFLE DIAMETER 0.10 LESS THAN BLANK DIAMETER



Ø6 DRILL & REAM WITH No.5
STANDARD TAPER PIN REAMER
& COUNTERSINK

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE		DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K


Sheet
1/5



Property of Bottero, please refer to license

FUNNEL VERTICAL STROKE 18.3			FUNNEL VERTICAL STROKE 18.3		
DOUBLE DECK			TRIPLE DECK		
FUNNEL SIZE	H=45 F MIN.	H=55 F MIN.	FUNNEL SIZE	H=45 F MIN.	H=55 F MIN.
NO. 00	15.5	5.5	NO. 00	71	67.5
NO. 0	29	19	NO. 0	71	67.5
NO. 1	29	19	NO. 1	71	67.5
NO. 2	29	19	NO. 2	71	67.5

FUNNEL VERTICAL STROKE 28.3			FUNNEL VERTICAL STROKE 28.3		
DOUBLE DECK			TRIPLE DECK		
FUNNEL SIZE	H=45 F MIN.	H=55 F MIN.	FUNNEL SIZE	H=45 F MIN.	H=55 F MIN.
NO. 00	15.5	5.5	NO. 00	71	67.5
NO. 0	22	12	NO. 0	71	67.5
NO. 1	22	12	NO. 1	71	67.5
NO. 2	22	12	NO. 2	71	67.5





* FOR SHORTER "F" DIMENSIONS
INCREASE FUNNEL LENGTH



Content of the drawing is exclusive Bottero property. Reproduction partial or total of any part of it, is forbidden without the written consent of Bottero S.p.A.

G- DIMENSION SHOULD BE
THE SAME SHAPE & 1 MM MIN.
SMALLER THAN BAFFLE
END OF PARISON







Content of the drawing is exclusive Bottero property. Reproduction partial or total of any part of it, is forbidden without the written consent of Bottero S.p.A.

TABLE OF DIMENSIONS

CENTER DISTANCE	A	B	C	D
TG.4-1/4" / DG.4-1/4" DG.5"	101	82.5	82.5 ± 0.2	9.5
TG.3-1/2"	83	71.2	74.2 ± 0.1	--

G- DIMENSION SHOULD BE THE SAME SHAPE & 1 MM MIN. SMALLER THAN BAFFLE END OF PARISON







Content of the drawing is exclusive Bottero property. Reproduction partial or total of any part of it, is forbidden without the written consent of Bottero S.p.A.



TABLE OF DIMENSIONS	
CENTER DISTANCE	A
DG.4-1/4" / TG.4-1/4" DG.5"	82.5
DG.5-1/2" / DG.6-1/4"	92


G- DIMENSION SHOULD BE THE SAME SHAPE & 1 MM MIN. SMALLER THAN BAFFLE END OF PARISON





G- DIMENSION SHOULD BE THE SAME SHAPE & 1 MM MIN. SMALLER THAN BAFFLE END OF PARISON







DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	..	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	..	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
2/2




Property of Bottero, please refer to license





		"G" Max. VALUES RELATED TO 4-5/8" BLOW MOLD DIAMETER	
A	B	INTERLOCK TYPE X	INTERLOCK TYPE Y
51	34.9 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	39	39
70	53.9 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	58	58
76	60.3 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	64	64
81	60.3 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	69	69
89	73 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	77	75
102	85.7 $\begin{smallmatrix} +0.05 \\ +0.02 \end{smallmatrix}$	85	75


INTERLOCK
TYPE X



INTERLOCK
TYPE Y









DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	06.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/1



Property of Bottero, please refer to license









DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 2/2
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	04.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

G1 - ALLOW 0.3 CLEARANCE WITH FINISH
PROPERLY SEATED IN BLOW MOULD
G2 - ALLOW 6mm. DIAMETER CLEARANCE WITH FINISH



BLOW HEAD NUMBER	D	B	G2 MAX	MAX FINISH DIAMETER
2	74	64	56	50



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	04.2014	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/1



Property of Bottero, please refer to license



DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	07.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license

42 MM MAX. FIN.





DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES		Sheet 1/1
S.G.R.	CHESTA	INDEX	...	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m	
DATE	07.2011	DATE	...	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K	

Property of Bottero, please refer to license




MATERIAL : BRONZE

MAINTAIN SQUARE TO BASE
WITHIN 0.05-BOTH HALVES

60 MM MAX. FIN.



SIZE OF OPENING TO SUIT BOTTLE
MUST BE CIRCULAR & 0.8 LARGER
THAN BOTTLE NECK WITH JAWS TOGETHER



ALTERNATE DETAIL
FOR TALL WARE

DESIGNED	CHECKED	REV		DIMENSIONS WITHOUT TOLERANCES	
S.G.R.	CHESTA	INDEX	-	ANGLES & DIMENSIONS	Milled surfaces: ISO-2768/1 class f Blank surfaces: ISO-2768/1 class m
DATE	09.2014	DATE	-	GEOMETRICAL TOL.	Milled surfaces: ISO-2768/2 class H Blank surfaces: ISO-2768/2 class K

Sheet
1/1



Property of Bottero, please refer to license

