



**Creo® Parametric
Web.Link™ Release Notes**
12.4.0.0

Copyright © 2025 PTC Inc. and/or Its Subsidiary Companies. All Rights Reserved.

Copyright for PTC software products is with PTC Inc. and its subsidiary companies (collectively “PTC”), and their respective licensors. This software is provided under written license or other agreement, contains valuable trade secrets and proprietary information, and is protected by the copyright laws of the United States and other countries. It may not be copied or distributed in any form or medium, disclosed to third parties, or used in any manner not provided for in the applicable agreement except with written prior approval from PTC. More information regarding third party copyrights and trademarks and a list of PTC’s registered copyrights, trademarks, and patents can be viewed here: <https://www.ptc.com/support/go/copyright-and-trademarks>

User and training guides and related documentation from PTC are also subject to the copyright laws of the United States and other countries and are provided under a license agreement that restricts copying, disclosure, and use of such documentation. PTC hereby grants to the licensed software user the right to make copies of product documentation and guides in printed form, but only for internal/personal use and in accordance with the license agreement under which the applicable software is licensed. Any copy made shall include the PTC copyright notice and any other proprietary notice provided by PTC. Note that training materials may not be copied without the express written consent of PTC. This documentation may not be disclosed, transferred, modified, or reduced to any form, including electronic media, or transmitted or made publicly available by any means without the prior written consent of PTC and no authorization is granted to make copies for such purposes.

UNITED STATES GOVERNMENT RIGHTS

PTC software products and software documentation are “commercial items” as that term is defined at 48 C.F.R. 2.101. Pursuant to Federal Acquisition Regulation (FAR) 12.212 (a)-(b) (Computer Software) (MAY 2014) for civilian agencies or the Defense Federal Acquisition Regulation Supplement (DFARS) at 227.7202-1(a) (Policy) and 227.7202-3 (a) (Rights in commercial computer software or commercial computer software documentation) (FEB 2014) for the Department of Defense, PTC software products and software documentation are provided to the U.S. Government under the PTC commercial license agreement. Use, duplication or disclosure by the U.S. Government is subject solely to the terms and conditions set forth in the applicable PTC software license agreement.

PTC Inc., 121 Seaport Blvd, Boston, MA 02210 USA

Contents

About This Guide	6
Summary of Technical Changes	7
Critical Technical Changes	8
New Functions	12
Superseded Functions	13
Miscellaneous Technical Changes	13
Summary of Technical Changes for Creo 4.0 M030	14
Critical Technical Changes	15
New Functions	16
Summary of Technical Changes for Creo 4.0 M040	17
New Functions	18
Miscellaneous Technical Changes	18
Summary of Technical Changes for Creo 4.0 M050	19
New Functions	20
Summary of Technical Changes for Creo 4.0 M060	21
New Functions	22
Summary of Technical Changes for Creo 4.0 M070	23
New Functions	24
Summary of Technical Changes for Creo 4.0 M080	25
Critical Technical Changes	26
Summary of Technical Changes for Creo 4.0 M100	27
Miscellaneous Technical Changes	28
Summary of Technical Changes for Creo 4.0 M110	29
Critical Technical Changes	30
New Functions	30
Summary of Technical Changes for Creo 4.0 M140	31
New Functions	32
Summary of Technical Changes for Creo 4.0 M150	33
New Functions	34
Technical Summary of Changes for Creo 5.0.0.0	35
New Functions	36
Superseded Functions	36
Technical Summary of Changes for Creo 5.0.2.0	39
New Functions	40

Technical Summary of Changes for Creo 6.0.3.0	41
New Functions	42
Miscellaneous Technical Changes	42
Technical Summary of Changes for Creo 6.0.5.0	43
New Functions	44
Technical Summary of Changes for Creo 6.0.6.0	45
New Functions	46
Technical Summary of Changes for Creo 7.0.0.0	47
New Functions	48
Miscellaneous Technical Changes	49
Technical Summary of Changes for Creo 7.0.1.0	50
New Functions	51
Technical Summary of Changes for Creo 7.0.2.0	52
New Functions	53
Technical Summary of Changes for Creo 7.0.3.0	54
New Functions	55
Technical Summary of Changes for Creo 7.0.4.0	56
New Functions	57
Technical Summary of Changes for Creo 7.0.6.0	58
Miscellaneous Technical Changes	59
Technical Summary of Changes for Creo 8.0.0.0	60
New Functions	61
Technical Summary of Changes for Creo 8.0.1.0	62
New Functions	63
Technical Summary of Changes for Creo 8.0.2.0	64
Miscellaneous Technical Changes	65
Technical Summary of Changes for Creo 8.0.3.0	66
Miscellaneous Technical Changes	67
Technical Summary of Changes for Creo 9.0.0.0	68
Miscellaneous Technical Changes	69
Technical Summary of Changes for Creo 10.0.0.0	70
Critical Technical Changes	71
Technical Summary of Changes for Creo 10.0.6.0	72
New Functions	73
Full Version of Creo® Parametric Web.Link™ Release Notes	73
Technical Summary of Changes for Creo 11.0.2.0	74
New Functions	75
Full Version of Creo® Parametric Web.Link™ Release Notes	75
Technical Summary of Changes for Creo 12.4.0.0	76
New Functions	77

Full Version of Creo® Parametric Web.Link™ Release Notes	77
--	----

About This Guide

This document provides release-specific information for Web.Link for Creo Parametric 3.0. It describes new methods and properties in Web.Link and also includes critical functions that require investigation of existing applications and adjustment of existing code.

Documentation for Web.Link

Web.Link documentation comes in the following forms:

- API Wizard in HTML format
- *Web.Link User's Guide* in PDF format
- **Reference Documents** page at <http://www.ptc.com/appserver/cs/doc/refdoc.jsp>

(Choose the product or document type)

The API Wizard and the *Web.Link User's Guide* are on the Creo Parametric DVD-ROM. You can view the API Wizard with your Internet browser. To view and print the PDF book, you must have Acrobat Reader installed. PTC welcomes your suggestions and comments on its documentation. Send comments electronically to:

MCAD-documentation@ptc.com

Summary of Technical Changes

Critical Technical Changes	8
New Functions	12
Superseded Functions	13
Miscellaneous Technical Changes	13

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 and Web.Link. It also lists the new and superseded functions for this release.

Critical Technical Changes

This section describes the changes in Creo Parametric 4.0 and Web.Link that might require alteration of existing Web.Link applications.

Accessing Member Information in a Pattern of Pattern

From Creo Parametric 2.0 M170, the method `pfcFeaturePattern.ListMembers()` returns all the pattern header features created at the first level for a pattern of pattern. It does not return the pattern members under each pattern header.

Non-Applet Based Version of the APIWizard

To open the non-applet based version of the Web.Link APIWizard, point your browser to:

```
<creo_weblink_loadpoint>\weblinkdoc\index.html
```

A page containing links to the Web.Link APIWizard and User's Guide will open in the web browser.

The non-applet based version of the Web.Link APIWizard has enhanced search capabilities. The new search options enable you to search for only enumeration and exceptions, in addition to searching for all classes and functions.

Applet Based Version of the APIWizard

From Creo 4.0 F000, the Applet Based APIWizard is no longer supported. Use the non-applet based APIWizard instead.

Change in Behavior of `pfcServer.IsObjectModified`

From Creo Parametric 2.0 M040 onward, the behavior of the method `pfcServer.IsObjectModified` has been fixed. The method now returns the value `false` to indicate one of the following statuses for the specified object:

- the object was only saved, but never uploaded
- the object was only uploaded, but never checked in

Change in Behavior of `pfcTable.CheckIfIsFromFormat()`

The method `pfcTable.CheckIfIsFromFormat()` did not correctly check if the drawing table was created using the drawing format. The method would return `false`, if the first segment of the table was not on the current sheet in the Creo Parametric user interface, even though the table was created using the drawing format. This behavior has been fixed in Creo Parametric 2.0 M120. The method now checks and returns the correct boolean value.

As in the previous releases, the method `pfcTable.CheckIfIsFromFormat()` ignores the value provided in the input argument `SheetNumber`.

Change in Directory Structure for Creo Installation

From Creo 3.0 onward, the directory structure for Creo installation has changed from:

- `<creo_loadpoint>\Parametric` to `<creo_loadpoint>\<version>\Parametric`.
- `<creo_loadpoint>\<version>\Common Files` to `<creo_loadpoint>\<version>\Common Files`

Change in Integer Values for Enumerated Data Type `pfcComponentType`

The integer values for enumerated data type `pfcComponentType` were shifted by 1 and did not reflect the actual values. From Creo Parametric 2.0 2.0, M120 onward, this behavior has been fixed. If your application code uses these values, you must rebuild your application.

Digital Rights Management Retired

From Creo Parametric 3.0 onward, Digital Rights Management (DRM) is no longer supported. Web.Link applications that check the DRM permissions will have to be updated.

Documentation Updated for `pfcServer.IsObjectModified()`

The documentation for the method `pfcServer.IsObjectModified()` has been updated in Creo 3.0 M010. This method returns `true` if the object was modified locally.

Layout Model Type

From Creo 3.0 M010 onward, the enumerated type `pfcModelType` contains an additional value `MDL_CE_SOLID` that represents models of type Layout. Web.Link methods will only be able to read models of type Layout, but will not be able to pass Layout models as input to other methods. To work with Layout models, you must rebuild your existing Web.Link applications.

No Support for Boundary Box Type of Simplified Representation

From Creo Parametric 3.0 onward, the boundary box type of representation specified by the following values are no longer supported:

- `SIMPREP_BOUNDBOX_REP` in the enumerated data type `pfcSimpRepType`
- `SIMPREP_BOUNDBOX` in the enumerated data type `pfcSimpRepActionType`

Utilities that Recognize the Type of Browser

The code for the following utilities, which recognize the type of browser, is not shipped by PTC:

- `pfcIsWindows` for Internet Explorer
- `pfcIsMozilla` for Mozilla
- `pfcIsChrome` for Chromium

If you always use a certain type of browser, for example Internet Explorer, you do not need to use these utilities, and calls to them should be removed. If you need to recognize the browser type, you have to reimplement the utilities. Please refer to the browser supplier documentation for more information.

Retrieving Solids in a Creo Parametric Session Linked to Windchill

You must retrieve solid models in a Creo Parametric session, which is linked to Windchill, only after you create a new workspace. If you retrieve the models before creating the workspace, the models would be erased from the Creo Parametric session.

Support for Constraint Creation Methods

You cannot create constraints using the Web.Link applications. The following methods are not supported. These methods will be supported in a future release:

- `pfcDatumPlaneThroughConstraint.Create()`
- `pfcDatumPlaneNormalConstraint.Create()`
- `pfcDatumPlaneParallelConstraint.Create()`
- `pfcDatumPlaneTangentConstraint.Create()`
- `pfcDatumPlaneOffsetConstraint.Create()`
- `pfcDatumPlaneOffsetCoordSysConstraint.Create()`
- `pfcDatumPlaneAngleConstraint.Create()`
- `pfcDatumPlaneSectionConstraint.Create()`
- `pfcDatumPlaneDefaultXConstraint.Create()`
- `pfcDatumPlaneDefaultYConstraint.Create()`
- `pfcDatumPlaneDefaultZConstraint.Create()`
- `pfcDatumAxisConstraint.Create()`
- `pfcDatumAxisDimensionConstraint.Create()`
- `pfcDatumPointPlacementConstraint.Create()`
- `pfcDatumPointDimensionConstraint.Create()`
- `pfcDatumCsysOriginConstraint.Create()`
- `pfcDatumCsysOrientMoveConstraint.Create()`
- `pfcDatumCsysDimensionConstraint.Create()`

Support for Feature Subclasses

From Creo Parametric 3.0 onward, only the following subclasses of the class `pfcFeature` are supported:

- `pfcComponentFeat`
- `pfcCoordSysFeat`
- `pfcCurveFeat`
- `pfcDatumAxisFeat`
- `pfcDatumPlaneFeat`
- `pfcDatumPointFeat`
- `pfcRoundFeat`

If your applications check the type of feature using the type of class, then you must update your existing code to use the method `pfcFeature.FeatType`. The method `pfcFeature.FeatType` returns the type of feature.

Support for Multi-CAD Assemblies

Multi-CAD assemblies are not supported in Web.Link. Refer to the respective user's guide for information on multi-CAD assemblies.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0.

Application Information: Compatibility

New Function	Description
<code>pfcSession.GetAppInfo</code> <code>pfcSession.SetAppInfo</code>	Gets and sets information related to compatibility in an application.
<code>pfcAppInfo.Create</code> <code>pfcAppInfo.GetCompatibility</code> <code>pfcAppInfo.SetCompatibility</code>	Gets and sets the compatibility value for the specified application.

Drawings

New Function	Description
<code>pfcTableOwner.RetrieveTableByOrigin</code>	Retrieves and places a drawing table in the drawing at the specified point. The origin of the table is positioned at the specified point.

Simplified Representation

New Function	Description
<code>pfcSimpRepDefaultEnvelope.Create()</code>	Creates an object that represents the component in default envelope type of simplified representation.
<code>pfcSimpRepBoundingBox.Create()</code>	Creates an object that represents the component in boundary box type of simplified representation.
<code>pfcSimpRepLightWeightGraphics.Create()</code>	Creates an object that represents the component in lightweight type of simplified representation.

Superseded Functions

This section describes the superseded functions for Web.Link for Creo Parametric 4.0.

Support for Windchill ProductPoint

From Creo Parametric 3.0 F000 onward, the module `WPP` along with its methods has been obsoleted as Windchill ProductPoint is no longer supported.

Miscellaneous Technical Changes

The following changes in Creo Parametric 4.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Configuration Flag to Include Annotations During Export of Creo Parametric Models

From Creo Parametric 3.0 onward, a new configuration flag `EXPORT_INCLUDE_ANNOTATIONS` has been added. The flag includes annotations during the export of Creo Parametric model to the specified format.

Display Style for Views

From Creo Parametric 3.0 M010 onward, a new display type `DISPSTYLE_SHADED_WITH_EDGES` has been added to the enumerated data type `pfcDisplayStyle`. This option allows you to display the model as a shaded solid along with its edges.

2

Summary of Technical Changes for Creo 4.0 M030

Critical Technical Changes	15
New Functions	16

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M030 and Web.Link. It also lists the new and superseded functions for this release.

Critical Technical Changes

This section describes the changes in Creo Parametric 4.0 M030 and Web.Link that might require alteration of existing Web.Link applications.

Change in Location of DLL and Manifest Files

From Creo Parametric 4.0 onward, the following Web.Link installation files are available in <creo_loadpoint>/Common Files/x86_win64/obj folder instead of <creo_loadpoint>/Common Files/x86_win64/lib folder:

- pfccefs.dll
- pfcxps.dll
- pfcscom.dll
- pfcscomAsm.manifest

Exporting to Other File Formats Using the Export Profile Option

It is recommended to use the method `pfcModel.ExportIntf3D` to export Creo Parametric models to other file formats. The export options must be set using the export profile option in Creo Parametric.

The following interfaces along with their methods will be deprecated in a future release of Creo Parametric:

- pfcExport3DInstructions
- pfcACIS3DExportInstructions
- pfcCATIAModel3DExportInstructions
- pfcCATIASession3DExportInstructions
- pfcCatiaPart3DExportInstructions
- pfcCatiaProduct3DExportInstructions
- pfcCatiaCGR3DExportInstructions
- pfcDXF3DExportInstructions
- pfcDWG3DExportInstructions
- pfcIGES3DNewExportInstructions
- pfcJT3DExportInstructions
- pfcParaSolid3DExportInstructions
- pfcSTEP3DExportInstructions
- pfcSWPart3DExportInstructions
- pfcSWAsm3DExportInstructions

-
- pfcUG3DExportInstructions
 - pfcVDA3DExportInstructions

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M030.

Data Exchange

New Function	Description
pfcModel.ExportIntf3D	Exports a Creo Parametric model to the specified output format using the default export profile.

Features

New Function	Description
pfcBaseSession.QueryFeatureEdit()	Lists all the features that are currently being edited by the Edit Definition command.

3

Summary of Technical Changes for Creo 4.0 M040

New Functions	18
Miscellaneous Technical Changes	18

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M040 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M040.

Simplified Representation

New Function	Description
<code>pfcSimpRepDefaultEnvelope.Create()</code>	Creates an object that represents the component in default envelope type of simplified representation.
<code>pfcSimpRepBoundingBox.Create()</code>	Creates an object that represents the component in boundary box type of simplified representation.
<code>pfcSimpRepLightWeightGraphics.Create()</code>	Creates an object that represents the component in lightweight type of simplified representation.

Miscellaneous Technical Changes

The following changes in Creo Parametric 4.0 M040 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Plotting a Layout Without BorderSize

From Creo Parametric 4.0 M040 onward, you can plot a layout without adding a border on the paper. To plot, use the following paper sizes defined in the enumerated data type `pfcPlotPaperSize`:

- `CEEMPTYPLOT`—The paper size is 22.5 x 36 in
- `CEEMPTYPLOT_MM`—The paper size is 625 x 1000 mm

4

Summary of Technical Changes for Creo 4.0 M050

New Functions	20
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M050 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M050.

View Owner

New Function	Description
pfcViewOwner. GetCurrentViewTransform()	Retrieves the transformation for a model in the current view.
pfcViewOwner. SetCurrentViewTransform()	Sets the transformation for a model in the current view.
pfcViewOwner.CurrentViewRotate()	Rotates the object in the current view relative to X, Y, or Z axis.

5

Summary of Technical Changes for Creo 4.0 M060

New Functions	22
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M060 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M060.

Selection

New Function	Description
MpfcSelect.CreateModelSelection()	Creates a <code>pfcSelection</code> object, based on a <code>pfcModel</code> object.

6

Summary of Technical Changes for Creo 4.0 M070

New Functions	24
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M070 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M070.

Drawings

New Function	Description
pfcDetailNoteItem. KeepArrowTypeAsIs()	Allows you to keep arrow type of the leader note as it is, after a note is modified.

7

Summary of Technical Changes for Creo 4.0 M080

Critical Technical Changes	26
----------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M080 and Web.Link. It also lists the new and superseded functions for this release.

Critical Technical Changes

This section describes the changes in Creo Parametric 4.0 M080 and Web.Link that might require alteration of existing Web.Link applications.

New Security Warning While Using Chromium Browser

A new security warning message is added for the Chromium browser. Every time the Chromium browser loads a web page that tries to access Web.Link methods and objects, the warning message appears. You are prompted to confirm if you want to access the Web.Link application from the web page.

8

Summary of Technical Changes for Creo 4.0 M100

Miscellaneous Technical Changes	28
---------------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M100 and Web.Link. It also lists the new and superseded functions for this release.

Miscellaneous Technical Changes

The following changes in Creo Parametric 4.0 M100 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Automatic Representation

From Creo Parametric 4.0 M100 onward, the following values are added to the enumerated data type `pfcSimpRepActionType`:

- `SIMPREP_AUTO`—Use the automatic representation of the component.

9

Summary of Technical Changes for Creo 4.0 M110

Critical Technical Changes	30
New Functions	30

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M110 and Web.Link. It also lists the new and superseded functions for this release.

Critical Technical Changes

This section describes the changes in Creo Parametric 4.0 M110 and Web.Link that might require alteration of existing Web.Link applications.

Change in Behavior of `pfcSolid.ActivateSimpRep()`

While activating simplified representations using the method `pfcSolid.ActivateSimpRep()`, the activated simplified representation was appearing in a new window, although the model was being displayed in the active window. From Creo Parametric 4.0 M110 and later, you can set the value of environment variable `PRO_SOLID_DISPLAY_SIMPREP_ACTIVATE` to `Yes`, for the model to be displayed in the active window along with the excluded simplified representation.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M110.

Drawings

New Function	Description
<code>pfcGeneralViewCreateInstructions.ViewScale</code>	Assigns a scale to the created general drawing view. This value is optional, if not assigned, the default drawing scale is used.

10

Summary of Technical Changes for Creo 4.0 M140

New Functions	32
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M140 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M140.

Assembly

New Function	Description
pfcComponentFeat. GetConstraintsWithCompPath()	Retrieves the constraints for a given assembly component and the component path.

Interface

New Function	Description
pfcBaseSession.ExportProfileLoad()	Loads the specified profile for export.

11

Summary of Technical Changes for Creo 4.0 M150

New Functions	34
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 4.0 M150 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 4.0 M150.

Graphics

New Function	Description
MpfcBase.MakeMatrixOrthonormal()	Converts a non-orthonormal matrix to an orthonormal matrix with the specified scaling factor.

12

Technical Summary of Changes for Creo 5.0.0.0

New Functions	36
Superseded Functions	36

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 5.0.0.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 5.0.0.0.

Data Exchange

New Function	Description
pfcModel.ExportIntf3D	Exports a Creo Parametric model to the specified output format using the default export profile.

View Owner

New Function	Description
pfcViewOwner. GetCurrentViewTransform()	Retrieves the transformation for a model in the current view.
pfcViewOwner. SetCurrentViewTransform()	Sets the transformation for a model in the current view.
pfcViewOwner.ViewOwner. CurrentViewRotate()	Rotates the object in the current view relative to X, Y, or Z axis.

Superseded Functions

This section describes the superseded functions for Web.Link for Creo Parametric 5.0.0.0.

Data Exchange

Superseded Function	New Function
pfcExport3DInstructions.Configuration pfcExport3DInstructions.ReferenceSystem pfcExport3DInstructions.Geometry pfcExport3DInstructions.IncludedEntities pfcExport3DInstructions.LayerOptions pfcSTEP3DExportInstructions.Create pfcVDA3DExportInstructions.Create pfcIGES3DNewExportInstructions.Create pfcCATIAModel3DExportInstructions.Create pfcACIS3DExportInstructions.Create pfcCatiaPart3DExportInstructions.Create pfcCatiaProduct3DExportInstructions.Create pfcCatiaCGR3DExportInstructions.Create pfcDXF3DExportInstructions.Create pfcDWG3DExportInstructions.Create pfcJT3DExportInstructions.Create pfcParaSolid3DExportInstructions.Create pfcUG3DExportInstructions.Create	pfcModel.ExportIntf3D

From Creo Parametric 5.0.0.0, the following interfaces along with their methods have been deprecated. Use the method `pfcModel.ExportIntf3D` instead to export Creo Parametric models to other file formats. The export options must be set using the export profile option in Creo Parametric.

- `pfcExport3DInstructions`
- `pfcACIS3DExportInstructions`
- `pfcCATIAModel3DExportInstructions`

- pfcCATIASession3DExportInstructions
- pfcCatiaPart3DExportInstructions
- pfcCatiaProduct3DExportInstructions
- pfcCatiaCGR3DExportInstructions
- pfcDXF3DExportInstructions
- pfcDWG3DExportInstructions
- pfcIGES3DNewExportInstructions
- pfcJT3DExportInstructions
- pfcParaSolid3DExportInstructions
- pfcSTEP3DExportInstructions
- pfcSWPart3DExportInstructions
- pfcSWAsm3DExportInstructions
- pfcUG3DExportInstructions
- pfcVDA3DExportInstructions

Detail Text

Superseded Function	New Function
pfcDetailText.TextHeight	pfcDetailText.TextStyle pfcAnnotationTextStyle.Height
pfcDetailText.TextWidthFactor	pfcDetailText.TextStyle pfcAnnotationTextStyle.Width
pfcDetailText.TextSlantAngle	pfcDetailText.TextStyle pfcAnnotationTextStyle.SlantAngle
pfcDetailText.TextThickness	pfcDetailText.TextStyle pfcAnnotationTextStyle.Thickness
pfcDetailText.FontName	pfcDetailText.TextStyle pfcAnnotationTextStyle.Font
pfcDetailText.IsUnderlined	pfcDetailText.TextStyle pfcAnnotationTextStyle. IsTextUnderlined

13

Technical Summary of Changes for Creo 5.0.2.0

New Functions	40
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 5.0.2.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 5.0.2.0.

Drawings

New Function	Description
pfcDetailNoteItem. KeepArrowTypeAsIs()	Allows you to keep arrow type of the leader note as it is, after a note is modified.

14

Technical Summary of Changes for Creo 6.0.3.0

New Functions	42
Miscellaneous Technical Changes	42

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 6.0.3.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 6.0.3.0.

Drawings

New Function	Description
<code>pfcGeneralViewCreateInstructions.ViewScale</code>	Assigns a scale to the created general drawing view. This value is optional, if not assigned, the default drawing scale is used.

Miscellaneous Technical Changes

The following changes in Creo Parametric 6.0.3.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Automatic Representation

From Creo Parametric 6.0.3.0 and later, the following value is added to the enumerated data type `pfcSimpRepActionType`:

- `SIMPREP_AUTO`—Use the automatic representation of the component.

15

Technical Summary of Changes for Creo 6.0.5.0

New Functions	44
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 6.0.5.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 6.0.5.0.

Interface

New Function	Description
pfcBaseSession.ExportProfileLoad()	Loads the specified profile for export.

16

Technical Summary of Changes for Creo 6.0.6.0

New Functions	46
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 6.0.6.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 6.0.6.0.

Assembly

New Function	Description
pfcComponentFeat. GetConstraintsWithCompPath()	Retrieves the constraints for a given assembly component and the component path.

17

Technical Summary of Changes for Creo 7.0.0.0

New Functions	48
Miscellaneous Technical Changes	49

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.0.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 7.0.0.0.

Drawings

New Function	Description
pfcGeneralViewCreateInstructions. ViewScale	Assigns a scale to the created general drawing view. This value is optional, if not assigned, the default drawing scale is used.

Materials

New Function	Description
pfcMaterial.FluidMaterialType	Sets the material type for the fluid properties of the material.

Solid Bodies

New Function	Description
pfcSolidBody.GetBodyState()	Specifies the state of the body using the enumerated data type pfcSolidBodyState.
pfcSolidBody.IsConstruction()	Checks if the body is a construction body.
pfcSolidBody.ListSurfaces()	Lists all the surfaces in the specified body.
pfcSolid.GetDefaultBody()	Returns the default body in the specified solid.
pfcSolid.GetSurfaceSolidBody()	Returns the body to which the surface belongs.
pfcSolid.GetEdgeSolidBody()	Returns the body to which the edge belongs.
pfcSolidBody.GetFeatures()	Lists the features that are associated with the specified body.
pfcSolidBody.GetOutline()	Retrieves the regeneration outline of a solid body, with respect to the base coordinate system orientation.
pfcSolidBody.IsSheetmetal()	Checks if the specified body is an

New Function	Description
	active sheetmetal body.
<code>pfcSolidBody.GetDensity()</code>	Determines the density of the body.
<code>pfcSolidBody.GetMassProperty()</code>	Returns the mass properties of a body in the specified coordinate system.

Miscellaneous Technical Changes

The following changes in Creo Parametric 7.0.0.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Automatic Representation

The value `SIMPREP_AUTO` is added to the enumerated data type `pfcSimpRepActionType` which indicates the use of automatic representation of the component.

Support for Fluid as Material Type

The value `MTL_FLUID` is added to the enumerated data type `pfcMaterialType` which indicates geometric bodies can now have material type as fluid.

Change in behavior of the property `pfcFeature.FeatType`

Earlier the property `pfcFeature.FeatType` returned the error `pfcExceptions::pfcXInvalidEnumValue` for Belt feature. In Creo Parametric 7.0.0.0 and later, this behavior is fixed. To support the Belt feature in the Web.Link application, the following enumerated types are updated with the new values:

- `pfcComponentConstraintType`
 - `ASM_CONSTRAINT_EXPLICIT`
- `pfcFeatureType`
 - `FEAT_HULL_BLOCK`
 - `FEAT_HULL_BLOCK_DEF`
 - `FEAT_PM_BELT`

18

Technical Summary of Changes for Creo 7.0.1.0

New Functions	51
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.1.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 7.0.1.0.

Assembly

New Function	Description
pfcComponentFeat. GetConstraintsWithCompPath()	Retrieves the constraints for a given assembly component and the component path.

19

Technical Summary of Changes for Creo 7.0.2.0

New Functions	53
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.2.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 7.0.2.0.

Interface

New Function	Description
pfcBaseSession.ExportProfileLoad()	Loads the specified profile for export.

Solids

New Function	Description
pfcSolid.GetMassPropertyWithDensity() ()	Calculates the mass properties of a part or an assembly in the specified coordinate system.
pfcRegenInstructions. ResolveModeRegen	Allows regeneration of a solid in resolve mode.

20

Technical Summary of Changes for Creo 7.0.3.0

New Functions	55
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.3.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 7.0.3.0.

Features

New Function	Description
pfcFeature.GroupDirectHeader	Retrieves the direct header of the group.

21

Technical Summary of Changes for Creo 7.0.4.0

New Functions	57
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.4.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 7.0.4.0.

Graphics

New Function	Description
MpfcBase.MakeMatrixOrthonormal()	Converts a non-orthonormal matrix to an orthonormal matrix with the specified scaling factor.

Solid

New Function	Description
pfcAssembly. GetMassPropertyByCompPath()	Calculates the mass properties of a solid that is referenced by the specified coordinate system selection, using the respective component paths.

22

Technical Summary of Changes for Creo 7.0.6.0

Miscellaneous Technical Changes	59
---------------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 7.0.6.0 and Web.Link. It also lists the new and superseded functions for this release.

Miscellaneous Technical Changes

The following changes in Creo Parametric 7.0.6.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Spline Surfaces with 2 Derivatives

The value `SURFACE_SPL2DER` is added to the enumerated data type `pfcSurfaceType`, which provides support for spline surfaces with 2 derivatives.

Support for Datum Curve End in Attachment Selection

The value `ITEM_CRV_START` and `ITEM_CRV_END` is added to the enumerated data type `pfcModelItemType`, which supports selection of specific dimension attachment.

23

Technical Summary of Changes for Creo 8.0.0.0

New Functions	61
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 8.0.0.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 8.0.0.0.

Features

New Function	Description
pfcFeature.GroupDirectHeader	Retrieves the direct header of the group.

Graphics

New Function	Description
MpfcBase.MakeMatrixOrthonormal()	Converts a non-orthonormal matrix to an orthonormal matrix with the specified scaling factor.

Interface

New Function	Description
pfcBaseSession.ExportProfileLoad()	Loads the specified profile for export.

Solids

New Function	Description
pfcSolid.GetMassPropertyWithDensity() ()	Calculates the mass properties of a part or an assembly in the specified coordinate system.
pfcRegenInstructions. ResolveModeRegen	Allows regeneration of a solid in resolve mode.

24

Technical Summary of Changes for Creo 8.0.1.0

New Functions	63
---------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 8.0.1.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo Parametric 8.0.1.0.

Solids

New Function	Description
pfcAssembly. GetMassPropertyByCompPath()	Calculates the mass properties of a solid that is referenced by the specified coordinate system selection, using the respective component paths.

25

Technical Summary of Changes for Creo 8.0.2.0

Miscellaneous Technical Changes	65
---------------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 8.0.2.0 and Web.Link. It also lists the new and superseded functions for this release.

Miscellaneous Technical Changes

The following changes in Creo Parametric 8.0.2.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Spline Surfaces with 2 Derivatives

The value `SURFACE_SPL2DER` is added to the enumerated data type `pfcSurfaceType`, which provides support for spline surfaces with 2 derivatives.

26

Technical Summary of Changes for Creo 8.0.3.0

Miscellaneous Technical Changes	67
---------------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 8.0.3.0 and Web.Link. It also lists the new and superseded functions for this release.

Miscellaneous Technical Changes

The following changes in Creo Parametric 8.0.3.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Datum Curve End in Attachment Selection

The value `ITEM_CRV_START` and `ITEM_CRV_END` is added to the enumerated data type `pfcModelItemType`, which supports selection of specific dimension attachment.

27

Technical Summary of Changes for Creo 9.0.0.0

Miscellaneous Technical Changes	69
---------------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 9.0.0.0 and Web.Link. It also lists the new and superseded functions for this release.

Miscellaneous Technical Changes

The following changes in Creo Parametric 9.0.0.0 can affect the functional behavior of Web.Link. PTC does not anticipate that these changes cause critical issues with existing Web.Link applications.

Support for Spline Surfaces with 2 Derivatives

The value `SURFACE_SPL2DER` is added to the enumerated data type `pfcSurfaceType`, which provides support for spline surfaces with 2 derivatives.

Support for Datum Curve End in Attachment Selection

The value `ITEM_CRV_START` and `ITEM_CRV_END` is added to the enumerated data type `pfcModelItemType`, which supports selection of specific dimension attachment.

Obsolete Function

In Creo Parametric 9.0.0.0 and later, the property `pfcModelDescriptor.Host` is obsoleted and will not have any support.

28

Technical Summary of Changes for Creo 10.0.0.0

Critical Technical Changes	71
----------------------------------	----

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 10.0.0.0 and Web.Link. It also lists the new and superseded functions for this release.

Critical Technical Changes

This section describes the changes in Creo Parametric 10.0.0.0 and Web.Link that might require alteration of existing Web.Link applications.

Change in Default Browser

In Creo Parametric 10.0.0.0 and later, the default value for the configuration option `windows_browser_type` is `chromium_browser`, hence Web.Link pages are loaded in the Chromium browser, by default.

29

Technical Summary of Changes for Creo 10.0.6.0

New Functions	73
Full Version of Creo® Parametric Web.Link™ Release Notes	73

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 10.0.6.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo 10.0.6.0.

Features

New Function	Description
pfcFeature.GetPatternByType()	Returns the pattern of the feature.
pfcFeature.PatternStatus	Returns the pattern status of the feature.
pfcFeature.GroupStatus	Returns the group status of the feature.
pfcFeature.GroupPatternStatus	Returns the group pattern status of the feature.

Full Version of Creo® Parametric Web.Link™ Release Notes

To see a full version of the *Creo® Parametric Web.Link™ Release Notes*, visit the page [Creo® Parametric Web.Link™ Release Notes](#). The full version contains information from all the past release notes for Web.Link.

30

Technical Summary of Changes for Creo 11.0.2.0

New Functions	75
Full Version of Creo® Parametric Web.Link™ Release Notes	75

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 11.0.2.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo 11.0.2.0.

Features

New Function	Description
pfcFeature.GetPatternByType()	Returns the pattern of the feature.
pfcFeature.PatternStatus	Returns the pattern status of the feature.
pfcFeature.GroupStatus	Returns the group status of the feature.
pfcFeature.GroupPatternStatus	Returns the group pattern status of the feature.

Full Version of Creo® Parametric Web.Link™ Release Notes

To see a full version of the *Creo® Parametric Web.Link™ Release Notes*, visit the page [Creo® Parametric Web.Link™ Release Notes](#). The full version contains information from all the past release notes for Web.Link.

Technical Summary of Changes for Creo 12.4.0.0

New Functions	77
Full Version of Creo® Parametric Web.Link™ Release Notes	77

This chapter describes the critical and miscellaneous technical changes in Creo Parametric 12.4.0.0 and Web.Link. It also lists the new and superseded functions for this release.

New Functions

This section describes new functions for Web.Link for Creo 12.4.0.0.

Features

New Function	Description
pfcFeature.GetPatternByType()	Returns the pattern of the feature.
pfcFeature.PatternStatus	Returns the pattern status of the feature.
pfcFeature.GroupStatus	Returns the group status of the feature.
pfcFeature.GroupPatternStatus	Returns the group pattern status of the feature.

Full Version of Creo® Parametric Web.Link™ Release Notes

To see a full version of the *Creo® Parametric Web.Link™ Release Notes*, visit the page [Creo® Parametric Web.Link™ Release Notes](#). The full version contains information from all the past release notes for Web.Link.