RAJALAKSHMI ENGINEERING COLLEGE

Fenulin E 251701012-2025-CSD F2

Started on	Tuesday, 8 September 2026, 4:43 PM
State	Finished
Completed on	Tuesday, 8 September 2026, 4:49 PM
Time taken	5 mins 30 secs
Marks	1.00/1.00
Grade	**10.00** out of 10.00 (**100**%)

Question 1 | Correct Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```c
#include <stdio.h>
int main(){
    int n;
    scanf("%d",&n);
    int c=0;
    while(n>1000){
        n-=1000;
        c+=1;
    }
    while(n>500){
        n-=500;
        c+=1;
    }
    while(n>100){
        n-=100;
        c+=1;
    }
    while(n>50){
        n-=50;
        c+=1;
    }
    while(n>20){
        n-=20;
        c+=1;
    }
    while(n>10){
        n-=10;
        c+=1;
    }
    while(n>5){
        n-=5;
        c+=1;
    }
    while(n>2){
        n-=2;
        c+=1;
    }
    while(n>1){
        n-=1;
        c+=1;
    }
    printf("%d",c);
}
```

	Input	Expected	Got	
✔	49	5	5	✔

Passed all tests! ✔

Correct

Marks for this submission: 1.00/1.00.

Back to Course