# Description of Work

Szilvási, Krisztián krisztian.szilvasi.3@gmail.com Fenyvesi, Róbert fenyvesr@gmail.com

November 23, 2019

# SEVENTH FRAMEWORK PROGRAMME ICTs

### INFORMATION AND COMMUNICATION TECHNOLOGIES

Grant agreement for: Large-scale integrating project

# Annex I. - "Description of Work"

Project acronym: ACROSS

Project full title: Automatic Code Verification by Formal Analysis

Grant agreement no.: FP7-199502

Date of preparation of Annex I (latest version): 2019.11.23

Date of approval of Annex I by Commission:

### Contents

1	The	e project summary	2
2	$\mathbf{List}$	of Beneficiaries	4
3	The	e budget brakedown	4
4	$\mathbf{List}$	of Work Packages	5
5	$\mathbf{List}$	of Deliverables	6
6		rk Package Descriptions	7
	6.1	Work Package 1	7
		6.1.1 Objectives	7
		6.1.2 Description of work	7
		6.1.3 Deliverables	7
	6.2	Work Package 2	8
		6.2.1 Objectives	8
		6.2.2 Description of work	8
		6.2.3 Deliverables	8
	6.3	Work Package 3	9
		6.3.1 Objectives	9
		6.3.2 Description of work	9
		6.3.3 Deliverables	9
	6.4	Work Package 4	11
	· -	6.4.1 Objectives	11
		6.4.2 Description of work	11
		6.4.3 Deliverables	11
	6.5	Work Package 5	12
	0.0	6.5.1 Objectives	12
		6.5.2 Description of work	12
		±	
	0.0	6.5.3 Deliverables	12
	6.6	Work Package 6	13
		6.6.1 Objectives	13
		6.6.2 Description of work	13
		6.6.3 Deliverables	13
	6.7	Work Package 7	14
		6.7.1 Objectives	14
		6.7.2 Description of work	14
		6.7.3 Deliverables	14
	6.8	Work Package 8	15
		6.8.1 Objectives	15
		6.8.2 Description of work	15
		6.8.3 Deliverables	15
	6.9	Work Package 9	16
		6.9.1 Objectives	16
		6.9.2 Description of work	16
		6.9.3 Deliverables	16
_	7. <i>F</i> • •		
7	Mile	estones	17
8			17

### 1 The project summary

Product Development is driven by stakeholder requirements. The larger the developed system, the harder it is to analyze and verify it. Software Projects are no exceptions. This project aims to show how the verification of huge software projects can be performed automatically against the given requirements. The project spreads across multiple areas of main stream research.




Figure 1: Project Architecture

Natural Language Processing (NLP) is used for formalizing the Software Requirements Specification (SRS). Since, natural language is widely understood by stakeholders, it is used as a common way for representing requirements. Representing requirements in natural language suffers from potential problems like ambiguity, inconsistency and incompleteness. A systematic literature review in the last two decades from 1995 till 2016 shows that collecting ambiguous requirements is one of the highest critical challenges in software engineering [2]. Since the advent of software engineering, researchers used formal and semi-formal methods to overcome this problem. However, even when formal and semi-formal languages are used, there is no escape from natural language as the initial requirements are written in natural language [6]. The consequences of ambiguous requirements will lead to excessive efforts, high cost and failure in some software projects. For example, software developers might decide a subjective interpretation of requirements based on their point of view. Ferrari et al. (2014) argued that this subjective interpretation leads to designing software in a different way from what was intended in the requirements [5]. For several decades, SRS processing and analysis has been the focus of research in software engineering discipline. Since natural language is ambiguous, a computer cannot provide full support to analyze SRS in an automatic fashion. Consequently, the analysis of SRS is conducted manually which consumes time, effort and cost. Most importantly, the manual analysis of requirements results in inefficiency and imprecise results [10]. The problem will be more obvious and critical when software projects involve thousands of requirements and hundreds of SRS documents. Conducting verification of thousands of requirements via humans will become extremely expensive [4]. Generally, the primary source of problems in requirement engineering is reliance on humans extensively [1]. This discussion leads to the importance of finding an automatic way for processing SRS. NLP was used as a possible solution to resolve ambiguity and to provide valuable information to the intended software developers. Ryan (1993) argued that: "It is highly questionable that the resulting system from NLP would be of great use in requirements engineering" [9]. Nazir et al. (2017) conducted a systematic literature review on NLP applications for software requirement engineering, he concluded that: "Manual operations are still required on initial plain text of software requirements before applying the desired NLP techniques" [7].

On the other hand the formal semantics of the source code is needed. A formal semantics should serve as a solid foundation for any programming language development, so it must be correct and complete (to be trusted and useful), executable (to yield a reference implementation), and appropriate for program reasoning and verification.

The five most popular programming languages according to GitHub in 2019 is JavaScript, Python, Java, PHP and C#. Several efforts to give JavaScript a formal semantics have been made, most notably by Politz et al. [8] and Bodin et al. [3]. But Unfortunately, these address fragments of the language and are not fully validated with a formal JavaScript semantics. Having to define two or more different semantics for a real-life language, together with proofs of equivalence, is a huge burden in itself, not to mention that these all need to be maintained as the language evolves. Due to the functional nature of their interpreters, these semantics cannot handle the nondeterminism of JavaScript well. Finally, their interpreters are not suited for symbolic execution, and thus for developing program reasoning tools.

#### References

- [1] Usman Ahmed. A review on knowledge management in requirements engineering. pages 1–5, 02 2018.
- [2] Souhaib Besrour, Lukman Rahim, and P. Dominic. A quantitative study to identify critical requirement engineering challenges in the context of small and medium software enterprise. pages 606–610, 08 2016.
- [3] Martin Bodin, Arthur Chargueraud, Daniele Filaretti, Philippa Gardner, Sergio Maffeis, Daiva Naudziuniene, Alan Schmitt, and Gareth Smith. A trusted mechanised javascript specification. volume 49, pages 87–100, 01 2014.
- [4] Gauthier Fanmuy, Anabel Fraga, and Juan Llorens. Requirements verification in the industry. pages 145–160, 01 2011.
- [5] Alessio Ferrari, Giuseppe Lipari, Stefania Gnesi, and Giorgio Spagnolo. Pragmatic ambiguity detection in natural language requirements. 08 2014.
- [6] Erik Kamsties. Engineering and Managing Software Requirements, pages 245–266. 01 2005.
- [7] Farhana Nazir, Wasi Haider, Muhammad Anwar, and Muazzam Khattak. The applications of natural language processing (nlp) for software requirement engineering a systematic literature review. pages 485–493, 03 2017.
- [8] Joe Gibbs Politz, Spiridon Aristides Eliopoulos, Arjun Guha, and Shriram Krishnamurthi. Adsafety: Type-based verification of javascript sandboxing. CoRR, abs/1506.07813, 2015.
- [9] K. Ryan. The role of natural language in requirements engineering. In [1993] Proceedings of the IEEE International Symposium on Requirements Engineering, pages 240–242, Jan 1993.
- [10] Yinglin Wang. Automatic semantic analysis of software requirements through machine learning and ontology approach. *Journal of Shanghai Jiaotong University (Science)*, 21:692–701, 12 2016.

### 2 List of Beneficiaries

Beneficiary	Beneficiary	Beneficiary	Beneficiary	Country	Date enter	Date exit
Number	name	short name	type		project	project
1	Eötvös Loránd	ELTE	RTD	Hungary	2019.12.01	2022.12.01
(coordinator)	University		Performer			
2	Aalto	Aalto	RTD	Finland	2019.12.01	2022.12.01
	University		Performer			
3	Royal Institute	KTH	RTD	Sweden	2019.12.01	2022.12.01
	of Technology		Performer			
4	Technical	TUB	RTD	Germany	2019.12.01	2022.12.01
	University Berlin		Performer			
5	Université	UCA	RTD	France	2019.12.01	2022.12.01
	Côte d'Azur		Performer			
6	University	UNITN	RTD	Italy	2019.12.01	2022.12.01
	of Trento		Performer			
7	Elte-Soft		SME	Hungary	2019.12.01	2022.12.01
	Nonprofit Kft.		Association			
8	Polarion		SME	Germany	2019.12.01	2022.12.01
	Software		Association			
9	Rational		SME	United	2019.12.01	2022.12.01
	Software		Association	States		

Table 1: Table of Beneficiaries

# ${\bf 3} \quad {\bf The \ budget \ brakedown^1}$

Participant	Organisation	Туре	Funding	Indirect	RTD /					Tot al	Requested
number in	short name		%	costs	Innovation	Demonstration	Management	Other	Total	receipts	EU
this project					(A)	(B)	(C)	(D)	(A+B+C+D)		contribution
					costs	costs	costs	costs			
1	ELTE	RTD	71.43%	50.000	80.000	5.000	50.000	25.000	160.000	21 0.000	150.000
		Perform er									
2	Aalto	RTD	63.89%	100.000	170.000	6.000	26.000	11.000	21 3.000	31 3.000	200.000
		Perform er									
3	KTH	RTD	55.55%	110.000	200.000	13.000	30.000	7.000	250.000	360.000	200.000
		Perform er									
4	TUB	RTD	55.55%	100.000	220.000	16.000	33.000	27.000	296.000	396.000	220.000
		Perform er									
5	UCA	RTD	62.5%	80.000	1 20.000	12.000	20.000	8.000	160.000	24 0. 000	150.000
		Perform er									
6	UNITN	RTD	67.19%	75.000	1 20.000	20.000	25.000	13.000	178.000	253.000	170.000
		Perform er									
7	Elt e-Soft	SME	37.03%	50.000	70.000	5.000	1 0. 000		85.000	135.000	50.000
		Association									
8	Polarion	SME	0.00%	90.000	20.000	2.000	1 0. 000	-	32.000	122.000	-
	Software	Association									
9	Rational	SME	0.00%	25.000	5.000	10.000	1 5. 000	4.000	34.000	59.000	-
	Software	Association									
Total			54.6%	680.000	1.005.000	89.000	21 9.000	95.000	1.408.000	2.088.000	1.140.000

Table 2: Table of Costs

<sup>&</sup>lt;sup>1</sup>All costs are in EUR

# 4 List of Work Packages

WP	WP Title	Type of	Lead	Person-	Start	End
Number		activity	beneficiary	month	month	month
			number			
WP1	Project Management	MGT	1	18	1	36
WP2	Module Definitions	RTD	1	15	1	3
WP3	NLP for Requirements Analysis	RTD	4	36	4	13
WP4	Semantic Analyzer	RTD	3	48	4	16
WP5	Consistency Check	RTD	5	30	12	18
WP6	Verifier	RTD	2	120	18	30
WP7	Code Fix Suggestion	RTD	6	36	30	36
WP8	Lessons Learned	OTHER	1	4	1	36
WP9	Demonstration	DEM	1	4	1	36
Total:				311		

Table 3: Table of Work Packages

### 5 List of Deliverables

Del.	Deliverable Title	WP	Nature	Dissemi-	Delivery
no.		no.		nation	date
				level	
D1.1	First Annual Report	1	R	PU	12
D1.2	Second Annual Report	1	R	PU	24
D1.3	Final Project Report	1	R	PU	36
D2.1	Module Specification	2	О	CO	3
D3.1	First NLP Prototype	3	P	C0	7
D3.2	Final NLP Prototype	3	P	C0	13
D3.3	NLP Project Paper	3	О	PU	13
D4.1	First Semantic Analyzer Prototype	4	P	C0	8
D4.2	Final Semantic Analyzer Prototype	4	P	C0	16
D4.3	Semantic Analyzer Project Paper	4	0	PU	16
D5.1	Consistency Check Prototype	5	P	C0	18
D6.1	First Verifier Prototype	6	P	C0	24
D6.2	Final Verifier Prototype	6	P	C0	30
D6.3	Verifier Project Paper	6	О	PU	30
D7.1	Code Fix Suggester Prototype	7	P	C0	36
D8.1	NLP Lessons Learned Report	8	P	PP	14
D8.2	Semantic Analyzer Lessons Learned Report	8	P	PP	17
D8.3	Verifier Lessons Learned Report	8	P	PP	31
D8.4	Final Lessons Learned Report	8	R	PP	36
D9.1	First Annual Demonstration	9	D	PU	12
D9.2	Participation in FM 2021 Conference	9	D	PU	16
D9.3	Second Annual Demonstration	9	R	D	24
D9.4	Final Project Demonstration	9	R	D	36

Table 4: Table of Deliverables

### 6 Work Package Descriptions

#### 6.1 Work Package 1

Work package number	WP1 Start date or starting event:				-	1	
Work package title	Project Management						
Activity Type	MGT						
Participant number	1	7	8	9			
Person-months per participant:	9	3	3	3			

#### 6.1.1 Objectives

- O1.1 Meet Project Milestones: The management aims for keeping the project on track and meet the milestones. To achieve this, state of the art project management tools will be used such as Rational Team Concert (RTC). The Universities will be overseen by ELTE while the companies manage themselves.
- O1.2 Manage Necessary Deliverables: The management aims for reporting annually a clear view over the project for supervisory authorities.

#### 6.1.2 Description of work

- O1.1 Meet the Project Milestones
  - T1.1.1: Bi-weekly management meetings should be held between the project participants and the meeting minutes should be stored at a central location accessible by all stakeholders.
  - T1.1.2: Up-to-date reports should be available and presented at the stakeholder meetings.
- O1.2 Manage Necessary Deliverables:
  - T1.2.1: The management should create and present the First Annual Report to the supervisory authorities.
  - T1.2.2: The management should create and present the Second Annual Report to the supervisory authorities.
  - T1.2.3: The management should create and present the Final Annual Report to the supervisory authorities.

#### 6.1.3 Deliverables

- D1.1 First Annual Report: It should contain the work done during the first year and the achievements while introducing the time plan of next year. The report should be easily understandable for the authorities and should cover all fields of work.
- D1.2 Second Annual Report: It should contain the work done during the second year and the achievements while introducing the time plan of next year. The report should be easily understandable for the authorities and should cover all fields of work.
- D1.3 Final Project Report: It should contain the work done during the whole project life cycle and the achievements. The report should be easily understandable for the authorities and should cover all fields of work.

### 6.2 Work Package 2

Work package number	WP2	11 0-00-0-0-0-0-0-0-0-0-0-0-0-0-0-0-0-				-	1
Work package title	Module definitions						
Activity Type	RTD						
Participant number	1	5	6	7			
Person-months per participant:	5	3	3	4			

- 6.2.1 Objectives
- 6.2.2 Description of work
- 6.2.3 Deliverables

#### 6.3 Work Package 3

Work package number	WP3	WP3 Start date or starting event:				2	4
Work package title	NLP for Requirements Analysis						
Activity Type	RTD						
Participant number	4	7	8	9			
Person-months per participant:	20	3	5	8			

#### 6.3.1 Objectives

• O3.1 Create the NLP: The NLP should be able to transform the natural language requirements into a formalized description of the requirements. The architecture should match the problem at hand. It has to be fast and easily integrable into multiple Requirement Engineering Tools such as DOORS or Polarion.

The NLP should be trained on historical data and on small batches to learn basic relationships. The NLP should be able to reproduce the same or better formal definition as the ones it was trained on.

The NLP should be validated on the companies real life historical project requirements. The results should be reported and sent back for perfection.

• O3.2 Present Research Work: The research results should be presented and summarized at the end of the work.

#### 6.3.2 Description of work

- O3.1 Create the NLP:
  - T3.1.1: The Technical University Berlin (TUB) team should define the architecture for the NLP. The architecture should be adequate for the task at hand.
  - T3.1.2: The architecture has to be documented and presented to the stakeholders until M1.
  - T3.1.3: The TUB team should train the NLP for the task at hand. All training data should be available for all stakeholders and the training data should be accepted by all stakeholders. The training data can be changed during the project, but it has to be always accepted by all stakeholders.
  - T3.1.4: The companies have to validate the trained NLP on their historical real life project requirements. The companies has to be involved as soon as as possible and the validation should be repeated as often as possible. The results should be documented at a central location accessible by all stakeholders. The results should be taken into consideration for any change in the architecture or in the training data.
- O3.2 Present Research Work: The work should be summarized and be published as an article until M1.

#### 6.3.3 Deliverables

- D3.1 First NLP Prototype: The first prototype should be delivered at the end of the 7th months. It has to be able to run without crash and fulfill basic functionalities.
- D3.2 Final NLP Prototype: The final prototype should be delivered until M1 and it has to fulfill all functionalities.

• D3.3 NLP Project Paper : contain the results of WP3.	The project paper	should be delivered	until M1 and should

### 6.4 Work Package 4

Work package number	WP4	WP4 Start date or starting event:					4
Work package title			Sema	ntic Ana	alyzer		
Activity Type	RTD						
Participant number	4	2	5	6			
Person-months per participant:	24	12	6	6			

- 6.4.1 Objectives
- 6.4.2 Description of work
- 6.4.3 Deliverables

### 6.5 Work Package 5

Work package number	WP5	WP5 Start date or starting event:				1	2
Work package title	Consistency Check						
Activity Type	RTD						
Participant number	5	1	7				
Person-months per participant:	12	12	6				

- 6.5.1 Objectives
- 6.5.2 Description of work
- 6.5.3 Deliverables

### 6.6 Work Package 6

Work package number	WP6	WP6 Start date or starting event:					8	
Work package title		Verifier						
Activity Type	RTD							
Participant number	2	1	3	4	7	8	9	
Person-months per participant:	30	25	25	25	5	5	5	

- 6.6.1 Objectives
- 6.6.2 Description of work
- 6.6.3 Deliverables

### 6.7 Work Package 7

Work package number	WP7	Start date or starting event:		3	0		
Work package title	Code Fix Suggestion						
Activity Type	RTD						
Participant number	6	5	1				
Person-months per participant:	15	10	5				

- 6.7.1 Objectives
- 6.7.2 Description of work
- 6.7.3 Deliverables

### 6.8 Work Package 8

Work package number	WP8	WP8 Start date or starting event:		1			
Work package title	Lessons Learned						
Activity Type	OTHER						
Participant number	1	2	3	4	5	6	
Person-months per participant:	2	0.4	0.4	0.4	0.4	0.4	

- 6.8.1 Objectives
- 6.8.2 Description of work
- 6.8.3 Deliverables

### 6.9 Work Package 9

Work package number	WP9	Start date or starting event:		-	1		
Work package title	Demonstration						
Activity Type	DEM						
Participant number	1	7					
Person-months per participant:	3	1					

- 6.9.1 Objectives
- 6.9.2 Description of work
- 6.9.3 Deliverables

### 7 Milestones

Milestone	Milestone	WP	Expected	Means of
number	$\operatorname{description}$	involved	date	verification
M1	NLP for	3	13	Laboratory prototype
	Requirements Analysis			completed and running
M2	${f Semantic}$	4	16	Laboratory prototype
	Analyzer			completed and running
M3	Consistency Check	5	18	Laboratory prototype
				completed and running
M4	Participation in	9	19	Succeeded
	Formal Methods 2021			participation
M5	Verifier	6	30	Laboratory prototype
				completed and running
M6	Project Completion	1-9	36	Final prototype completed
				and quality validated

Table 5: Table of Milestones

8