


C-351H-3		MC-351H-3	
MR COMPRESSOR HP 3		MR COMPRESSOR HP MOTOR 3	
SPEED	2950 rpm	SPEED	2950 rpm
SWEEP VOLUME	1997 m3/h	RATED POWER	560 kW
VI	2.2	VOLTAGE	690 Vdc
MODEL	WP-W36S-28	FREQUENCY	50 Hz
MANUFACTURER	GEA	STARTING	VFD
CASING DESIGN PRESSURE	28 barg	ENCLOSURE PROTECTION	IP55
CASING DESIGN TEMPERATURE	-60/120 °C	STD	IEC
CASING MATERIAL	CAST IRON	FRAME SIZE	355L



REFERENCE DOCUMENTS

P&ID LEGEND	PRO13-ING-PRO0
PROCESS FLOW DIAGRAM	21044-PR-PID-00000
UTILITY FLOW DIAGRAM	PRO10-ING-PR01/02/03/04
MATERIAL SELECTION DIAGRAM	21044-PR-PFD-00001
	PRO10-ING-PR11
	21044-PR-UFD-00001
	PRO08-ING-FR01
	21044-PR-MSD-00001

INSTRUMENT SUPPLY AIR

NOTES:

----- TAM SUPPLY LIMIT

1	25 Mar 2026	ISSUE FOR COMMISSIONING	TAM (JB)	TAM (MM)	LCAMPLONE
0	08 Jan 2026	AS BUILT	TAM (JB)	LCAMPLONE	W.BOUALI
Rev.	Date	Description	Draft	Check'd	Approved
Customer: MANAENERGY			Offices: Mahaj Riad Center, Batiment 6, 3eme etage, Avenue Al Az, Hay Ryad, 10100 Rabat, Morocco		
Contractor: ITALFLUID			Offices: VIA VIVALDI,4 MONTESILVANO (ITALY) Tel.+39 085 4224374 fax+39 085 4220742		
Engineering: ITALFLUID			Offices: VIA VIVALDI,4 MONTESILVANO (ITALY) Tel.+39 085 4224374 fax+39 085 4220742		
Technology Vendor: TECHNICAL AMERICA INC			Offices: 301 N Smith Avenue, 92880 Corona, California (USA) Ph.+1 951 272 9540		
TITLE: LNG TENDRARA PLANT			OBJECT: P&ID PACKAGE PK-351-3 (UNIT 350)		
TYPE	SCALE	DOCUMENTS ID:	VENDOR DOC CODE:		SHEET/OF
A1	N/A	PRO13-ING-PR15	21044-PR-PID-35003		2/3

