

AMERPSOFT Themes

Idempiere Plugin: org.amerpsoft.themes

AMERPSOFT Themes is a collection of themes from different sources and contributors. Joining on a single fragment plugin. Tested on idempiere versions 5.1, 6.2 and 7.1. Use this version for Idempiere 7.1 or LES.

Feature: Font Icons are supported and tested

Developer: Heng Sin Low

Description:

iDempiere can use now font icons.

Configuration is simply to set the System Configurator flag

ZK_THEME_USE_FONT_ICON_FOR_IMAGE = **Y**, and then execute a Cache Reset.

After that windows will look like:

Amtheme: Standard Theme similar to ferrythem.

See FerryTheme from Hiep LQ on:

http://wiki.idempiere.org/en/Plugin: Theme ferrytheme

Amthemeblu: Blue Theme, Bigger Icons.

Ksys:

Maintainer: Ken_longnan - [ken.longnan@gmail.com]

Status: Beta, up to date with release 5.1

License: GPLv2

Sources: ksys-idempiere-theme

BusinessTeam and BusinessTeamBlue:


Maintainer: User: PabloValdivia

Main Copyright: Pablo Valdivia, EGS GROUP, Lima, PERU,

Content:

- 1. SysConfig Considerations.
- 2. Sysconfig Configurable Values
- 3. Install Binaries
- 4. Install from sources

Appendix 1:





1. SysConfig Considerations.

There are four undocumented variables in **ZK_ family**, that can be configured using SysConfig. In Class '**ThemeManager.java**' these values are assigned using getValue Method:

```
'ThemeManager.java' (part)
* @return url for large logo
public static String getLargeLogo() {
        String theme = getTheme();
        String def =ITheme. THEME_PATH_PREFIX+theme+ITheme.LOGIN_LOGO_IMAGE;
        return MSysConfig.getValue(MSysConfig.ZK_LOGO_LARGE, def);
}
 @return url for small logo
public static String getSmallLogo() {
        String theme = getTheme();
        String def = ITheme. THEME_PATH_PREFIX+theme+ITheme. HEADER_LOGO_IMAGE;
        String url = MSysConfig.getValue(MSysConfig.ZK LOGO SMALL, null);
        if (url == null)
                url = MSysConfig.getValue(MSysConfig.WEBUI_LOGOURL, def);
        return url;
}
* @return name of active theme
        public static String getTheme() {
        String theme = System.getProperty(MSysConfig.ZK_THEME);
        return Util.isEmpty(theme) ? MSysConfig.getValue(MSysConfig.ZK_THEME, ITheme.ZK_THEME_DEFAULT) :
theme;
* @return url for browser icon
public static String getBrowserlcon() {
        String theme = qetTheme():
        String def = ITheme. THEME_PATH_PREFIX + theme + ITheme.BROWSER_ICON_IMAGE;
        return MSysConfig.getValue(MSysConfig.ZK_BROWSER_ICON, def);
}
Default values are assigned on 'ITheme.java' interface.
        //default theme
        public static final String ZK THEME DEFAULT = "default";
        //logo
```



```
public static final String LOGIN_LOGO_IMAGE = "/images/login-logo.png";
public static final String HEADER_LOGO_IMAGE = "/images/header-logo.png";
public static final String BROWSER_ICON_IMAGE = "/images/icon.png";
//theme resource url prefix
public static final String THEME_PATH_PREFIX = "/theme/";
```


2. Sysconfig Configurable Values.

ZK_LOGO_LARGE

This is the image that is shown when User Log in.



Sample Configuration:



ZK_LOGO_SMALL






Default Value for image on upper left corner where search field and menu button is located.

It can't be modified by each Client, in order to have information on what client user is working.


It has to be very small graphic file, otherwise may override main search field and menu button.

See included **header-logo-amerp.png** (3 KB) sample on documentation folder.



ZK_BROWSER_ICON

This is icon image locate at the top of navigator:



Is similar to default value: **BROWSER_ICON_IMAGE**.

Configured Value: /theme/amtheme/images/icon-amerp.png

theme: SIMILAR Default THEME PATH PREFIX.

amtheme: Theme's name.

ZK THEME

This Variable is already configured on iDempiere.

Option Values:

Configured Value: default

When using this Plugin, user can select between Themes defined:

Values for plugin Themes: default






amtheme
amthemeblu
ksys
businessteam
businessTeamBlue
Sample THEMES.

businessteam

Login including video:




Sample screen:






business Team Blue

Sample screen:



amthemeblu:

Sample screen:




ksys:

sample Screen:









3. Install Binaries

Download plugin:

https://github.com/luisamesty/Amerpsoft-iDempiere-

community/blob/master/org.amerpsoft.com.idempiere.p2.site/target/repository/plugins/org.amerpsoft.com.idempiere.themes-com_7.1.0.201912142214.jar

(*) Version may be different

Install Using Apache Felix Web Console:



Using System Configuration Window, edit values for:

ZK_LOGO_LARGE ZK_LOGO_SMALL ZK_BROWSER_ICON ZK_THEME

4. Install from sources

Clone repository:

https://github.com/luisamesty/Amerpsoft-iDempiere-community

With maven and eclipse, generate plugin.

See wiki reference for more information.

https://wiki.idempiere.org/en/Building iDempiere Plugins with Maven

Linux Commands (Generates all plugins):

\$ cd sources/myexperiment/Amerpsoft-iDempiere-community

** See build.sh for information on changes

\$ sh build.sh





Plugins are generated on:

sources/myexperiment/Amerpsoft-iDempiere-community/org.amerpsoft.idempiere.p2.site/target/repository/plugins

```
1# COMMAND TO Build <u>Mayon Plugins</u>
2 <u>mvn</u> verify -Didempiere.target=org.amerpsoft.com.idempiere.p2.<u>targetplatform</u> -X
▼ 📆 Amerpsoft-iDempiere-community [Amerpsoft-iDempiere-commu
    ▶ ■ JRE System Library [JavaSE-11]
    ▶ 🔄 org.amerpsoft.com.idempiere.editors-com
                                                                                                                                    4 # NOTE: Compilation is configured for local MAC OS development environment 5 # Compiling in a different server setup you need to change relativePath and Location.
    ▶ 🔓 org.amerpsoft.com.idempiere.feature
    ▶ 🕞 org.amerpsoft.com.idempiere.financial
                                                                                                                                    7 # 1. Change Relative Path in files:
     ▶ 2 org.amerpsoft.com.idempiere.lco.withholding
                                                                                                                                              org.amerpsoft.idempiere.p2.site/pom.xml
org.amerpsoft.idempiere.p2.targetplatform/pom.xml
org.amerpsoft.idempiere.editors-com/pom.xml
org.amerpsoft.idempiere.themes/pom.xml
    ▼ 2 org.amerpsoft.com.idempiere.p2.site

▼ (2) target

               ▶ 🕞 p2agent
                                                                                                                                              Relative Path is set as:
               ▼ 🕞 repository
                                                                                                                                <relativePath>../../myexperiment/org.idempiere.parent/pom.xml</relativePath>
                     ▶ (a) features
                             org.amerpsoft.com.idempiere.editors-com_7.1.0.
                                                                                                                                                 \verb|org.amerpsoft.com.idempiere.p2.targetplatform/org.amerpsoft.com.idempiere.p2.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.targetplatform.
                                                                                                                                                Repository Location is set as: 
                             org.amerpsoft.com.idempiere.financial_7.1.0.201
                             org.amerpsoft.com.idempiere.lco.withholding_7.1
                             org.amerpsoft.com.idempiere.themes-com_7.1.0.
                        artifacts.jar
                        ontent.jar
               ▶ ☐ targetPlatformRepository
                    category.xml
                     local-artifacts.properties
                   ng.amerpsoft.com.idempiere.p2.site-7.1.0-SNAPSHOT
                   p2artifacts.xml
                   p2content.xml
              ategory.xml
              pom.xml
    ▶ 🕞 org.amerpsoft.com.idempiere.p2.targetplatform
    ▶ 🕞 org.amerpsoft.com.idempiere.themes-com
        i build.sh
         Building iDempiere Plugins with Maven.md
         Extended Location Plugin.md
         mvn.txt
         pom.xml
                                                                                                                             🖳 Markers 🔳 Properties 🚜 Servers 🛍 Data Source Explorer 🖺 Snippets 💂 Console 🕱 🖏 Progress 🖋 Search 📇 Git Staging
         README.md
         Themes Amerpsoft plugin.md
                                                                                                                             server.product idempiere_AMERP7.1 dev [Eclipse Application] /Library/Java/JavaVirtualMachines/jdk-11.0.2.jdk/Contents/Home/bin/java (15 dic. 2019 12
```



5. Appendix 1:

Base on CARLOS RUIZ contribution, Logo on header panel by client Sample HeaderPanel Extends

https://groups.google.com/forum/#!searchin/idempiere/client \$20 logo \$20 carlos \$20 ruiz%7C sort: date/idempiere/mRhPxhL5 seQ/JsV secCHAQAJ

What I have done is to include a class in my theme plugin.

A local HeaderPanel extending org.adempiere.webui.panel.HeaderPanel and overwriting this method like:

```
@Override
protected void onCreate() {
         //log.warning("...onCreate...AMHeaderPanel..");
  super.onCreate();
  Image image = (Image) getFellow("logo");
  if (image != null) {
          trv {
                               org.zkoss.image.Image logo = ThemeManager.getClientWebLogo();
                              if (logo != null) {
          image.setContent(logo);
       } else {
          image.setSrc(ThemeManager.getSmallLogo());
                              image.setVisible(true);
                    } catch (IOException e) {
                              // TODO Auto-generated catch block
                              e.printStackTrace();
                    }
```

Then you can use the desktop-header class and the client logo image in your theme header.zul file. Also desktop.zul file must contain include header.zul.

Here the code I tested, include in amerpsoft themes sources (AMHeaderPanel.java class):

```
package org.amerpsoft.themes.panel;
import java.io.IOException;
import org.adempiere.webui.panel.HeaderPanel;
import org.adempiere.webui.theme.ThemeManager;
import org.compiere.util.CLogger;
import org.zkoss.zul.Image;
public class AMHeaderPanel extends HeaderPanel {
  /**
  private static final long serialVersionUID = 6442750584675935215L;
  static CLogger log = CLogger.getCLogger(AMHeaderPanel.class);
  @Override
  protected void onCreate() {
            //log.warning("...onCreate...AMHeaderPanel..");
    super.onCreate():
    Image image = (Image) getFellow("logo");
    if (image != null) {
            try {
                                 org.zkoss.image.Image logo = ThemeManager.getClientWebLogo();
                                 if (logo != null) {
            image.setContent(logo);
            image.setSrc(ThemeManager.getSmallLogo());
                                 image.setVisible(true);
```



Background-World Options:

There are two options for Background World on businessTeam, ksys and kbs.

```
Standard versions: (../images/background-world-gmt.png)
GMT Versión: (../images/background-world-gmt.png)
```

Change login.css.dsp if you are on Western hemisphere or Eastern hemisphere..

```
.login-window .z-window-content {
    background-image: url(../images/background-world-gmt.png)
!important;
    background-position: center;
    /*background-attachment: scroll;*/
    background-repeat: no-repeat;
}
```