


Nama : Ferdiansyah  
NIM : A11.2020.12494

## Praktikum 1



The screenshot shows a web browser window with the address bar displaying `localhost/repo-minggu13/ajax-1.html`. The page content includes a JSON object and a `loadContent` function. The Chrome DevTools console shows a JavaScript error: `Uncaught ReferenceError: xhr is not defined` at `ajax-1.html:24`. The error message indicates that the `xhr` variable is not defined when the `xhr.onloadstart` function is called.

```
{ "login": "belajarkode", "id": 12345678, "node_id": "MDEyOk9yZ2FuaXphdGltbWJlE2MjU0NjAy", "avatar_url": "http://devel56.dinustek.com/aboe/materi/data/code.png", "gravatar_id": "", "url": "http://devel56.dinustek.com/aboe/materi/data/kode.json", "type": "Study", "site_admin": false, "name": "Belajar Kode", "company": null, "location": "Semarang, Indonesia", "email": "masaboe@dinustek.com", "hireable": null, "bio": null, "followers": 0, "following": 0, "created_at": "2020-12-23T07:00:00Z", "updated_at": "2020-12-23T07:00:00Z" }
```

```
function loadContent() {  
  var xhr = new XMLHttpRequest()  
  var url = "http://localhost/"  
  xhr.onloadstart = function() {  
    document.getElementById('...')  
  }  
  xhr.onerror = function() {  
    alert("Gagal Mengambil d...")  
  }  
}
```


Line 24, Column 17 Coverage: n/a

Console Issues: 1 issue: 1

DevTools failed to load source map: Could not load content for `chrome-extensions://og11kd1k1hdfsoongaldccahaleh1h/websocket.js.map`: HTTP error: status code 404, net::ERR\_UNKOWN\_URL\_SCHEME

WebSocket connection to 'ws://127.0.0.1:5500/ws' failed: reload.js:22

## Praktikum 2



The screenshot shows a web browser window with the address bar displaying `localhost/repo-minggu13/2.html`. The page content includes a large blue icon with a code symbol and the text "Belajar Kode". The Chrome DevTools console shows a JavaScript error: `Uncaught ReferenceError: xhr is not defined` at `2.html:24`. The error message indicates that the `xhr` variable is not defined when the `xhr.onloadstart` function is called.

```
function loadContent() {  
  var xhr = new XMLHttpRequest()  
  var url = "http://localhost/"  
  xhr.onloadstart = function() {  
    document.getElementById('...')  
  }  
  xhr.onerror = function() {  
    alert("Gagal Mengambil d...")  
  }  
}
```

Line 24, Column 17 Coverage: n/a

Console Issues: 1 issue: 1

DevTools failed to load source map: Could not load content for `chrome-extensions://og11kd1k1hdfsoongaldccahaleh1h/websocket.js.map`: HTTP error: status code 404, net::ERR\_UNKOWN\_URL\_SCHEME

WebSocket connection to 'ws://127.0.0.1:5500/ws' failed: reload.js:22

## Praktikum 3

Course: [20211] PEMROGRAMAN | Info | Belajar Dasa Ajax

localhost/repo-minggu13/ajax-3.html

## Kirim Data Dengan Ajax

Title

Isi Artikel

Network

Filter: ☐ Invert ☐ Hide data URLs

All: Fetch/XHR JS CSS Img Media Font Doc WS Wasm Manifest Other

☐ Has blocked cookies ☐ Blocked Requests ☐ 3rd-party requests

50 ms 100 ms 150 ms 200 ms 250 ms 300 ms 350 ms 400 ms

Name	Stat...	Type	Initiator	Size	Time	Waterfall
inspect-toolbar.h...	200	xhr	jquery-3...	9.9 ...	12 ...	

2 / 4 requests | 12.3 kB / 14.1 kB transferred | 12.3 kB / 13.8 kB resources | Finish: 331 ms | DOM

Console

Issues

Filter:  Default levels  1 issue: 1

⚠ The key ".0" is not recognized and ignored. [ajax-3.html:6](#)

⚠ DevTools failed to load source map: Could not load content for [chrome-extensions://og11k1k1k1hdf0o9ealdccahaleh1h/webse...js.map](#): HTTP error: status code 404, net::ERR\_UNKNOWN\_URL\_SCHEME

59% 24°C Cerah 17:09

## Praktikum 4

Course: [20211] PEMROGRAMAN | Info | Belajar AJAX dengan JQuery

localhost/repo-minggu13/ajax-4.html

## Load Data

```

{
  "login": "belajarkode",
  "id": 12345678,
  "node_id": "MDYyOkY2ZmUxXphdG1vb3E2WjUWUWjA",
  "avatar_url": "http://devel56.dinustek.com/aboe/materi/data/code.png",
  "gravatar_id": "",
  "url": "http://devel56.dinustek.com/aboe/materi/data/kode.json",
  "type": "Study",
  "site_admin": false,
  "name": "Belajar Kode",
  "company": null,
  "location": "Semarang, Indonesia",
  "email": "masaboe@dinustek.com",
  "hireable": null,
  "bio": null,
  "followers": 0,
  "following": 0,
  "created_at": "2020-12-23T07:00:00Z",
  "updated_at": "2020-12-23T07:00:00Z"
}

```

Network

Filter: ☐ Invert ☐ Hide data URLs

All: Fetch/XHR JS CSS Img Media Font Doc WS Wasm Manifest Other

☐ Has blocked cookies ☐ Blocked Requests ☐ 3rd-party requests

500 ms 1000 ms 1500 ms 2000 ms 2500 ms

Name	Stat...	Type	Initiator	Size	Time	Waterfall
inspect-toolbar.h...	200	xhr	jquery-3...	9.9 ...	22 ...	

3 / 7 requests | 12.3 kB / 12.6 kB transferred | 12.9 kB / 133 kB resources | Finish: 2.40 s | DOM

Console

Issues

Filter:  Default levels  1 issue: 1

⚠ DevTools failed to load source map: Could not load content for [chrome-extensions://og11k1k1k1hdf0o9ealdccahaleh1h/webse...js.map](#): HTTP error: status code 404, net::ERR\_UNKNOWN\_URL\_SCHEME

reload.js:22

File Edit Selection View Go Run Terminal Help

ajax-4.html - repo-minggu13 - Visual Studio Code

EXPLORER

data.json json-lat

latihan-json.html

latihan-json-jqu...

latihan-json-jqu...

ajax-4.html

latihan-json2.ht...

REPO-M...

data.json

latihan-json-jquery...

ajax-4.html > ...

```

<title>Belajar AJAX dengan JQuery</title>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.0/jquery.min.js">
</script>
</head>
<body>
<h1> Load Data </h1>
<pre id="result"> </pre>
<script>
$("#result").load("http://localhost/repo-minggu13/kode.json");
</script>

```

59% 24°C Cerah 17:10

## Praktikum 5



## Praktikum 7

The screenshot shows a web browser at `localhost/repo-minggu13/ajax-7.html` displaying a tutorial titled "Tutorial AJAX dengan AXIOS". The tutorial content includes Latin placeholder text and a section titled "Tutorial AJAX dengan AXIOS". Below the browser, the VS Code editor is open, showing the `ajax-7.html` file. The code includes a `<script>` tag for `https://unpkg.com/axios/dist/axios.min.js`. The VS Code interface also shows the Explorer, Open Editors, and Problems panels.

**Tutorial AJAX dengan AXIOS**

Done

sunt aut facere repellat provident occaecati excepturi optio reprehenderit

quia et suscipit suscipit recusandae consequuntur expedita et cum reprehenderit molestiae ut ut quas totam nostrum rerum est autem sunt rem eveniet architecto

qui est esse

est rerum tempore vitae sequi sint nihil reprehenderit dolor beatae ea dolores neque fugiat blanditiis voluptate porro vel nihil molestiae ut reiciendis qui aperiam non debitis possimus qui neque nisi nulla

ea molestias quasi exercitationem repellat qui ipsa sit aut

et justo sed quo iure voluptatem occaecati omnis eligendi aut ad voluptatem doloribus vel accusantium quis pariatur molestiae porro eius odio et labore et velit aut

eum et est occaecati

ullam et saepe reiciendis voluptatem adipisci sit amet autem assumenda provident rerum culpa, est sequi deserunt mollit anim id est laborum et magnam quibusdam blanditiis repellendus mollit temporibus

nesciunt quas odio

repudiandae veniam quaerat sunt sed alias aut fugiat error aut除 sed error vero autem error et harum non expedit ut consequatur voluptatem quisquam sunt qui culpa quibusdam sequi nulla neque possunt suscipit repudianda

dolorem eum magni eos aperiam quia

ut aspernatur corporis harum nihil quis provident temporibus voluptatem est dolore aliquam voluptate mollit id sit autem et qui dolor unde

## Praktikum 8


- Data-json

The screenshot shows the VS Code editor with a file named `data.json` open. The JSON content is as follows:


```
{  "nim": "A11202012494",  "nama": "Ferdiansyah",  "Alamat": "Grobogan",  "Jurusan": "Teknik Informatika",  "MK": [    {      "mk_kode": "101",      "nama_mk": "SISTEM BASIS DATA"    },    {      "mk_kode": "102",      "nama_mk": "ALJABAR LINEAR"    },    {      "mk_kode": "103",      "nama_mk": "ANALISI ALGORITMA"    },    {      "mk_kode": "104",      "nama_mk": "KECERDASAN BUATAN"    },    {      "mk_kode": "105",      "nama_mk": "JARINGAN KOMPUTER"    }  ]}
```

The VS Code interface also shows the Explorer, Open Editors, and Problems panels.

## - Latihan-json



## - Latihan-json2



## - Latihan-json-jquery

The screenshot shows a web browser at `localhost/repo-minggu13/json-lat/latihan-json-jquery.html` and the Visual Studio Code editor. The HTML file contains a jQuery script that fetches data from a JSON file and logs it to the console. The console output shows two objects: one for 'Jurusan: "Teknik Informatika"' and another for 'Jurusan: "Sistem Informasi"'. The browser's Network tab shows a successful GET request to the JSON file.

```
<!DOCTYPE html>
<html>
<head>
<title>Mari Belajar Coding</title>
<script src="http://code.jquery.com/jquery-3.3.1.js" integrity="sha256-2Kok7MbOy"
<script type="text/javascript">
$.getJSON("data.json", function(result) {
  console.log(result);
});
</script>
</head>
<body>
</body>
```

Console Output:

```
{
  "Jurusan": "Teknik Informatika",
  "NIM": (5) [(-), (-), (-), (-), (-)],
  "alamat": "Grobogan",
  "nama": "Ferdiansyah",
  "nim": "A11202012494"
}
[[Prototype]]: Object

1:
  "Jurusan": "Sistem Informasi",
  "NIM": (5) [(-), (-), (-), (-), (-)],
  "alamat": "Pemalang",
  "nama": "Mira Rahmawan",
  "nim": "1236"
}
[[Prototype]]: Object
length: 2
[[Prototype]]: Array(0)
```

## - Latihan-json-jquery2

The screenshot shows a web browser at `localhost/repo-minggu13/json-lat/latihan-json-jquery2.html` and the Visual Studio Code editor. The HTML file contains a jQuery script that fetches data from a JSON file and logs it to the console. The console output shows two objects: one for 'Jurusan: "Teknik Informatika"' and another for 'Jurusan: "Sistem Informasi"'. The browser's Network tab shows a successful GET request to the JSON file.

```
NIM :A11202012494
Nama :Ferdiansyah
Alamat :Grobogan

NIM :1236
Nama :Mira Rahmawan
Alamat :Pemalang
```

Console Output:

```
{
  "Jurusan": "Teknik Informatika",
  "NIM": (5) [(-), (-), (-), (-), (-)],
  "alamat": "Grobogan",
  "nama": "Ferdiansyah",
  "nim": "A11202012494"
}
[[Prototype]]: Object

1:
  "Jurusan": "Sistem Informasi",
  "NIM": (5) [(-), (-), (-), (-), (-)],
  "alamat": "Pemalang",
  "nama": "Mira Rahmawan",
  "nim": "1236"
}
[[Prototype]]: Object
length: 2
[[Prototype]]: Array(0)
```