



FRONI TECH PACK	Cliente/Cient: FRoni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
	Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 01/08
	Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

COLORWAY 01 BLACK



FRONT VIEW



BACK VIEW

CONSTRUCTION

- Relaxed fit, moderate drop shoulder approx. 5 cm
- Straight clean set-in sleeve seam, no raglan, no gussets
- Double-layer self-fabric hood, both layers shell fabric
- NO drawcord, NO eyelets, NO aglets, NO hardware anywhere
- NO pockets
- NO exterior print or applied graphics of any kind
- 2x2 rib at cuffs and hem, rib contains 2-5% elastane
- Standard side seams
- Woven neck label plus side-seam fiber-care-origin label

DECORATION

- All decoration is EMBROIDERY, no screen print anywhere
- Back: needle-painted icon (page 03)
- Front: tone-on-tone linework, edge to edge (page 04)
- Hood: interior verse + exterior theonym (page 05)
- All embroidery on flat panels BEFORE assembly

ORDER CONTEXT

- Single colorway
- Sizes S-XL, 4 sizes
- Preorder-funded single run, approx. 150 units
- Per-size split confirmed after preorder close
- Delivery DAP Germany



COLORWAY 01: Black (reactive dyed)



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 02/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

FABRIC AND MILL REQUIREMENTS

BODY FABRIC

Composition	100% ring-spun COMBED cotton (combed, not carded)
Knit	3-end loopback French terry, unbrushed interior
Weight	420-450 gsm, tolerance +/-5%
Elastane in body	ZERO
Dye class	REACTIVE dyed black, sulfur black NOT accepted, dye class confirmed in writing
Finish	Enzyme pre-shrunk, compacted, open-width finished, minimal softener
Hand	Dry, dense, firm, matte
Residual shrinkage	Max 5%
Spirality	Max 5%
Pilling	ISO 12945-2 grade 4+
Colorfastness, wash	ISO 105-C06 grade 4-5+
Colorfastness, rubbing	Dry 4+, wet 3-4+
Colorfastness, light	4+
Relaxation	Fabric relaxed min 24h after finishing BEFORE cutting
Shrinkage control	Fully shrunk before cutting, NO aggressive garment wash after assembly


RIB

Structure	2x2
Composition	95-98% cotton, 2-5% elastane
Color	Matched black, same dye class

NOTE
Mill performance sheet required with quote.
Brushed swatch of the same cloth requested at sampling as a hand-feel control only.

Cliente/Cient: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 03/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: BACK, EMBROIDERY ONLY



BACK VIEW

Halo apex 17 cm below collar seam (window 16-18 cm, verified against hood drape on physical sample). icon height 38 cm S/M, grades with garment, width per artwork aspect ratio, centered on back panel.

TECHNIQUE

Hand-directed needle painting, stitch angles follow form.
Automated photo-stitch with uniform parallel scan lines is grounds for strike-off rejection.
Facial features in 60wt, all else 40wt.

STITCH BUDGET S/M

Face + hands	30-35k
Hair + beard	8-12k
Robe	35-50k
Halo + book	20-25k, marigold gold
Edges	5-8k
Back total	110-140k
Cap	140k S/M, 160k L/XL

STABILIZER

Localized cutaway upper back only, tapering downward.
No full-panel cutaway.

FILES

Two graded backs, S/M + L/XL.
Regeneration with re-tuned densities. Rescaling not accepted.


ARTWORK NOTES

Artwork render supplied separately. Icon master may be digitized by a nominated external specialist.
An annotated asymmetry map accompanies the artwork. All marked left-right differences are deliberate and must not be corrected.



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 04/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: FRONT, EMBROIDERY ONLY



FRONT VIEW

DESIGN
Tone-on-tone black-on-black ornamental linework, edge to edge.
Line work only. Reveal by texture in raking light.

STITCH
Bean stitch, triple-pass, 2.5 mm, flat.
Chain stitch not accepted.
35-60k stitches.

HOOPING, L PANEL APPROX. 58-60 x 68-72 CM
ACCEPTED: large single-head field, panel sideways, two positions, ONE indexed frame advance, ONE horizontal join. Stitch file contains a routed join corridor where no stitch crosses the split. Registration jog max 1 mm.
NOT ACCEPTED: four-quadrant patchwork. Resizing the design to fit a hoop.
Subcontracting to a local bordados house acceptable, single contract with the factory, same gates apply.


STABILIZER
Tearaway or washaway ONLY.
No cutaway anywhere on the front.

FILES
Four graded fronts, one per size, regenerated to exact panel dimensions.

THREAD
Madeira Frosted Matt 40wt or approved Gunold equivalent.
A/B matte test at strike-off.

Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 05/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: HOOD LETTERING, EMBROIDERY ONLY



HOOD SCHEMATIC, SIDE

EXTERIOR THEONYM, vertical, reads bottom to top, offset right of the center seam.
INTERIOR VERSE BAND, inner shell layer, parallel to the opening edge, backside hidden between the two hood layers.

HOOD INTERIOR, VERSE

Fear not, for I am with you

Isaiah 41:10

Placement	Interior hood, inner shell layer, band parallel to the opening edge. Stitch backside hidden between the two hood layers. Exact position inked at fit-sample stage.
Language	English
Case	Mixed case exactly as written, never transformed to caps.
Citation	Citation rendered as its own element, never joined to the verse with a dash.
Legibility	Minimum x-height 7 mm absolute (cap height approx. 10 mm), identical on every garment size. If the sew-out reads muddy on production cloth, x-height moves to 9 mm. Descender clearance included in band height.
Repeats	Repeat count absorbs size differences, 2-3 repeats around the arc, digitizer maximizes the clean count.
Stitches	4-6k stitches
Files	One file, fixed lettering size, variable repeat.

HOOD EXTERIOR, THEONYM

O Ω N

rendered in standard Greek capitals, uncial omega in final artwork, size TBD

Placement	Hood exterior panel, vertical, reading bottom to top, offset right of the center seam.
Language	Greek
Letterform	Byzantine majuscule, no diacritics. The omega takes the uncial form in final artwork. This document renders standard Greek capitals with that note.
Color	Marigold gold from the approved palette.
Size	Cap height and letterform per final artwork package, shown as TBD.
Files	One file, fixed size on all garments.

SCOPE

These are the ONLY text placements. Sleeve placements were removed by decision and must not be added.



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 06/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

LABELS AND CARE

LABELS

Neck label	Woven christogram mark, artwork vector to follow, no brand text on garment exterior
Side seam	Fiber content per EU 1007/2011, care symbols, origin
Fiber	Body 100% cotton, rib 95-98% cotton 2-5% elastane
Origin	Made in Portugal, stated plainly

CARE WORDING, FIXED SPEC


Machine wash 30 C inside out, gentle cycle
Do not tumble dry
Do not bleach
Iron inside out only with pressing cloth
Never iron directly on embroidery

RATIONALE

Direct high heat is the one customer action that damages the thread. The wording is fixed.

Cliente/Cient: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 07/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

MEASUREMENTS



	Sizes:	S	M	L	XL	Sample(PPS)	Pre-boarding
A	Body length	68	70	72	74		
B	Chest 1 cm below armhole	57	59	61	63		
C	Armhole	24	25	26	27		
D	Cuff opening	8	8	8.5	9		
E	Sleeve length	57	58	59	60		
F	Shoulder	18	19	20	21		
G	Neck opening	26	26	26	26		
H	Bottom width	49	51	53	55		
I	Bottom hem rib height	6	6	6	6		
J	Cuff rib length	6	6	6	6		
K	Hood length	38	38	38	38		
L	Hood width	26.5	26.5	26.5	26.5		

MEASUREMENT NOTES

All values are TARGETS for the first fit sample, tolerance +/-1 cm.

Final chart locked from approved fit-sample flat measurements.

No pocket, no drawcord, no hardware. Pocket rows intentionally absent.

Hood is double-layer. Measurements refer to the outer shell.

Note: all measurements are cm.



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 02
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 08/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

EMBROIDERY PROCESS, FILES, QC

MATERIALS AND SETUP

Thread, all zones	Madeira Frosted Matt 40wt, Gunold equivalent on approval
Detail	60wt facial features
Bobbin	60-70wt poly
Needles	75/11 ballpoint
Colors	Max 15, single setup, no mid-run rethreading
Gold	Marigold family from approved palette
Sequence	All panels embroidered FLAT before assembly, inside cut-make

FILE PACKAGE

4	Graded fronts, one per size
2	Graded backs, S/M + L/XL
1	Hood interior verse file
1	Hood exterior theonym file
8	files total

Editable native Wilcom .EMB masters plus all graded production outputs are delivered to and remain the property of the client, condition of the order.

One remote tuning round with the digitizer after the first strike-off on production cloth is included.

STRIKE-OFFS AND ACCEPTANCE

- Face strike-off on approx. 400 gsm fleece. Photograph straight-on, split vertically, mirror each half into two composites. If the two composites look like the same face the strike-off is REJECTED.
- Matte thread A/B on same swatch, raking light, client selects.
- Full-size front strike-off, raking light, join corridor inspected, max 1 mm jog.
- Lettering legibility at spec x-height on production cloth.
- Wash protocol: one swatch 25-30 cycles at 40-60 C plus tumble, judged for pucker, fade, thread integrity. One full sample 5 industrial washes before production approval.

COST CLAUSES

"Strike-offs repeated due to embroidery execution faults are at manufacturer's cost."

"Digitizing fee includes revisions until approved production sew-out on final fabric."