





Cliente/Cient: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 01/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

COLORWAY 01 BLACK



FRONT VIEW



BACK VIEW



COLORWAY 01: Black (reactive dyed)

CONSTRUCTION

- Relaxed fit, moderate drop shoulder approx. 5 cm
- Straight clean set-in sleeve seam, no raglan, no body gussets
- Three-panel double-layer self-fabric hood (two side panels + center gusset), both layers shell fabric, no center seam
- NO drawcord, NO eyelets, NO aglets, NO hardware anywhere
- NO pockets
- NO exterior print or applied graphics of any kind
- 2x2 rib at cuffs and hem, rib contains 2-5% elastane
- Standard side seams
- Woven neck label plus side-seam fiber-care-origin label

DECORATION

- All decoration is EMBROIDERY, no screen print anywhere
- Back: needle-painted icon (page 03)
- Front: tone-on-tone linework, edge to edge (page 04)
- Hood: interior lettering + exterior lettering (page 05)
- All embroidery on flat panels BEFORE assembly

ORDER CONTEXT

- Single colorway
- Sizes S-XL, 4 sizes
- Single production run, approx. 150 units
- Per-size quantity split confirmed at order placement
- Delivery DAP Germany

FRONI TECH PACK	Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
	Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 02/08
	Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

FABRIC AND MILL REQUIREMENTS

BODY FABRIC

Composition	100% ring-spun COMBED cotton (combed, not carded)
Knit	3-end loopback French terry, unbrushed interior
Weight	420-450 gsm, tolerance +/-5%
Elastane in body	ZERO
Dye class	REACTIVE dyed black, sulfur black NOT accepted, dye class confirmed in writing
Finish	Enzyme pre-shrunk, compacted, open-width finished, minimal softener
Hand	Dry, dense, firm, matte
Residual shrinkage	Max 5%
Spirality	Max 5%
Pilling	ISO 12945-2 grade 4+
Colorfastness, wash	ISO 105-C06 grade 4-5+
Colorfastness, rubbing	Dry 4+, wet 3-4+
Colorfastness, light	4+
Relaxation	Fabric relaxed min 24h after finishing BEFORE cutting
Shrinkage control	Fully shrunk before cutting, NO aggressive garment wash after assembly

RIB

Structure	2x2
Composition	95-98% cotton, 2-5% elastane
Color	Matched black, same dye class


NOTE

Mill performance sheet required with quote.

Brushed swatch of the same cloth requested at sampling as a hand-feel control only.

FRONI TECH PACK	Cliente/Cient: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
	Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 03/08
	Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: BACK, EMBROIDERY ONLY



BACK VIEW

PLACEMENT

Halo apex 12 cm below collar seam (accepted window 11-13 cm).
Icon height 46 cm on S/M. L/XL file regenerated at approx. 48-50 cm.
Width follows the final artwork aspect, centered on center back.
Drape rule: the hood drape may clip the halo, never the brow. Verified against actual drape on the physical fit sample.

TECHNIQUE

Hand-directed needle painting, stitch angles follow form.
Automated photo-stitch with uniform parallel scan lines is grounds for strike-off rejection.
Facial features in 60wt, all else 40wt.

STITCH BUDGET S/M

Face and hands, layered needle painting	40-50k
Hair and beard, directional satin	12-16k
Robe, medium fill	50-65k
Halo and Gospel book, radiating satin, marigold gold	26-34k
Edge feathering and details	6-10k
Back total	approx. 145-185k
Hard cap	180k S/M, 200k L/XL

HOOPING AND STABILIZER

Back panel embroidered in ONE field position. No join is permitted anywhere on the back panel. Factory confirms usable field dimensions of at least artwork size plus 2 cm hooping margin per side before quoting. If usable field width is 45 cm, icon width caps at 43 cm; L/XL height then follows the artwork aspect at that cap.
Localized cutaway upper back only, tapering downward into the drape zone. No full-panel cutaway.

FILES


Two graded backs, regenerated per size group, S/M at 46 cm, L/XL at approx. 48-50 cm.
Regeneration with re-tuned densities. Rescaling not accepted.

ARTWORK NOTES
Artwork render supplied separately. Icon master may be digitized by a nominated external specialist.
An annotated asymmetry map accompanies the artwork. All marked left-right differences are deliberate and must not be corrected.



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 04/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: FRONT, EMBROIDERY ONLY



FRONT VIEW

DESIGN
Tone-on-tone black-on-black ornamental linework, edge to edge.
Line work only. Reveal by texture in raking light.

STITCH
Bean stitch, triple-pass, 2.5 mm, flat.
Chain stitch not accepted.
35-60k stitches.

HOOPING, L PANEL APPROX. 58-60 x 68-72 CM
ACCEPTED: large single-head field, panel sideways, two positions, ONE indexed frame advance, ONE horizontal join. Stitch file contains a routed join corridor where no stitch crosses the split. Registration jog max 1 mm.
NOT ACCEPTED: four-quadrant patchwork. Resizing the design to fit a hoop.
Subcontracting to a local bordados house acceptable, single contract with the factory, same gates apply.


STABILIZER
Tearaway or washaway ONLY.
No cutaway anywhere on the front.

FILES
Four graded fronts, one per size, regenerated to exact panel dimensions.

THREAD
Madeira Frosted Matt 40wt or approved Gunold equivalent.
A/B matte test at strike-off.

FRONI TECH PACK	Cliente/Cient: FRoni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
	Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 05/08
	Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

ART-WORK: HOOD LETTERING, EMBROIDERY ONLY




BACK VIEW

HOOD EXTERIOR LETTERING

O Ω N

Standard Greek capitals shown. Uncial omega per final artwork package.

Placement	Hood exterior, center gusset panel. Three letters stacked upright, reading top to bottom, centered on the gusset. Marigold gold. Letterform (uncial omega) and letter height per final artwork package.
Language	Greek
Files	One file, fixed size on all garments.



interior verse band, hidden between hood layers

LOCATOR, FRONT VIEW

⚠️ Fear not, for I am with you - Isaiah 41:10

Fear not, for I am with you - Isaiah 41:10

7 mm min.

INTERIOR VERSE BAND, UNROLLED

HOOD INTERIOR LETTERING

Inner shell layer. Stitch backside hidden between the two hood layers.
Italic lettering per final artwork.
X-height 7 mm minimum absolute, identical on every garment size.
Italic apertures checked at strike-off. Escalates to 8-9 mm if counters close on production cloth.
Repeating unit includes the citation. 2-3 repeats expected, digitizer maximizes clean fit.
5-8k stitches.
One file, fixed lettering size, variable repeat.
Exact position inked at fit-sample stage.



Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 06/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

LABELS AND CARE

LABELS


Neck label	Woven christogram mark, artwork vector to follow, no brand text on garment exterior
Side seam	Fiber content per EU 1007/2011, care symbols, origin
Fiber	Body 100% cotton, rib 95-98% cotton 2-5% elastane
Origin	Made in Portugal, stated plainly

CARE WORDING, FIXED SPEC

Machine wash 30 C inside out, gentle cycle
Do not tumble dry
Do not bleach
Iron inside out only with pressing cloth
Never iron directly on embroidery

Cliente/Cient: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 07/08
Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

MEASUREMENTS



	Sizes:	S	M	L	XL	Sample(PPS)	Pre-boarding
A	Body length	68	70	72	74		
B	Chest 1 cm below armhole	57	59	61	63		
C	Armhole	24	25	26	27		
D	Cuff opening	8	8	8.5	9		
E	Sleeve length	57	58	59	60		
F	Shoulder	18	19	20	21		
G	Neck opening	26	26	26	26		
H	Bottom width	49	51	53	55		
I	Bottom hem rib height	6	6	6	6		
J	Cuff rib length	6	6	6	6		
K	Hood length	38	38	38	38		
L	Hood width	26.5	26.5	26.5	26.5		
M	Hood gusset width	10	10	10	10		

MEASUREMENT NOTES

All values are TARGETS for the first fit sample, tolerance +/-1 cm.
Final chart locked from approved fit-sample flat measurements.
No pocket, no drawcord, no hardware.
Hood is double-layer, three-panel (two side panels + center gusset). Measurements refer to the outer shell.
Note: all measurements are cm.

FRONI TECH PACK	Cliente/Client: Froni	Data/Date: 07 Jul 2026	Molde/Pattern: Personalizado-Custom	Revisao/Revision: 05
	Ref.: FRN-001	Cor/Color: Black (reactive dyed)	Fabric: 100% combed ring-spun cotton, 3-end loopback French terry, unbrushed	Page: 08/08
	Modelo/Garment: Drop shoulder pullover hoodie	Fit: Relaxed	GSM: 420-450	Prepared by: Ferdinand Toma

EMBROIDERY PROCESS, FILES, QC

MATERIALS AND SETUP

Thread, all zones	Madeira Frosted Matt 40wt, Gunold equivalent on approval
Detail	60wt facial features
Bobbin	60-70wt poly
Needles	75/11 ballpoint
Colors	Max 15, single setup, no mid-run rethreading
Gold	Marigold family from approved palette
Sequence	All panels embroidered FLAT before assembly, inside cut-make

FILE PACKAGE

4	Graded fronts, one per size
2	Graded backs, regenerated per size group, S/M at 46 cm, L/XL at approx. 48-50 cm
1	Hood interior verse file
1	Hood exterior lettering file
8	files total

Editable native Wilcom .EMB masters plus all graded production outputs are delivered to and remain the property of the client, condition of the order.

One remote tuning round with the digitizer after the first strike-off on production cloth is included.

STRIKE-OFFS AND ACCEPTANCE

- Face strike-off on approx. 400 gsm fleece. Photograph straight-on, split vertically, mirror each half into two composites. If the two composites look like the same face the strike-off is REJECTED.
- Matte thread A/B on same swatch, raking light, client selects.
- Full-size front strike-off, raking light, join corridor inspected, max 1 mm jog.
- Lettering legibility at spec x-height on production cloth, italic apertures open.
- Wash protocol: one swatch 25-30 cycles at 40-60 C plus tumble, judged for pucker, fade, thread integrity. One full sample 5 industrial washes before production approval.

COST CLAUSES

"Strike-offs repeated due to embroidery execution faults are at manufacturer's cost."

"Digitizing fee includes revisions until approved production sew-out on final fabric."