

grep + wildcards

Adapted from materials by Dr. Carrier



grep - Pattern-matching search / filter

grep - Pattern-matching search / filter

Search a file for a string

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

Some of the options:

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

Some of the options:

- **-w** : Search only for whole words
 - Removes partial matches, -w abc does not match abcdef

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

Some of the options:

- **-w** : Search only for whole words
 - Removes partial matches, -w abc does not match abcdef
- **-r** : Recursive, search files in directory

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

Some of the options:

- **-w** : Search only for whole words
 - Removes partial matches, -w abc does not match abcdef
- **-r** : Recursive, search files in directory
- **-i** : Ignore case

grep - Pattern-matching search / filter

Search a file for a string

Usage:

```
grep string filename
```

Some of the options:

- `-w` : Search only for whole words
 - Removes partial matches, `-w abc` does not match `abcdef`
- `-r` : Recursive, search files in directory
- `-i` : Ignore case

We'll revisit these later (regex)...

Wildcards

Wildcards

Pattern matching for filenames

Wildcards

Pattern matching for filenames

Examples:

Wildcards

Pattern matching for filenames

Examples:

-  : matches any number of characters
 - `ls *.txt`

Wildcards

Pattern matching for filenames

Examples:

- ***** : matches any number of characters
 - `ls *.txt`
- **?** : matches any single character
 - `ls data_?.csv`
 - Matches `data_7.csv` but not `data_17.csv`

Wildcards

Pattern matching for filenames

Examples:

- ***** : matches any number of characters
 - `ls *.txt`
- **?** : matches any single character
 - `ls data_?.csv`
 - Matches `data_7.csv` but not `data_17.csv`
- **[]** for character class or range
 - `[abc]`, `[a-z]`, `[[:upper:]]`, etc...
 - `[!a]` for complement

Wildcards

Pattern matching for filenames

Examples:

- `*` : matches any number of characters
 - `ls *.txt`
- `?` : matches any single character
 - `ls data_?.csv`
 - Matches `data_7.csv` but not `data_17.csv`
- `[]` for character class or range
 - `[abc]`, `[a-z]`, `[[:upper:]]`, etc...
 - `[!a]` for complement
- This is called *globbing*

Wildcards

Pattern matching for filenames

Examples:

- `*` : matches any number of characters
 - `ls *.txt`
- `?` : matches any single character
 - `ls data_?.csv`
 - Matches `data_7.csv` but not `data_17.csv`
- `[]` for character class or range
 - `[abc]`, `[a-z]`, `[[:upper:]]`, etc...
 - `[!a]` for complement
- This is called *globbing*
- `man 7 glob` for more info