

# vim

Adapted from materials by Dr. Carrier

VIM - Vi IMproved

version 8.2.4919

by Bram Moolenaar et al.

Modified by team+vim@tracker.debian.org

Vim is open source and freely distributable

Launching vim

# Launching vim

`vim`

`vim <filename>`

File can be new or existing

# The necessities

# The necessities

How to exit vim:

# The necessities

How to exit vim:

`:q <enter>`

# The necessities

How to exit vim:

`:q <enter>`

How to save:

`:w <enter>`

# The necessities

How to exit vim:

`:q <enter>`

How to save:

`:w <enter>`

How to quit without saving:

`:q!`



# The modes of vim

# The modes of vim

Most people will tell you it has two modes:

# The modes of vim

Most people will tell you it has two modes:

1. Normal mode
2. Insert mode

# The modes of vim

Most people will tell you it has two modes:

1. Normal mode (or command mode)
2. Insert mode

# The modes of vim

Most people will tell you it has two modes:

1. Normal mode
2. Insert mode


It actually has six basic modes (12 total):

1. Normal mode
2. Visual mode
3. Select mode
4. Insert mode
5. Command-line mode
6. Ex mode

# The modes of vim

Most people will tell you it has two modes:

1. Normal mode
2. Insert mode




# The modes of vim

Most people will tell you it has two modes:

1. Normal mode
2. Insert mode

From insert mode, quitting is: <esc> then :q <enter>



# Cursor movement – normal mode

- Arrow keys
- h (left), j (down), k (up), l (right)



# Cursor movement – normal mode

- Arrow keys
- h (left), j (down), k (up), l (right)
- w, b - move forward / backward one word
  - Caps to ignore punctuation
- Page up/down

# Cursor movement – normal mode

- Arrow keys
- h (left), j (down), k (up), l (right)
- w, b - move forward / backward one word
  - Caps to ignore punctuation
- Page up/down
- gg - first line
- G - Last line

# Cursor movement – normal mode

- Arrow keys
- h (left), j (down), k (up), l (right)
- w, b - move forward / backward one word
  - Caps to ignore punctuation
- Page up/down
- gg - first line
- G - Last line
- #gg or :# - Go to line #

# Deletion, copy paste

- x - delete a character
- dw - delete word
- dd - delete line
  - These all can be preceded by a number
- D - delete rest of line

# Deletion, copy paste

- x - delete a character
- dw - delete word
- dd - delete line
  - These all can be preceded by a number
- D - delete rest of line
- r - replace char with next replace

# Deletion, copy paste

- x - delete a character
- dw - delete word
- dd - delete line
  - These all can be preceded by a number
- D - delete rest of line
- r - replace char with next replace
- R - enter replace mode
  - Keeps replacing chars as you type
  - Escape to exit to normal mode

# Deletion, copy paste

- x - delete a character
- dw - delete word
- dd - delete line
  - These all can be preceded by a number
- D - delete rest of line
- r - replace char with next replace
- R - enter replace mode
  - Keeps replacing chars as you type
  - Escape to exit to normal mode
- yy - yank line(copy)
  - Delete commands also copy

# Deletion, copy paste

- x - delete a character
- dw - delete word
- dd - delete line
  - These all can be preceded by a number
- D - delete rest of line
- r - replace char with next replace
- R - enter replace mode
  - Keeps replacing chars as you type
  - Escape to exit to normal mode
- yy - yank line(copy)
  - Delete commands also copy
- p - paste



# Quick manipulation

- u - undo
- r - redo

# Quick manipulation

- u - undo
- r - redo
- Other ways to enter insert mode:
  - A - insert at end of line
  - I - insert at start of line

# Quick manipulation

- u - undo
- r - redo
- Other ways to enter insert mode:
  - A - insert at end of line
  - I - insert at start of line
- Searching: /text or ?text
  - N to go to next result, n for previous

# Quick manipulation

- u - undo
- r - redo
- Other ways to enter insert mode:
  - A - insert at end of line
  - I - insert at start of line
- Searching: /text or ?text
  - N to go to next result, n for previous
- Search and replace:
  - %s/toreplace/newstring
  - %s/toreplace/newstring/g  
for all occurrences on each line

# Configuration

- You don't want to reconfigure vim each time
- ~/.vimrc controls your configuration
  - Change tab stop
  - Colors
  - Custom commands
  - etc!

# Advanced

- Tabs / buffers / windows
- Code folding
- Marks
- Visual mode
- Spell check
- Extensions
- Sessions
- Autocomplete
- And more...