


| Feature | | Scenario | | | | Step | | | |
|------------------|----------|----------|---|---|---|------|---|---|---|
| Name | Duration | T | P | F | S | T | P | F | S |
| Add_Student_info | 34.049 s | 4 | 0 | 4 | 0 | 8 | 0 | 0 | 8 |


| Tag | | Scenario | | | Fea | ture | | |
|----------|---|----------|---|---|-----|------|---|---|
| Name | T | P | F | S | T | P | F | S |
| @teacher | 4 | 0 | 4 | 0 | 1 | 0 | 1 | 0 |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|------------------|---|---|---|---|----------|
| 1 | Add_Student_info | 4 | 0 | 4 | 0 | 34.049 s |

SCENARIOS SUMMARY -- 5 -




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------|------------------------------|---|---|---|---|----------|
| 1 | Add_Student_info | TC17_Add_Student_info_POST | 2 | 0 | 0 | 2 | 14.376 s |
| 2 | Add_Student_info | TC17_Add_Student_info_PUT | 2 | 0 | 0 | 2 | 5.724 s |
| 3 | Add_Student_info | TC17_Add_Student_info_DELETE | 2 | 0 | 0 | 2 | 6.151 s |
| 4 | Add_Student_info | TC17_Add_Student_info_GET | 2 | 0 | 0 | 2 | 6.505 s |

DETAILED SECTION -- 6 --

Add_Student_info

| FAILED | DURATION - 34.049 s | Scenarios | | Steps | |
|-------------------|----------------------|-----------|---|-----------|---|
| | | Total - 4 | | Total - 8 | |
| / 10:41:30.170 AM | // 10:42:04.219 AM / | Pass - 0 | 4 | Pass - 0 | 8 |
| | | Fail - 4 | | Fail - 0 | |
| | | Skip - 0 | | Skip - 8 | |
| | | | | | |

TC17_Add_Student_info_POST



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - hooks.Hooks.beforeApiTeacher() | FAILED | 8.152 s |
| | java.net.ConnectException: Connection refused: connect | | |
| | at java.base/sun.nio.ch.Net.connect0(Native Method) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:579) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:568) | | |
| | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:585) | | |
| | at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) | | |
| | at java.base/java.net.Socket.connect(Socket.java:633) | | |
| | at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) | | |
| | at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) | | |
| | at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) | | |
| | at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) | | |
| | at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) | | |
| | at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) | | |
| | at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) | | |
| | at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) | | |
| | at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) | | |
| | at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) | | |
| | at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:157) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:125) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:148) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCallCurrent(CallSiteArray.java:49) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:171) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at utilities.ManagementonSchoolsAuthentication.generateToken(ManagementonSchoolsAuthentication.java:19) | | |
| | at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:24) | | |
| | at hooks.Hooks.beforeApiTeacher(Hooks.java:24) | OVIDDED | 0.000 - |
| 1 | Given teacher sends the student info data_POST | SKIPPED | 0.009 s |
| 2 | Then teacher gets the student info data and assert_POST | SKIPPED | 0.001 s |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario) | PASSED | 6.152 s |
| | failed_scenario_TC17_Add_Student_info_POST | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TC17_Add_Student_info_PUT

| FAILED | DURATION - 5.724 s | 0.15 | 1 | 1 | Steps | | |
|------------------|-------------------------|-------|---|----------|----------------------|---|--|
| / 10:41:45 296 | AM // 10:41:51.020 AM / | 0.1 - | | | Total - 2 | | |
| 7 10: 11: 10:200 | 74077 10.11.01.02.07407 | | | | Pass - 0 | 2 | |
| Add_Student_ | info | .05 - | | | Fail - 0 Skip - 2 | | |
| @teacher | | 0 - | | <u> </u> | 3Kip - Z | | |
| | | | 1 | 2 | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | BEFORE - hooks.Hooks.beforeApiTeacher() | FAILED | 2.512 s |
| | java.net.ConnectException: Connection refused: connect | | |
| | at java.base/sun.nio.ch.Net.connect0(Native Method) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:579) | | |
| | at java.base/sun.nio.ch.Net.connect(Net.java:568) | | |
| | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:585) | | |
| | at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) | | |
| | at java.base/java.net.Socket.connect(Socket.java:633) | | |
| | at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) | | |
| | at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) | | |
| | at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) | | |
| | at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) | | |
| | at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) | | |
| | at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) | | |
| | at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) | | |
| | at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) | | |
| | at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1704) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |

DETAILED SECTION -- 11 --

| # | Step / Hook Details | Status | Duration |
|---|---|---------|----------|
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy:1710) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at utilities.ManagementonSchoolsAuthentication.generateToken(ManagementonSchoolsAuthentication.java:19) | | |
| | at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:24) | | |
| | at hooks.Hooks.beforeApiTeacher(Hooks.java:24) | | |
| 1 | Given teacher sends the student info data_PUT | SKIPPED | 0.001 s |
| 2 | Then teacher gets the student info data and assert_PUT | SKIPPED | 0.002 s |
| | AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario) | PASSED | 3.200 s |
| | failed_scenario_TC17_Add_Student_info_PUT | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

TC17_Add_Student_info_DELETE

DETAILED SECTION -- 12 --




| Step / Hook Details | Status | Duration |
|---|--------|----------|
| BEFORE - hooks.Hooks.beforeApiTeacher() | FAILED | 2.699 s |
| java.net.ConnectException: Connection refused: connect | | |
| at java.base/sun.nio.ch.Net.connect0(Native Method) | | |
| at java.base/sun.nio.ch.Net.connect(Net.java:579) | | |
| at java.base/sun.nio.ch.Net.connect(Net.java:568) | | |
| at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:585) | | |
| at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) | | |
| at java.base/java.net.Socket.connect(Socket.java:633) | | |
| at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) | | |
| at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) | | |
| at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) | | |
| at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) | | |
| at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) | | |
| at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) | | |
| at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) | | |
| at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) | | |
| at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) | | |
| at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) | | |
| at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) | | |
| at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) | | |
| at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) | | |
| | at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1704)$ | | |
| | $at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$ | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1710)$ | | |
| | $at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$ | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) at utilities.ManagementonSchoolsAuthentication.generateToken(ManagementonSchoolsAuthentication.java:19) at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:24) at hooks.Hooks.beforeApiTeacher(Hooks.java:24) | | |
| 1 | Given teacher sends the student info data_DELETE | SKIPPED | 0.001 s |
| 2 | Then teacher gets the student info data and assert_DELETE | SKIPPED | 0.001 s |
| | AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario) failed_scenario_TC17_Add_Student_info_DELETE | PASSED | 3.442 s |

TC17_Add_Student_info_GET



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - hooks.Hooks.beforeApiTeacher() | FAILED | 2.456 s |
| | java.net.ConnectException: Connection refused: connect at java.base/sun.nio.ch.Net.connect((Native Method)) at java.base/sun.nio.ch.Net.connect((Net.java:579)) at java.base/sun.nio.ch.Net.connect((Net.java:568)) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at java.base/sun.nio.ch.NioSocketImpl.connect(NioSocketImpl.java:585) | | |
| | at java.base/java.net.SocksSocketImpl.connect(SocksSocketImpl.java:327) | | |
| | at java.base/java.net.Socket.connect(Socket.java:633) | | |
| | at org.apache.http.conn.scheme.PlainSocketFactory.connectSocket(PlainSocketFactory.java:121) | | |
| | at org.apache.http.impl.conn.DefaultClientConnectionOperator.openConnection(DefaultClientConnectionOperator.java:180) | | |
| | at org.apache.http.impl.conn.ManagedClientConnectionImpl.open(ManagedClientConnectionImpl.java:326) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.tryConnect(DefaultRequestDirector.java:605) | | |
| | at org.apache.http.impl.client.DefaultRequestDirector.execute(DefaultRequestDirector.java:440) | | |
| | at org.apache.http.impl.client.AbstractHttpClient.doExecute(AbstractHttpClient.java:835) | | |
| | at org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:83) | | |
| | at io.restassured.internal.RestAssuredHttpBuilder.doRequest(RestAssuredHttpBuilder.java:141) | | |
| | at io.restassured.internal.http.HTTPBuilder.post(HTTPBuilder.java:349) | | |
| | at io.restassured.internal.http.HTTPBuilder\$post\$2.call(Unknown Source) | | |
| | at io.restassured.internal.RequestSpecificationImpl.sendRequest(RequestSpecificationImpl.groovy:1209) | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$sendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.call(AbstractCallSite.java:166) | | |
| | at io.restassured.internal.filter.SendRequestFilter.filter(SendRequestFilter.groovy:30) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.time.TimingFilter.filter(TimingFilter.java:56) | | |
| | at io.restassured.filter.Filter\$filter\$0.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | at io.restassured.internal.filter.CsrfFilter.filter(CsrfFilter.groovy:70) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |
| | at org.codehaus.groovy.runtime.callsite.CallSiteArray.defaultCall(CallSiteArray.java:45) | | |
| | at io.restassured.filter.Filter\$filter.call(Unknown Source) | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at io.restassured.internal.filter.FilterContextImpl.next(FilterContextImpl.groovy:72) | | |
| | at io.restassured.filter.FilterContext\$next.call(Unknown Source) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1704)$ | | |
| | $at\ io. rest assured. internal. Request Specification Impl. this \$2\$ apply Path Params And Send Request (Request Specification Impl. groovy)$ | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. invoke Method (Request Specification Impl. groovy)$ | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | $at\ io. rest assured. internal. Request Specification Impl. apply Path Params And Send Request (Request Specification Impl. groovy: 1710)$ | | |
| | at io.restassured.internal.RequestSpecificationImpl.this\$2\$applyPathParamsAndSendRequest(RequestSpecificationImpl.groovy) | | |
| | at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) | | |
| | at java.base/java.lang.reflect.Method.invoke(Method.java:577) | | |
| | at org.codehaus.groovy.reflection.CachedMethod.invoke(CachedMethod.java:343) | | |
| | at groovy.lang.MetaMethod.doMethodInvoke(MetaMethod.java:328) | | |
| | at groovy.lang.MetaClassImpl.doInvokeMethod(MetaClassImpl.java:1348) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1103) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:1009) | | |
| | at groovy.lang.MetaClassImpl.invokeMethod(MetaClassImpl.java:792) | | |
| | at io.restassured.internal.RequestSpecificationImpl.invokeMethod(RequestSpecificationImpl.groovy) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.call(PogoInterceptableSite.java:46) | | |
| | at org.codehaus.groovy.runtime.callsite.PogoInterceptableSite.callCurrent(PogoInterceptableSite.java:57) | | |
| | at org.codehaus.groovy.runtime.callsite.AbstractCallSite.callCurrent(AbstractCallSite.java:203) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy:176) | | |
| | at io.restassured.internal.RequestSpecificationImpl.post(RequestSpecificationImpl.groovy) | | |
| | at utilities.ManagementonSchoolsAuthentication.generateToken(ManagementonSchoolsAuthentication.java:19) | | |
| | at base_urls.ManagementonSchoolsBaseUrl.schoolsetupTeacher(ManagementonSchoolsBaseUrl.java:24) | | |
| | at hooks.Hooks.beforeApiTeacher(Hooks.java:24) | | |
| 1 | Given teacher sends the student info data_GET | SKIPPED | 0.003 s |
| 2 | Then teacher gets the student info data and assert_GET | SKIPPED | 0.003 s |
| | AFTER - hooks.Hooks.tearDownScenarios(io.cucumber.java.Scenario) | PASSED | 4.034 s |
| | failed_scenario_TC17_Add_Student_info_GET | | |

| # | Step / Hook Details | Status | Duration |
|---|---------------------|--------|----------|
| | | | |
| | | | |
| | | | |
| | | | |