FSM / fsm_128: estimation outcomes

Population: finite. Outcome cells show count (% of all attempted trials).

N	Method	Trials	Finite	Converged / passed	Stalled	Max iterations	HMC warning	Failed / invalid	Skipped	Used
500	BI_HMC	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
500	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	WS-GGI	100	72 (72.0%)	1 (1.0%)	0 (0.0%)	71 (71.0%)	0 (0.0%)	28 (28.0%)	0 (0.0%)	72 (72.0%)
500	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-2-dH	100	84 (84.0%)	0 (0.0%)	0 (0.0%)	84 (84.0%)	0 (0.0%)	16 (16.0%)	0 (0.0%)	84 (84.0%)
500	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-2-I	100	34 (34.0%)	0 (0.0%)	0 (0.0%)	34 (34.0%)	0 (0.0%)	66 (66.0%)	0 (0.0%)	34 (34.0%)
500	LHAM-1-TIK	100	100 (100.0%)	96 (96.0%)	0 (0.0%)	4 (4.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	LHAM-3-TIK	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
1000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	WS-GGI	100	76 (76.0%)	1 (1.0%)	0 (0.0%)	75 (75.0%)	0 (0.0%)	24 (24.0%)	0 (0.0%)	76 (76.0%)
1000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-2-dH	100	91 (91.0%)	0 (0.0%)	0 (0.0%)	91 (91.0%)	0 (0.0%)	9 (9.0%)	0 (0.0%)	91 (91.0%)
1000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-2-I	100	35 (35.0%)	0 (0.0%)	0 (0.0%)	35 (35.0%)	0 (0.0%)	65 (65.0%)	0 (0.0%)	35 (35.0%)
1000	LHAM-1-TIK	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
2000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	WS-GGI	100	85 (85.0%)	1 (1.0%)	0 (0.0%)	84 (84.0%)	0 (0.0%)	15 (15.0%)	0 (0.0%)	85 (85.0%)
2000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-2-dH	100	97 (97.0%)	0 (0.0%)	0 (0.0%)	97 (97.0%)	0 (0.0%)	3 (3.0%)	0 (0.0%)	97 (97.0%)
2000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-2-I	100	26 (26.0%)	0 (0.0%)	0 (0.0%)	26 (26.0%)	0 (0.0%)	74 (74.0%)	0 (0.0%)	26 (26.0%)
2000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	BI_HMC	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
5000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	WS-GGI	100	95 (95.0%)	0 (0.0%)	0 (0.0%)	95 (95.0%)	0 (0.0%)	5 (5.0%)	0 (0.0%)	95 (95.0%)
5000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-I	100	16 (16.0%)	0 (0.0%)	0 (0.0%)	16 (16.0%)	0 (0.0%)	84 (84.0%)	0 (0.0%)	16 (16.0%)
5000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
10000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	WS-GGI	100	99 (99.0%)	0 (0.0%)	0 (0.0%)	99 (99.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	99 (99.0%)
10000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-I	100	7 (7.0%)	0 (0.0%)	0 (0.0%)	7 (7.0%)	0 (0.0%)	93 (93.0%)	0 (0.0%)	7 (7.0%)
10000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)

Finite includes valid optimizer estimates and finite HMC posterior estimates, including sampler warnings. Used is the bias/RMSE population.
Converged / passed means optimizer convergence or HMC diagnostics passed. HMC warnings are separate; failed/invalid is red; skipped is separate.