FSM / fsm_128: estimation outcomes

Population: finite. Outcome cells show count (% of all attempted trials).

N	Method	Trials	Finite	Converged / passed	Stalled	Max iterations	HMC warning	Failed / invalid	Skipped	Used
500	BI_HMC	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
500	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	WS-GGI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	GHAM-2-I	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
500	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
1000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	WS-GGI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	GHAM-2-I	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
1000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
2000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	WS-GGI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	GHAM-2-I	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
2000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	BI_HMC	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
5000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	WS-GGI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	GHAM-2-I	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
5000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	BI_HMC	100	100 (100.0%)	99 (99.0%)	0 (0.0%)	0 (0.0%)	1 (1.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	RGLS	100	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)
10000	WS-GNI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	WS-GGI	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-1-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-dH	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-H	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	GHAM-2-I	100	100 (100.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	LHAM-1-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)
10000	LHAM-3-TIK	100	100 (100.0%)	100 (100.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	0 (0.0%)	100 (100.0%)

Finite includes valid optimizer estimates and finite HMC posterior estimates, including sampler warnings. Used is the bias/RMSE population.
Converged / passed means optimizer convergence or HMC diagnostics passed. HMC warnings are separate; failed/invalid is red; skipped is separate.