

example_CSTR | PL | Monte Carlo final parameter errors
Shapiro-Wilk; Holm alpha = 0.05; no outlier filtering
Non-rejection does not establish normality
RLS
n = 30 | W = 0.8241
p = 0.000186 | p_H = 0.00168
Reject normality
WS-GNI
n = 30 | W = 0.8241
p = 0.000186 | p_H = 0.00168
Reject normality
WS-GGI
n = 30 | W = 0.9552
p = 0.233 | p_H = 0.396
Normality not rejected
GHAM-1-dH
n = 30 | W = 0.8241
p = 0.000186 | p_H = 0.00168
Reject normality
GHAM-2-dH
n = 30 | W = 0.8241
p = 0.000186 | p_H = 0.00168
Reject normality
GHAM-2-H
No valid observations / unavailable
GHAM-2-I
n = 30 | W = 0.9474
p = 0.144 | p_H = 0.396
Normality not rejected
LHAM-1-TIK
n = 30 | W = 0.9460
p = 0.132 | p_H = 0.396
Normality not rejected
LHAM-3-TIK
n = 30 | W = 0.8824
p = 0.00319 | p_H = 0.016
Reject normality
BI-HMC
No valid observations / unavailable
Probability density
Observed errors
Fitted normal density
Final relative parameter error (%)