EKS

EKS



Objetivo a conseguir

EKS



Esta opción desactiva. No funciona en Academy

EKS


aws
Search [Alt+S]
United States (N. Virgin
voclabs/user3762567=Estudiante_de_prueba @ 6947-332
S3
EKS > Clusters > Create EKS cluster
Cluster configuration Info
Name
Enter a unique name for this cluster. This property cannot be changed after the cluster is created.
ciclo
Nombre del cluster
The cluster name should begin with letter or digit and can have any of the following characters: the set of Unicode letters, digits, hyphens and underscores. Maximum length of 100.
Cluster IAM role Info
Select the Cluster IAM role to allow the Kubernetes control plane to manage AWS resources on your behalf. This cannot be changed after the cluster is created. To create a new custom role, follow the instructions in the Amazon EKS User Guide.
LabRole
Usuario de IAM para academy
Create recommended role
Cluster role missing recommended managed policies
Edit in IAM console
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

EKS



aws
Search
[Alt+S]
United States (N. Virgin
voclabs/user3762567=Estudiante_de_prueba @ 6947-332
S3
EKS
Clusters
Create EKS cluster
Kubernetes version settings
Kubernetes version
Info
Select Kubernetes version for this cluster.
1.32
Última versión
Upgrade policy
Info
Choose one of the following options. You can switch the setting later while the standard support period is in effect.
Standard
This option supports the Kubernetes version for 14 months after the release date. There is no additional cost. When standard support ends, your cluster will be auto upgraded to the next version.
Extended
This option supports the Kubernetes version for 26 months after the release date. The extended support period has an additional hourly cost that begins after the standard support period ends. When extended support ends, your cluster will be auto upgraded to the next version.
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

EKS

Cluster access Info

Control how IAM principals can access this cluster.

Bootstrap cluster administrator access | Info

Choose whether the IAM principal creating the cluster has Kubernetes cluster administrator access.

- (selected) **Allow cluster administrator access**
  Allow cluster administrator access for your IAM principal.
- **Disallow cluster administrator access**
  Disallow cluster administrator access for your IAM principal.

Cluster authentication mode | Info

Configure which source the cluster will use for authenticated IAM principals.

- (selected) EKS API
  The cluster will source authenticated IAM principals only from EKS access entry APIs.
- EKS API and ConfigMap
  The cluster will source authenticated IAM principals from both EKS access entry APIs and the aws-auth ConfigMap.

EKS



Selecciono tres redes a,b,c

EKS

Cluster endpoint access Info

Configure access to the Kubernetes API server endpoint.

Public He seleccionado public

The cluster endpoint is accessible from outside of your VPC. Worker node traffic will leave your VPC to connect to the endpoint.

Public and private

The cluster endpoint is accessible from outside of your VPC. Worker node traffic to the endpoint will stay within your VPC.

Private

The cluster endpoint is only accessible through your VPC. Worker node traffic to the endpoint will stay within your VPC.

▸ **Advanced settings**

Cancel Previous **Next**

EKS


aws
Search
[Alt+S]
United States (N. Virgin
voclabs/user3762567=Estudiante_de_prueba @ 6947-332
S3
EKS
Clusters
Create EKS cluster
Step 1
Configure cluster
Step 2
Specify networking
Step 3
Configure observability
Step 4
Select add-ons
Step 5
Configure selected add-ons settings
Step 6
Review and create
Review and create
Step 1: Cluster
Edit
Cluster configuration
Name
ciclo
Kubernetes version
1.32
EKS Auto Mode
Enabled
Upgrade policy
Standard
Cluster IAM role
arn:aws:iam::694733241396:role/LabRole
Node IAM role
arn:aws:iam::694733241396:role/LabRole
Kubernetes cluster administrator access
Authentication mode
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferences

EKS


aws
Search
[Alt+S]
United States (N. Virginia)
voclabs/user3762567=Estudiante_de_prueba @ 6947-3324-1396
S3
EKS > Clusters > Iliberis > Node groups > workers
Amazon Elastic Kubernetes Service
Clusters
Amazon EKS Anywhere
Enterprise Subscriptions
Related services
Amazon ECR
AWS Batch
Console settings
Documentation
Submit feedback
Kubernetes version
1.31
AMI type Info
AL2023_x86_64_STANDARD
Status
Active
AMI release version Info
1.31.4-20250203
Instance types
t3.medium
Disk size
20 GiB
Details
Nodes
Health issues 0
Kubernetes labels
Update config
Kubernetes taints
Nodes (2) Info
Filter Nodes by property or value
1
Node name
Instance type
Compute
Managed by
Created
Status
ip-172-31-30-75.ec2.internal
t3.medium
Node group
workers
Created
2 hours ago
Ready
ip-172-31-47-167.ec2.internal
t3.medium
Node group
workers
Created
2 hours ago
Ready
CloudShell
Feedback
© 2025, Amazon Web Services, Inc. or its affiliates.
Privacy
Terms
Cookie preferen

EKS

Comandos para lanzar en la máquina que vaya contra el eks

****** Acordarse de aws configure y las credentials de AWS *************

Install KUBECTL

curl -LO "https://dl.k8s.io/release/v1.31.1/bin/linux/amd64/kubectl"
chmod +x ./kubectl
mkdir -p $HOME/bin && cp ./kubectl $HOME/bin/kubectl && export PATH=$PATH:$HOME/bin
kubectl version --client

Install EKSCTL

curl -Lo eksctl_Linux_amd64.tar.gz
https://github.com/weaveworks/eksctl/releases/latest/download/eksctl_Linux_amd64.tar.gz
tar -xzf eksctl_Linux_amd64.tar.gz -C /tmp && rm eksctl_Linux_amd64.tar.gz
sudo mv /tmp/eksctl /usr/local/bin
eksctl version

EKS

Activities Terminal Feb 11 16:07 es

susana@minikube2025: ~

```
susana@minikube2025:~$ eksctl get cluster
NAME            REGION          EKSCTL CREATED
Iliberis        us-east-1       False
susana@minikube2025:~$ aws eks update-kubeconfig --name Iliberis --region us-east-1
Updated context arn:aws:eks:us-east-1:694733241396:cluster/Iliberis in /home/susana/.kube/config
susana@minikube2025:~$ kubectl get nodes
NAME                            STATUS   ROLES    AGE    VERSION
ip-172-31-30-75.ec2.internal    Ready    <none>   127m   v1.31.4-eks-aeac579
ip-172-31-47-167.ec2.internal   Ready    <none>   126m   v1.31.4-eks-aeac579
susana@minikube2025:~$
```

EKS

```yaml
GNU nano 7.2
apiVersion: apps/v1
kind: Deployment
metadata:
  name: deployment-2048
  labels:
    app: 2048-kubernetes
spec:
  revisionHistoryLimit: 3
  strategy:
    type: RollingUpdate
  replicas: 2
  selector:
    matchLabels:
      app: 2048-kubernetes
  template:
    metadata:
      labels:
        app: 2048-kubernetes
    spec:
      containers:
        - name: 2048-container
          image: santospardos/sanvalero:2048
          ports:
          - name: http-server
            containerPort: 80
```

```yaml
GNU nano 7.2
apiVersion: v1
kind: Service
metadata:
  name: juego-kubernetes
spec:
  type: LoadBalancer
  ports:
  - port: 80
    targetPort: http-server
  selector:
    app: 2048-kubernetes
```

EKS

```
susana@minikube2025:~/2048$ kubectl apply -f deployment-2048.yaml
deployment.apps/deployment-2048 configured
susana@minikube2025:~/2048$ kubectl get all
NAME                                   READY   STATUS    RESTARTS   AGE
pod/deployment-2048-7d5fdc88db-96b4w   1/1     Running   0          11s
pod/deployment-2048-7d5fdc88db-pfzgk   1/1     Running   0          7s

NAME                         TYPE           CLUSTER-IP     EXTERNAL-IP                                                               PORT(S)
      AGE
service/juego-kubernetes   LoadBalancer   10.100.234.5   ad95716f511724144b85e8aaa4feaf77-1168617712.us-east-1.elb.amazonaws.com   80:31885/
TCP    2m13s
service/kubernetes         ClusterIP      10.100.0.1     <none>                                                                    443/TCP
      5h19m

NAME                              READY   UP-TO-DATE   AVAILABLE   AGE
deployment.apps/deployment-2048   2/2     2            2           2m20s

NAME                                         DESIRED   CURRENT   READY   AGE
replicaset.apps/deployment-2048-5fff985bf9   0         0         0       2m20s
replicaset.apps/deployment-2048-7d5fdc88db   2         2         2       12s
susana@minikube2025:~/2048$
```

EKS


ad95716f511724144b85e8aaa4feaf77-1168617712.us-east-1.elb.amazonaws.com
2048
SCORE
0
BEST
0
Join the numbers and get to the 2048 tile!
New Game
2
2

EKS


https://dnsexit.com/Direct.sv?cmd=userDnsAlias&actioncode=12&taskcode=2&position=0
DNS EXIT
Logout
Dashboard
logosu
Live Help
ONLINE
DASHBOARD
back to client home
ADD NEW SERVICES
sign up new services
MY ACCOUNT
manage your account profile
MY RENEWALS
renew your services
DOMAINS
all domains related
DNS
all DNS related
SUPPORT
need help from us?
SETTINGS
manage settings at your account
LOGOUT
logout out of your account
DNS API Document
Edit DNS - iliberis.work.gd
Alias / CNAME Record
Domain DNS | Add MX | Add Host | Add Alias | Add TXT | Add SRV | Add Self Defined
Update Alias for ILIBERIS.WORK.GD
Alias : www .iliberis.work.gd
TTL : hours 2 minutes
Points to host : 168617712.us-east-1.elb.amazonaws.com/
internal host
external host
Update Alias
Services for You: URL Forwarding | Web Hosting | Dynamic IP Update
Domain Aliases
Alias Records (CNAME)
Add Alias
help
Alias
Points to Host
TTL (hr:min)
Action
www.iliberis.work.gd.
ab3e35af6927f4c6d99ba3f58b40b2a2-1881987461.us-east-1.elb.amazonaws.com
00:02
Edit | Delete

EKS


www.iliberis.work.gd.
2048
SCORE
0
BEST
0
Join the numbers and get to the 2048 tile!
New Game
2
2