Style Polygon Dasar

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<StyledLayerDescriptor version="1.0.0"</pre>
   xsi:schemaLocation="http://www.opengis.net/sld StyledLayerDescriptor.xsd"
   xmlns="http://www.opengis.net/sld"
   xmlns:ogc="http://www.opengis.net/ogc"
   xmlns:xlink="http://www.w3.org/1999/xlink"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
   <!-- a named layer is the basic building block of an sld document -->
 <NamedLayer>
   <Name>Default Line</Name>
   <UserStyle>
        <!-- they have names, titles and abstracts -->
     <Title>A boring default style</Title>
     <Abstract>A sample style that just prints out a green line</Abstract>
     <!-- FeatureTypeStyles describe how to render different features -->
     <!-- a feature type for lines -->
      <FeatureTypeStyle>
       <!--FeatureTypeName>Feature</FeatureTypeName-->
        <Rule>
          <Name>Rule 1</Name>
          <Title>Green Line</Title>
         <Abstract>A green line with a 2 pixel width</Abstract>
         <!-- like a polygonsymbolizer -->
          <LineSymbolizer>
           <Stroke>
              <CssParameter name="stroke">#0000FF</cssParameter>
            </Stroke>
         </LineSymbolizer>
          <PolygonSymbolizer>
           <Fil1>
              <CssParameter name="fill">
                  #EEEE00
              </CssParameter>
             </Fill>
          <Stroke>
            <CssParameter name="stroke">
                #000000
            </CssParameter>
            <CssParameter name="stroke-width">1</CssParameter>
            </Stroke>
          </PolygonSymbolizer>
        </Rule>
        </FeatureTypeStyle>
   </UserStvle>
 </NamedLayer>
</StyledLayerDescriptor>
```

Style Polygon Buffer

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<StyledLayerDescriptor version="1.0.0"</pre>
    xsi:schemaLocation="http://www.opengis.net/sld StyledLayerDescriptor.xsd"
   xmlns="http://www.opengis.net/sld"
   xmlns:oqc="http://www.openqis.net/oqc"
   xmlns:xlink="http://www.w3.org/1999/xlink"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <!-- a named layer is the basic building block of an sld document -->
  <NamedLayer>
    <Name>Default Line</Name>
    <UserStyle>
        <!-- they have names, titles and abstracts -->
     <Title>A boring default style</Title>
      <Abstract>A sample style that just prints out a green line</Abstract>
      <!-- FeatureTypeStyles describe how to render different features -->
      <!-- a feature type for lines -->
      <FeatureTypeStyle>
       <!--FeatureTypeName>Feature</FeatureTypeName-->
          <Name>Rule 1</Name>
          <Title>Green Line</Title>
          <a href="#">Abstract>A green line with a 2 pixel width</abstract></a>
          <!-- like a polygonsymbolizer -->
          <LineSymbolizer>
            <Stroke>
              <CssParameter name="stroke">#0000FF</cssParameter>
            </Stroke>
          </LineSymbolizer>
          <PolygonSymbolizer>
            <Fil1>
              <CssParameter name="fill">
                  #FF0000
              </CssParameter>
             </Fill>
          <Stroke>
            <CssParameter name="stroke">
                none
            </CssParameter>
            <CssParameter name="stroke-width">1</CssParameter>
            </Stroke>
          </PolygonSymbolizer>
        </Rule>
        </FeatureTypeStyle>
    </UserStyle>
 </NamedLayer>
</StyledLayerDescriptor>
```

Style Titik

```
<?xml version="1.0" encoding="ISO-8859-1"?>
<StyledLayerDescriptor version="1.0.0"
    xsi:schemaLocation="http://www.opengis.net/sld StyledLayerDescriptor.xsd"
   xmlns="http://www.opengis.net/sld"
   xmlns:ogc="http://www.opengis.net/ogc"
   xmlns:xlink="http://www.w3.org/1999/xlink"
   xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
    <!-- a named layer is the basic building block of an sld document -->
  <NamedLaver>
    <Name>Default Point</Name>
    <UserStyle>
        <!-- they have names, titles and abstracts -->
     <Title>A boring default style</Title>
     <Abstract>A sample style that just prints out a purple square</Abstract>
     <!-- FeatureTypeStyles describe how to render different features -->
      <!-- a feature type for points -->
      <FeatureTypeStyle>
        <!--FeatureTypeName>Feature</FeatureTypeName-->
        <Rule>
          <Name>Rule 1</Name>
          <Title>RedSquare</Title>
          <abstract>A red fill with an 11 pixel size</abstract>
          <!-- like a linesymbolizer but with a fill too -->
          <PointSymbolizer>
           <Graphic>
              <Mark>
                <WellKnownName>square</WellKnownName>
                  <CssParameter name="fill">#FFFFFF<//cssParameter>
                </Fill>
              </Mark>
              <Size>6</Size>
            </Graphic>
          </PointSymbolizer>
        </Rule>
        </FeatureTypeStyle>
   </UserStyle>
  </NamedLayer>
</StyledLayerDescriptor>
```