

Index

A

- ACS, 4
 - development, 311
- Actuator
 - control moment gyro, 41
 - single axis, 165
 - control-moment gyro, 162
 - magnetic torquer, 40, 169, 262, 389, 398
 - minimum impulse bit, 166
 - momentum wheel, 372
 - reaction wheel, 40, 155, 240, 401
 - solenoid, 172
 - stepping motor, 179
 - thruster, 40, 166, 355, 389
 - electrothermal hydrazine, 364
 - pulsewidth modulation, 166
 - type, 153
- Anomaly, 321
- Apollo, 13, 14
- Areocentric coordinates, 507
- Areocentric frame, 507
- Artificial damping, 322
- Artificial Intelligence, 660
- Asteroid dynamics, 511
- Asteroid orbits, 510
- Attitude control system, 1, 2
- Attitude determination, 1, 312
 - system, 312
- Attitude disturbances, 313
- Attitude dynamics
 - dual spin turn, 372
 - flexible structures, 97
 - geosynchronous spacecraft, 374
 - gyrostat, 71
 - inertia, 66
 - positive definite, 66
 - rigid body, 68
- Attitude estimation, 271
 - batch methods, 285
 - Bayesian, 286
 - differential corrector, 286
 - maximum likelihood, 285
 - Kalman filter, 583
 - simple, 581

star identification, 297

- Attitude momentum control, 465
 - demo, 465

B

- Background noise, 640
- Blob, 642
 - stars, 642
- Blobification routine, 640, 642
- Budgets, 147
 - mass, 152
 - pointing, 147
 - propellant, 149

C

- Canadarm, 16
- Cassini, 3
- Cassini Attitude and Articulation Control
 - Subsystem, 3
- Catalog
 - Hipparcos, 512, 644, 645
 - processing, 644
 - star, 512, 644
- CDR, 35
- Center-of-mass star centroiding, 639
- Command distribution, 238
 - optimal torque, 238
 - reaction wheels, 240
- Control
 - Bode plot, 521
 - control limiting, 575
 - cross-axis coupling, 576
 - CubeSat, 442
 - digital, 544
 - continuous to discrete transformations, 551
 - modified continuous design, 544
 - double integrator, 525, 532, 538, 541, 553, 558, 569, 573
 - feedback, 519
 - feedback control, 658
 - flexible structure, 557
 - collocated, 559
 - lead compensation, 560
 - noncollocated, 560, 562
 - generalized integrator, 538

- geosynchronous, 363
- James Webb Space Telescope design, 425
- Linear Quadratic Gaussian methods, 534
- Microwave Anisotropy Satellite, 449
- model following, 566
- momentum, 405
- momentum control, 253
- Nichols plot, 521
- noise filtering, 381
- nutaton, 385
- passive, 345
- phase plane, 573
- PID, 389, 570, 572, 575
- rate control, 520
- robust, 530
- roll/yaw, 382
- root locus, 521, 563
- spinning, 351
- station-keeping, 376
- Sun nadir, 393
- uncertainty, 530
- Control architecture, 469
 - GN&C system, 469
- Control system, 1, 2, 24, 315
- Control-moment gyros (CMG), 6, 17
- Coordinate systems
 - areocentric, 507
 - Earth centered inertial, 503
 - heliocentric, 505
 - international space station, 505
 - local vertical local horizontal, 504
 - selenographic frame, 506
- CubeSat, 2, 18, 19, 346, 442

D

- Defense Meteorological Satellite Program (DMSP), 6, 13
- Digital simulation, 308
- Disturbances
 - aerodynamic, 122
 - diffuse reflection, 133, 137
 - external, 119
 - internal, 141
 - plume, 137
 - accommodation coefficients, 139
 - method of characteristics, 138
 - radio frequency, 131
 - residual dipole, 131
 - solar pressure, 133

- surface geometry, 122
- thermal, 136

E

- Earth Centered Inertial (ECI), 511
 - coordinates, 503
 - frame, 503
- Energy-dissipation analysis, 653
- Ephemerides, 509
- Ephemeris
 - asteroid dynamics, 511
 - asteroid orbits, 510
 - planetary orbits, 509
 - planetary orientation, 510
 - stars, 512
- Euler's method, 308
- Europa Clipper, 4
- European Space Agency (ESA), 21

F

- Fine centroiding, 647
- Flight operations
 - example, 339
 - mission control center, 339
 - organizations, 336
 - preparation, 336
 - team organization, 337
 - timeline, 336
- Frame
 - areocentric, 507
 - ECI, 503
 - heliocentric, 505
 - inertial reference, 503
 - ISS, 505
 - LVLH, 504
 - selenographic, 506

G

- Gaia, 514
- Gain margins, 315
- Geodetic Earth Orbiting Satellite (GEOS), 6
- Geosynchronous, 363
 - acquisition, 351
 - dual-spin turn, 372
 - mission orbit, 364
 - requirements, 363
 - spinning transfer orbit, 352
 - transfer orbit, 352
- GGP Polar, 3
- Global Positioning Spacecraft (GPS), 6

Gravity gradient

- control, 213
- dynamics, 74

Grid test, 315

Gyrost, 6

H

Heliocentric coordinates, 505

Heliocentric frame, 505

High Energy Transient Explorer (HETE), 644

Hipparcos catalog, 512, 644, 645

History, 11

- commercial space, 19
- dreaming of space, 11
- getting started, 12
- Golden Age, 12
- Hubble, 16
- internationalization, 16
- Space Shuttle era, 14
- space station, 19

Hysteresis dampers, 651

I

Inertial Measurement Unit (IMU), 4, 17

Inertial reference frame, 503

Interface verification, 319, 320

International Space Station (ISS), 15, 17

- coordinates, 505

ISS, 345

- electrodynamic force, 129
- frame, 505

J

James Webb Space Telescope design, 425

Jitter, 311

JPL Horizon, 509

K

Kalman filter, 25, 585

- Bayesian, 587
- example, 596
- extended, 594, 598, 600
- linear, 598
- unscented, 594, 601
- unscented transformation, 594

Kinematics

- coordinate transformations, 47
- Euler angles, 48
- quaternion, 51

derivative, 55

interpretation, 58

small angles, 57

transformation matrices, 49

L

Local vertical local horizontal (LVLH)

- coordinates, 504
- frame, 504

LRR, 35

Lunar lander

- simulation result, 422
- terminal control, 418, 420

M

Machine intelligence, 657

Machine learning, 657

Magnetic-hysteresis

- dampers model, 651
- damping, 651, 654, 655

Mars Observer, 3, 17

Math

- calculus, 485
- differential equations, 479
- Laplace transforms, 515, 517
- matrix, 473
- matrix identities, 476
- matrix operations, 475
- numerical integration, 480
 - discontinuities, 482
- probability, 487
 - axiomatic, 488
 - binomial theorem, 489
 - distributions, 490
 - measurements, 493
 - multivariate normal distributions, 493
 - random signals, 494
- spherical geometry, 484
 - law of cosines, 484
- vector, 473

MATLAB, 588

Mercury Magnetospheric Orbiter, 5

Microwave Anisotropy Satellite, 449

Mission planning

- attitude profile, 242

Model truncation, 309

Momentum control, 253

Monte Carlo simulation, 315

Moon orbits, 509

Moving mass
variables, 459

MRR, 35

N

New Horizons, 4

Nyquist sampling frequency, 26

O

Operational amplifier, 306

Operations, 333

Operator training, 320

Optics, 617

diffraction limit, 623

errors, 625

geometry, 619

light gathering, 624

nomenclature, 617

performance, 623

pinhole camera, 197, 627

radiometry, 628

radiosity, 630

telescopes, 617

Orbit, 603

asteroid, 510

Cartesian coordinates, 605

equinoctial elements, 607

gravity model, 612

Kepler, 610

Keplerian elements, 605

linearized, 615

moon, 509

numerical integration, 610

planetary, 509

propagation, 609

P

Passive, 345

PDR, 35

Phase margins, 315

Planetary orbits, 509

Planetary orientation, 510

Point-spread function (PSF), 647

Preliminary design, 33

cost, 44

processor, 43

propulsion, 43

requirements, 35

satellite configuration, 38

Propulsion

electrothermal hydrazine, 364

R

Rendezvous sensors

ladar

radiometry, 629

RFI, 35

RFP, 35

RTR, 35

S

Safe mode, 206

Selenographic frame, 506

Sensor, 181

accelerometer, 195

angle encoder, 41, 197

Earth, 41, 183, 355, 381

scanning, 187

gyro, 41, 355, 381, 397

horizon, 41, 182, 355

magnetometer, 41, 195

potentiometer, 41, 197

stellar, 41, 397

Sun, 41, 190, 355, 397

tachometer, 382

Shuttle, 15

Landing simulator, 15

Simulation, 26, 305, 477

applications, 311

artificial damping, 322

digital, 308

discontinuities, 482

dual-spin turn, 373

linear, 478

Monte Carlo, 315

Single-axis control, 23

adding a mode, 28

dynamical systems, 23

Kalman filter, 25

simulation, 26

Space Shuttle, 14–16, 333

Spacecraft, 3

Voyager, 16

Spinning, 351

Star, 512

blob, 642

catalogs, 512, 644

identification, 639, 644

- Star camera algorithms
 - center-of-mass star centroiding, 639
 - fine centroiding, 647
 - star identification, 644

- Starlink, 21

- Stellar reduction, 514

- Sun nadir, 39, 393

- attitude determination, 399

- momentum control, 405

- pointing, 394

- sensors, 397

- solar array, 400

T

- Taxonomy, 658

- Testing

- methodology, 323

- flight-vehicle, 327

- lifecycle, 326

- requirements flow, 325

- test levels, 328

- Thin membrane model, 463

- flux balance, 463

- Time

- Earth rotation, 499

- Greenwich Mean Time, 500

- Julian date, 500

- scales, 497

- Tracking Data Relay Satellite (TDRS), 6

- Two-line elements, 345

V

- Voyager spacecraft, 16