

Ce este Doggies?

constructor de tip



constructor de date

tip de date produs

niciunul din raspunsurile de mai sus

Correct

Response saved

```
data Doggies a =  
    Husky a  
  | Mastiff a
```

Ce tip are Mastiff "Scooby Doo"?

Doggies



[Char]

Doggies [Char]



Doggies Mastiff

Incorrect

Response saved

```
data Doggies a =  
    Husky a  
  | Mastiff a
```

Ce tip are Husky (10 :: Integer)?

Doggies

Doggies Integer



Integer

eroare

Correct

Response saved

```
data Doggies a =  
    Husky a  
  | Mastiff a
```

Ce tip are f?

Bool -> Bool -> Either Bool String



String -> String -> Either String String

Bool -> Bool -> Either String Bool



Bool -> Bool -> Maybe String

Incorrect

Response saved

```
f x y | x && y = Right x
      | otherwise = Left "foo"
```

**Care din urmatoarele functii
poate avea tipul
Bool -> Int -> [Bool]?**

`f x y = [0, y]`

`f x y = [x, True]`



`f x y = [y, True]`

niciunul din raspunsurile de mai sus

Correct

Response saved

Ce tip are justBoth?

`a -> b -> [Maybe a, Maybe b]`



`a -> a -> [Just a]`

`a -> b -> [Maybe a]`

`a -> a -> [Maybe a]`



Incorrect

Response saved

`justBoth a b =
[Just a, Just b]`