

TASKS DETAILS

EASY	1. FrogJump				
	Count minimal number of jumps from position X to Y.	Task Score 44%	Correctness 25%	Performance 60%	?

Task description

A small frog wants to get to the other side of the road. The frog is currently located at position X and wants to get to a position greater than or equal to Y. The small frog always jumps a fixed distance, D.

Count the minimal number of jumps that the small frog must perform to reach its target.

Write a function:

```
def solution(X, Y, D)
```

that, given three integers X, Y and D, returns the minimal number of jumps from position X to a position equal to or greater than Y.

For example, given:

```
X = 10
Y = 85
D = 30
```

the function should return 3, because the frog will be positioned as follows:

- after the first jump, at position $10 + 30 = 40$
- after the second jump, at position $10 + 30 + 30 = 70$
- after the third jump, at position $10 + 30 + 30 + 30 = 100$

Assume that:

- X, Y and D are integers within the range $[1..1,000,000,000]$;

Solution

Programming language used: Python

Total time used: 1 minutes ?

Effective time used: 1 minutes ?

Notes: not defined yet

Task timeline



01:48:59

01:49:15

Code: 01:49:15 UTC, py,
final, score: 44

[show code in pop-up](#)

```
1 def solution(X, Y, D):
2     distance = Y - X
3     jumps = distance / D
4     decimal_needs = jumps % 1
5     if decimal_needs == 0:
6         return jumps
7     else:
8         return int(jumps) + 1
```

Analysis summary

- $X \leq Y$.

Complexity:

- expected worst-case time complexity is $O(1)$;
- expected worst-case space complexity is $O(1)$.

Copyright 2009–2018 by Codility Limited. All Rights Reserved.
Unauthorized copying, publication or disclosure prohibited.

The following issues have been detected: runtime errors.

For example, for the input (1 , 5 , 2) the solution terminated unexpectedly.

Analysis ?

expand all	Example tests	
▶	example example test	✓ OK
expand all	Correctness tests	
▼	simple1 simple test	✗ RUNTIME ERROR tested program terminated with exit code 1
<hr/>		
1.	0.036 OK s	
2.	0.036 RUNTIME ERROR , tested program terminated with s exit code 1 stderr: Invalid result type, int expected, <class 'float'> found.	
▶	simple2	✗ RUNTIME ERROR tested program terminated with exit code 1
▶	extreme_position no jump needed	✗ RUNTIME ERROR tested program terminated with exit code 1
▶	small_extreme_jump one big jump	✓ OK
expand all	Performance tests	
▶	many_jump1 many jumps, D = 2	✓ OK
▶	many_jump2 many jumps, D = 99	✗ RUNTIME ERROR tested program terminated with exit code 1
▶	many_jump3 many jumps, D = 1283	✓ OK
▶	big_extreme_jump maximal number of jumps	✗ RUNTIME ERROR tested program terminated with exit code 1
▶		

small_jumps
many small jumps

✓ OK