


Fernando Contreras

Assignment 4.2: Overloaded Average Methods

June 20, 2026

Repository: <https://github.com/fernandojosecc/csd-402>



The screenshot displays an IDE with a project named 'csd-402'. The Explorer panel on the left shows the project structure, including 'module-4' which contains 'AverageOverload.java'. The main editor shows the code for 'AverageOverload.java', which defines a public class with a static method 'main' that demonstrates the overloaded 'average' method for different array types.

```
13 public class AverageOverload {
58     public static void main(String[] args) {
69         // Short array - 3 elements
70         int[] intArray = {100, 200, 300, 400, 500};
71         System.out.println(x: "=== Int Array ===");
72         printArray(intArray);
73         System.out.println(" Average: " + average(intArray));
74
75         System.out.println();
76
77         // Long array - 4 elements
78         long[] longArray = {1000000L, 2000000L, 3000000L, 4000000L};
79         System.out.println(x: "=== Long Array ===");
80         printArray(longArray);
81         System.out.println(" Average: " + average(longArray));
82
83         System.out.println();
84
85         // Double array - 6 elements
86         double[] doubleArray = {1.5, 2.5, 3.5, 4.5, 5.5, 6.5};
87         System.out.println(x: "=== Double Array ===");
88         printArray(doubleArray);
89         System.out.printf(format: " Average: %.2f\n", average(doubleArray));
90     }
}
```

The bottom panel shows the output of the program execution:

```
(base) fernandocontreras@Fernandos-MacBook-Pro module-4 % java AverageOverload.java
=== Short Array ===
Elements: [ 10 20 30 ]
Average: 20

=== Int Array ===
Elements: [ 100 200 300 400 500 ]
Average: 300

=== Long Array ===
Elements: [ 1000000 2000000 3000000 4000000 ]
Average: 2500000

=== Double Array ===
Elements: [ 1.5 2.5 3.5 4.5 5.5 6.5 ]
Average: 4.00
(base) fernandocontreras@Fernandos-MacBook-Pro module-4 %
```