


CSD 420 Advanced Java Programming

Module 9 Programming Assignment - MySQL and JDBC Setup

Fernando Contreras
September 23, 2026

Screenshot 1: MySQL User Configuration (as root)

Root login to MySQL Server 8.0 followed by the creation of the student1 account with password 'pass'.



```
Windows PowerShell
PS C:\Program Files\MySQL\MySQL Server 8.0\bin> .\mysql -u root -p
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 21
Server version: 8.0.36 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> -- Check existing users first
mysql> SELECT User, Host FROM mysql.user;
+-----+-----+
| User          | Host          |
+-----+-----+
| movies_user   | localhost    |
| mysql.infoschema | localhost    |
| mysql.session | localhost    |
| mysql.sys     | localhost    |
| root          | localhost    |
+-----+-----+
5 rows in set (0.00 sec)

mysql>
mysql> -- If student1 already exists from playing around before, drop it clean
mysql> DROP USER IF EXISTS 'student1'@'localhost';
Query OK, 0 rows affected, 1 warning (0.02 sec)

mysql>
mysql> -- Create the user with the assignment's required credentials
mysql> CREATE USER 'student1'@'localhost' IDENTIFIED BY 'pass';
Query OK, 0 rows affected (0.01 sec)

mysql> GRANT ALL PRIVILEGES ON *.* TO 'student1'@'localhost';
Query OK, 0 rows affected (0.02 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.01 sec)

mysql>
mysql> EXIT;
Bye
PS C:\Program Files\MySQL\MySQL Server 8.0\bin> mysql -u student1 -p
mysql : The term 'mysql' is not recognized as the name of a cmdlet, function, script file, or operable program. Check
the spelling of the name, or if a path was included, verify that the path is correct and try again.
At line:1 char:1
+ mysql -u student1 -p
```

Screenshot 2: Database and Table Creation (as student1)

Login to MySQL as student1, verified with `SELECT CURRENT_USER()`. `SHOW DATABASES` lists the existing databases before creation.

```
Windows PowerShell X Símbolo del sistema X Cor
Suggestion [3,General]: The command mysql was not found, but does exist in the current lo
.\mysql". See "get-help about_Command_Precedence" for more details.
PS C:\Program Files\MySQL\MySQL Server 8.0\bin> .\mysql -u student1 -p
Enter password: ****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 22
Server version: 8.0.36 MySQL Community Server - GPL

Copyright (c) 2000, 2024, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> SELECT CURRENT_USER();
+-----+
| CURRENT_USER() |
+-----+
| student1@localhost |
+-----+
1 row in set (0.00 sec)

mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| movies |
| mysql |
| performance_schema |
| platziblog |
| sys |
+-----+
6 rows in set (0.00 sec)

mysql>
mysql> -- If databasedb already exists, drop and recreate for a clean state
mysql> DROP DATABASE IF EXISTS databasedb;
Query OK, 0 rows affected, 1 warning (0.00 sec)

mysql> CREATE DATABASE databasedb;
Query OK, 1 row affected (0.01 sec)

mysql> USE databasedb;
Database changed
mysql> SHOW TABLES;
Empty set (0.00 sec)

mysql>
mysql> -- Create a small test table so the Java program has data to read
mysql> CREATE TABLE address_test (
  -> ID INT PRIMARY KEY,
  -> LASTNAME VARCHAR(40),
  -> FIRSTNAME VARCHAR(40),
  -> CITY VARCHAR(40),
  -> STATE VARCHAR(40)
  -> );
Query OK, 0 rows affected (0.04 sec)

mysql>
mysql> INSERT INTO address_test VALUES (1, 'Contreras', 'Fernando', 'Duarte', 'CA');
Query OK, 1 row affected (0.01 sec)

mysql> SELECT * FROM address_test;
+----+-----+-----+-----+-----+
| ID | LASTNAME | FIRSTNAME | CITY | STATE |
+----+-----+-----+-----+-----+
| 1 | Contreras | Fernando | Duarte | CA |
+----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
mysql> EXIT;
Bye
PS C:\Program Files\MySQL\MySQL Server 8.0\bin> |
```

Screenshot 3: Java Connection Test

```
Windows PowerShell
Mode                LastWriteTime         Length Name
----                -
d-----          23/09/2026   13:37             module-9

PS C:\Users\ferna\Documents\Bellevue\csd-420> cd module-9
PS C:\Users\ferna\Documents\Bellevue\csd-420\module-9> ls

Directory: C:\Users\ferna\Documents\Bellevue\csd-420\module-9

Mode                LastWriteTime         Length Name
----                -
-a-----          23/09/2026   13:52         2825 DatabaseTest.java
-a-----          23/09/2026   13:50      2533399 mysql-connector-j-8.4.0.jar

PS C:\Users\ferna\Documents\Bellevue\csd-420\module-9> javac -cp "mysql-connector-j-8.4.0.jar;." DatabaseTest.java
PS C:\Users\ferna\Documents\Bellevue\csd-420\module-9>
PS C:\Users\ferna\Documents\Bellevue\csd-420\module-9> java -cp "mysql-connector-j-8.4.0.jar;." DatabaseTest
--- MySQL / JDBC Connection Test ---

Test 1 (Connection established): PASSED
Test 2 (User/Version query): PASSED
    Connected as: student1@localhost
    MySQL version: 8.0.36
Test 3 (Read sample table): PASSED
    Contents of address_test:
        ID=1  Contreras, Fernando  (Duarte, CA)

All tests passed. Setup is verified.
PS C:\Users\ferna\Documents\Bellevue\csd-420\module-9> |
```