

B2B ROCKET · ONBOARDING KNOWLEDGE CENTER

Field Reference — Schema Edition

Every field defined across the Company, Product, ICP, and Persona Zod schemas — what each one means, its data type, its generation constraints, and which group it belongs to.

Source: `company.js` · `product.js` · `icp.js` · `persona2.js`

Scope: AI-generation schema fields only (Zod / `makeEnvelope` definitions) — not UI or database layer

Supersedes: the previous Field Reference generated from `src/knowledge-center/data.ts` (2026-08-18)

Generated: 2026-08-20

Contents

1.	Company Profile	25 fields across 6 groups
2.	Product	41 fields across 7 groups (identical field set per product)
3.	ICP (Ideal Customer Profile)	28 fields across 7 groups
4.	Persona	64 fields across 16 groups (identical structure per persona)
A.	Appendix — Envelope & Confidence Pattern	how every field's value is wrapped
B.	Appendix — Fields Defined but Not Active	commented-out fields kept in source
C.	Appendix — Schema Versioning Note	persona.js vs. persona2.js

What changed from the previous reference. The earlier Field Reference documented the data model as consumed by the app (`src/knowledge-center/data.ts`). This edition documents the upstream AI-generation schemas that actually produce that data (Zod schemas under the orchestrator). The two have drifted: several fields the schemas generate today were not in the earlier document, and a few fields the earlier document described no longer match the schema's structure (most notably on Persona, where `persona2.js` roughly doubles the field count of the structure previously documented).

1 • ENTITY

Company Profile

Source: `company.js` · 25 fields across 6 groups

One record per workspace — everything the AI has learned about the company, used to ground research across Products, ICPs, and Personas. Every field is wrapped in an **envelope** (see Appendix A) that pairs the generated value with source metadata and an optional confidence score.

Business Profile · 5 fields

Field	Type	Description
name	Text	Name of the company, as found on their website, LinkedIn, or Crunchbase.
industries	List of Objects	Industries representing the company's core business activity, not the markets it sells into. Sub-fields: • <i>name</i> (Text) — industry name that best describes the business. • <i>naics_code</i> (Text, nullable) — 6-digit NAICS code from the official registry.
employeeCount	Text	Employee headcount band, sourced from LinkedIn or Crunchbase (e.g. '10–50 employees').
revenue	Text	Annual revenue or ARR band from public data or press. Uses standard bands, not interpolated.
category	Text	Industry-recognised product category using analyst/comparison-site language. Categories must not be invented.

Products & Market Position · 7 fields

Field	Type	Description
productSummary	Text	Short noun phrase naming what the company sells at the highest level, from the homepage hero or primary nav.
products	List of Objects (≤3)	Each distinct product, tier, or module explicitly named on the company's website — inferred product lines are excluded. Sub-fields: • <i>name</i> (Text) — exact product/tier/module name. • <i>linkToProduct</i> (Text) — URL of the dedicated product or feature page.
competitors	List (≤10)	Competitors the company EXPLICITLY names on its own site, comparison pages, or press — not inferred from category.
keySellingPoints	List (≤10)	Short phrases lifted verbatim or near-verbatim from the company's own marketing copy.
differentiation	Text (long)	What sets this company apart from competitors — concrete and specific; avoids generic claims.
buyingMotion	Text	How customers typically buy, in one sentence (e.g. 'Self-serve trial with sales assist above \$10K').
trustRisks	List (≤10)	Objections or trust barriers a prospect would raise, each grounded in a concrete signal (claim, pricing pattern, category risk, or review theme).

Evidence & Credibility · 2 fields

Field	Type	Description
proof	Text (long)	Specific, attributable evidence of customer results — named case studies, cited metrics, or direct testimonials.
notableCustomers	List (≤10)	Named customers the company publicly claims, extracted exactly as stated — one name per item.

Messaging Framework · 8 fields

Field	Type	Description
pitch	Text	Single sentence describing what the company does — no superlatives or marketing adjectives.
whoWeHelp	Text	Sentence completion of 'We help...' — a specific customer type by industry, role, or stage.
targetStruggle	Text	Sentence completion of '...who struggle with...' — the customer's pain, in their own language.
solutionStatement	Text	Sentence completion of '...by providing...' — the concrete deliverable, not an abstract benefit.
vsCompetitors	Text	Sentence completion of '...unlike...' — the category or approach being displaced.
uniqueAdvantage	Text	Sentence completion of '...we uniquely...' — the specific mechanism that makes the solution distinctive.
coreProblem	Text	One sentence stating the systemic, category-level market problem the company was built to solve.
dreamCustomer	Text (long)	1–2 sentences describing the ideal customer the company most wants to attract.

Deal Context (not in original Excel spec) · 2 fields

Field	Type	Description
dealOverview	Text (long)	High-level pricing structure and deal model, inferred from the pricing page, press, or peer companies if not explicitly stated.
salesCycle	Text (long)	Typical sales-cycle length and how deals progress from first touch to close.

Product Component Scoring Input (new / additive) · 1 field

Field	Type	Description
goalTimeline	Number (>0, nullable)	Target number of days this company aims to close a deal within. If not explicitly stated, a plausible value MUST still be inferred from deal size/buying-motion signals using standard B2B SaaS benchmarks (self-serve <\$10K ACV → 14–30 days; mid-market → 30–90 days; enterprise → 90–180+ days). Returns null only when there is no usable signal at all. Used as the denominator for Sales-Cycle Fit scoring against Product.avgDaysToClose.

Defined in Source but Not Active — see Appendix B

Field	Type	Description
website	Text	Primary website URL. Commented out in the schema — marked User-only in the Excel spec, so the orchestrator does not generate this field. Kept in source as an extractive fallback for pipelines where the user omits it.
excludeList	List	Company types, industries, or profiles that are a poor fit. Commented out — Excel treats this as User-only → Generative (user fills first; agent infers only if missing).
avoidList	List	Messaging angles, claims, or topics to avoid in outreach. Commented out — same User-only → Generative treatment as excludeList.

2 · ENTITY

Product

Source: `product.js` · 41 fields across 7 groups

One record per product line the company sells. Every product carries the same 41-field research profile — defined once in `product.js` and applied identically to each product the company offers.

Core Identity · 8 fields

Field	Type	Description
name	Text	The product's name as the company refers to it.
category	Text	Industry-recognised product category from analyst/comparison-page language — categories must not be invented.
description	Text (long)	2–4 sentence description: what it is, who it's for, and what the customer gets.
keyFeatures	List (3–10)	Features or capabilities lifted from product pages. One short phrase or sentence per item.
useCases	List (3–7)	Use cases or jobs-to-be-done this product serves.
problemsSolved	List (3–5)	Problems the product solves, in customer language.
valueProposition	Text (long)	1–2 sentence value prop: the primary outcome the customer achieves.
timeToValue	Text	How quickly a customer sees results (e.g. '3–7 days to first campaign live').

Market & Customer · 6 fields

Field	Type	Description
idealCustomer	Text (long)	1–2 sentences describing the ideal customer — company type, size, and persona.
icps	List of Objects (≤2)	Candidate Ideal Customer Profiles discovered for this product — name and seed-brief only; full targeting lives in ICPSchema. Sub-fields: • <i>name</i> (Text) — specific firmographic label (e.g. 'Series A–B vertical SaaS, 50–200 employees, outbound-led'). • <i>description</i> (Text long) — self-contained 2–3 sentence brief covering company profile, core pain/trigger, and fit rationale; it is the only context passed into the downstream ICP research step.
marketMaturity	Text	Market maturity level for this product's category (e.g. Emerging, Growth, Mature).
competitors	List (≤10)	Competitors EXPLICITLY named on the company's product page or site.
buyerObjections	List (≤8)	Common objections buyers raise during the sales process for this product.
switchTriggers	List (≤8)	Events or conditions that motivate a buyer to switch from their current solution to this product.

Evidence & Proof · 4 fields

Field	Type	Description
proofPoints	List (3–7)	Strongest proof points — specific statistics, benchmarks, or outcome claims extracted from the website.
roiMetrics	List (≤7)	Key metrics customers use to measure ROI (e.g. 'meetings booked', '3x pipeline increase'). Numeric when available.
industryProof	Text	Industries or verticals where this product has demonstrated adoption, sourced from case studies or customer pages.
socialProof	Text	Customer reviews, testimonials, G2/Capterra ratings, or other social validation signals.

Messaging · 4 fields

Field	Type	Description
unsolvedImpact	Text (long)	Consequence framing — what the customer continues to suffer if they don't adopt. Quantified where possible.
elevatorPitch	Text	1–2 sentences max, deliverable in 30 seconds, capturing the product's essence and core value.
positioningStatement	Text	One sentence positioning: 'For X who Y, [Product] is Z that W, unlike V.'
messagingDos	List of Objects (3–5)	Messaging principles/angles that resonate with buyers of this product, each tagged with the industry it resonates with — matched against ICP.targetIndustries for Campaign-Copy Viability scoring. Sub-fields: • <i>text</i> (Text) — the principle as a short phrase. • <i>industry</i> (Text, nullable) — the single resonant industry/vertical, or null if industry-agnostic.

Deal & Commercials · 15 fields

Field	Type	Description
acv	Text (required, min 1 char)	Annual contract value — typical range. Always required; falls back to a best reasoned estimate when no direct evidence exists.
mrr	Text	Monthly recurring revenue per customer — typical range.
dealType	Text	Deal structure — one-time, subscription, usage-based, retainer, etc.
contractLength	Text	Typical contract duration (e.g. 'month-to-month', 'annual', 'multi-year').
avgDaysToClose	Text	Average number of days from first contact to closed-won (e.g. '30–60 days').
renewalRate	Text	Customer renewal or retention rate at contract expiry.
expansionRevenue	Text	Expansion revenue rate — upsell or upgrade likelihood.
ltv	Text	Estimated customer lifetime value based on ACV and average retention duration.
closeRateByStage	Text	Conversion rates at each funnel stage (e.g. 'Lead→Demo: 25%, Demo→Proposal: 60%').
dealStakeholders	Text (long)	Typical buying committee — who buys, who champions, who approves, who can block.
discountAuthority	Text	How much discount reps can offer unilaterally, and approval thresholds beyond that.

Field	Type	Description
paymentTerms	Text	Accepted payment methods, billing cycles, and standard payment terms.
caseStudies	List of Objects (2–3)	Customer case studies with measurable outcomes, each tagged with industry and buyer role for matching against a specific ICP and persona in Campaign-Copy Viability scoring. Sub-fields: • <i>title</i> (Text) — customer name or generic descriptor. • <i>summary</i> (Text long) — 2–3 sentence situation/action/outcome narrative. • <i>metrics</i> (Text, nullable) — strongest measurable outcome. • <i>industry</i> (Text, nullable) — matches ICP.targetIndustries. • <i>buyerRole</i> (Text, nullable) — matches Persona.roleFamily.
objectionRebuttals	Text (long)	Rebuttal playbook — how to respond to the most common buyer objections. Prose or 'Objection → Rebuttal' format.
messagingDonts	List (≤8)	Messaging angles, claims, or language to avoid when selling this product.

Review — Not in Excel Spec (flagged for review) · 3 fields

Field	Type	Description
avgDealSize	Text	Average deal size or contract value (ACV or TCV). Overlaps with acv — flagged for consolidation.
repeatRate	Text	Rate at which customers make repeat purchases or expand their contract.
referralRate	Text	Estimated percentage of new customers sourced from referrals or word-of-mouth.

Scoring Input (new / additive) · 1 field

Field	Type	Description
defaultCloseRate	Number (0–1, nullable)	Default close rate for the product overall, as a decimal fraction > 0 (e.g. 0.03 for 3%). Never zero/negative; null only if truly no reasonable rate can be derived. Fallback for Revenue Potential scoring when an ICP's own expectedCloseRate is absent.

3 • ENTITY

ICP (Ideal Customer Profile)

Source: `icp.js` · 28 fields across 7 groups

One record per target-account segment, linked to a Product and forward to one or more Personas via the `personas` discovery field below. The middle group of fields (summary through `operationalGoals`) is not wrapped in a named comment block in source, but is grouped here as “Segment Profile & Goals” for clarity.

Identity & Fit · 4 fields

Field	Type	Description
<code>icpName</code>	Text	Short, specific firmographic label for this ICP segment (e.g. 'Mid-Market SaaS VP Sales') — not a generic category.
<code>fitReasoning</code>	Text (long)	Why this company profile is an ideal customer — connects their pains to the product's value prop.
<code>buyingTriggers</code>	List (3–8)	Events or conditions signalling readiness to buy (e.g. funding round, SDR attrition, missed quota). Inferred, not required to be explicitly stated.
<code>exclusionCriteria</code>	List (3–8)	Company attributes that disqualify an account from this ICP — inferred from where the product clearly does not fit.

Firmographic Filters · 8 fields

Field	Type	Description
<code>targetIndustries</code>	List (3–10)	Industries or verticals that define this ICP, plus adjacent verticals where the same pains/fit hold.
<code>companySize</code>	List, bucketed (2–5)	Target employee-headcount ranges. If the ICP seed brief specifies a range, it is authoritative and must appear exactly as stated — never replaced with vague labels like 'SMBs' or 'mid-market'.
<code>revenueRange</code>	List (2–5)	Target annual revenue/ARR ranges — estimated from headcount benchmarks if no figure is stated; never left empty.
<code>geographies</code>	List (2–6)	Target geographic markets, inferred from named customers' locations and category demand.
<code>techStack</code>	List (3–10)	Technology signals in TARGET accounts (CRM, marketing platform, etc.) — explicitly NOT the seller's own build stack (no languages/DBs/cloud infra).
<code>businessModel</code>	List (1–4)	Business models of target companies (e.g. 'B2B SaaS', 'Managed Services').
<code>fundingStage</code>	List (1–4)	Target funding stages matching this segment's size/maturity; omitted only if the segment is stage-agnostic.
<code>decisionMakingUnit</code>	List (3–6)	Typical buying committee — who holds budget, champions, influences, and can block the deal.

Intelligence Signals · 2 fields

Field	Type	Description
icpProof	List	Real, legally identifiable companies matching this profile, used only as proof the criteria describe real businesses — never the seller itself, never taglines/stats/review text. An empty list is preferred over fabricated examples.
competitiveDisplacementFit	Text (long)	How likely this ICP is to switch from its current solution, and what drives that switch.

Persona Discovery · 1 field

Field	Type	Description
personas	List of Objects (2 items)	Candidate buyer personas discovered for this ICP — name and short description only; detailed targeting lives in PersonaSchema. Sub-fields: • <i>name</i> (Text) — persona/role title. • <i>description</i> (Text) — 1–2 sentence role summary.

Segment Profile & Goals · 7 fields

Field	Type	Description
summary	Text (long)	Neutral overview of the segment — who they are at a glance, independent of the fit justification.
growthStage	List (1–3)	Company growth stage for this ICP (e.g. 'Startup', 'SMB', 'Mid-Market', 'Enterprise').
useCases	List (3–7)	Typical use cases or jobs-to-be-done this ICP turns to the product for.
maturity	Text (long)	Process/team/tooling maturity and technical sophistication — NOT funding stage.
painPoints	List (3–7)	Core pains this ICP feels acutely, roughly ordered by severity.
businessGoals	List (3–6)	Strategic, board-level outcomes over 1–3 years (e.g. 'Grow ARR from \$10M to \$25M').
operationalGoals	List (3–6)	Concrete, measurable KPIs the target team owns — success metrics, not product use cases.

Targeting Filters — Account Selection · 4 fields

Field	Type	Description
departmentSize	List (2–5)	Size of the specific function/department sold into, not total headcount (e.g. 'Sales team of 10+').
intentSignals	List (3–6)	Observable third-party research behaviours signalling in-market status, each naming its source (Bombora, G2, etc.). Distinct from buyingTriggers (events).
incumbentTools	List (3–8)	Named competing/adjacent tools the account likely already uses that this product would rip-and-replace or sit beside.
outreachAccessibility	List (3–6)	How reachable the buyers actually are — channel + viability per item (e.g. 'Gatekept — phone routes through EA').

Market Sizing · 2 fields

Field	Type	Description
marketSize	Text (long)	Estimated addressable universe (TAM/SAM or firmographic count) and how buildable a target list is, with its basis.
expectedCloseRate	Number (0–1, nullable)	Expected close rate for this segment, as a decimal fraction — a realistic single-figure estimate, not a formulaic average. Falls back to Product.defaultCloseRate, then a fixed 2% default, when unavailable.

4 • ENTITY

Persona

Source: persona2.js · 64 fields across 16 groups

One record per buyer role within an ICP. **Note:** unlike the earlier reference, this schema does not itself define system/relationship identity fields such as Match % or an ICP back-reference — those are managed at the database/UI layer, outside this generation schema. The fields below are exactly what the AI is prompted to produce for each persona.

Overview · 3 fields

Field	Type	Description
displayName	Text	Short CRM-style segment label combining job role and company context (e.g. 'VP of Marketing, Mid-Market SaaS'). Not a human name.
summary	Text (long)	Neutral 4–6 sentence third-person profile: who this persona is, their daily mandate, problem space, and relevance as a buyer.
departments	List (1–2)	Primary departments this persona belongs to, inferred from standard org charts at the ICP's company size.

Responsibilities · 2 fields

Field	Type	Description
keyResponsibility	List (3–5)	Concrete recurring tasks this persona owns weekly/monthly. Each item starts with an action verb.
successMetrics	List (3–5)	Quantifiable KPIs tied to this persona's performance review — specific metric names only.

Goals · 2 fields

Field	Type	Description
professionalGoals	List (2–4)	Individual career-advancement goals, separate from team targets (e.g. 'Get promoted to VP').
desiredOutcomes	List (3–5)	Specific outcomes this persona wants true AFTER adopting a solution — why they'd seek one out.

Pain Points · 7 fields

Field	Type	Description
primaryPain	Text (long)	The most acute daily pain, as a suffering practitioner. 3–5 sentence paragraph describing the exact workflow that breaks and its emotional toll.
supportingPainPoints	List (2–4)	Secondary pain points that compound the primary pain — concrete, distinct situations.
frictionPoints	List (2–4)	Internal political/structural obstacles blocking a purchase — budget defense, IT security bottlenecks.

Field	Type	Description
frustrations	List (3–5)	Lower-stakes day-to-day emotional irritants — the exact tasks they hate doing.
risks	List (2–4)	Severe negative business consequences this persona actively tries to prevent — worst-case scenarios they're accountable for.
fears	List (2–4)	Personal/career-level anxieties about failing in the role — identity-level fears.
statusQuoCost	Text (long)	Cumulative organizational cost of NOT changing the current approach — concrete figures or proxies, one cohesive paragraph.

Challenges · 2 fields

Field	Type	Description
operationalChallenges	List (3–5)	Tactical, present-tense execution obstacles tied to process, tooling, or resourcing.
strategicChallenges	List (2–4)	Longer-horizon structural obstacles tied to growth, scale, or market shifts.

Decision Making · 5 fields

Field	Type	Description
purchasingInfluence	Text (long)	This persona's typical role in the buying process (e.g. 'Champion', 'Economic Buyer'), with justification.
budgetOwnership	Text (long)	Whether this persona controls, approves, or merely requests budget, and at what threshold.
decisionAuthority	Text (long)	Actual authority to approve/reject a vendor (e.g. 'Final approver' vs 'Technical sign-off only').
evaluationCriteria	List (3–5)	Specific technical/financial/security criteria used to compare vendors (e.g. 'SOC 2 Type II compliance').
objections	List of Objects (3–5)	Pushback phrases raised in sales conversations, each paired with its rebuttal — counted unconditionally as copy anchors for Campaign-Copy Viability scoring. Sub-fields: • <i>text</i> (Text) — the objection, written as the persona would actually say it. • <i>rebuttal</i> /Text (Text, nullable) — the rep's response; null (not empty string) if no rebuttal is established.

Current Solutions · 6 fields

Field	Type	Description
existingTools	List (3–5)	Specific named software/platforms this persona likely already uses, from tech-stack detection.
workflows	List (2–4)	Exact step-by-step manual processes/workarounds used to solve the problem without the seller's product.
alternatives	List (2–4)	Other vendor products, build-vs-buy options, or workarounds realistically considered.
incumbentStrengths	Text (long)	Exactly why the current solution is sticky and hard to displace — switching costs and integrations.
switchingTriggers	List (2–4)	Specific events causing a dissatisfied customer to leave their current incumbent vendor.
displacementMessaging	Text (long)	Outward-facing displacement copy reframing the incumbent's complexity as a cost.

Buying Behavior · 2 fields

Field	Type	Description
directBuyingSignals	List (3–5)	Directly observable, first-party behaviours indicating active purchase intent right now (CRM/email analytics).
indirectBuyingSignals	List (3–5)	Indirect/third-party signals suggesting an active buying cycle (Bombora, G2 Buyer Intent, job boards).

Buyer Psychology · 5 fields

Field	Type	Description
motivations	List (2–4)	Underlying psychological/professional root-cause drivers behind this persona's actions.
priorities	List (2–4)	Time-bound priorities this persona is focused on this quarter/year, ranked by urgency.
careAbout	List (3–5)	Specific topics, metrics, and outcomes this persona pays close attention to in meetings/reporting.
nightmares	List (2–3)	Worst-case, catastrophic scenarios this persona is haunted by.
aspirations	List (2–3)	Personal definitions of 'winning' for this persona in their role.

Messaging Guidance · 10 fields

Field	Type	Description
valuePropositions	List (2–4)	Highly specific benefit statements mapping primary pains to product capabilities — written as pitch lines.
messagingAngles	List (2–4)	Distinct strategic framings or narrative hooks for outreach.
emphasizeTopics	List (3–5)	Specific topics/features/proof points to foreground, from evaluation criteria and success metrics.
avoidTopics	List (2–4)	Specific subjects or language likely to backfire, with the reason why.
toneRecommendations	Text	Exact communication style that resonates in a sales context (e.g. 'Direct, data-led').
outreachHook	Text	A single concrete first-touch opening/subject line, written exactly as it would appear in a cold email.
proofPoints	List (2–4)	Exact categories of evidence likely to build credibility (e.g. 'Case study with a direct competitor').
clientWins	Text (long)	Narrative 'after state' — what this persona's life looks like post-purchase. Highly specific paragraph.
ctaRecommendations	List (2–4)	Specific, low-friction next-step asks appropriate for this persona's buying stage.
ctaVariation	Text	The exact call-to-action copy variation to use in outreach for this persona.

Account Intelligence · 2 fields

Field	Type	Description
subPersonas	List (2–3)	Distinct sub-segments within this persona requiring slightly different messaging (by size or sub-industry).
winLossPatterns	List (2–4)	Exact patterns in won/lost deals explaining what predicts a win versus a loss.

Prospecting & Search · 3 fields

Field	Type	Description
jobTitleVariations	List (3–8)	Exact real-world job titles used interchangeably for this role across companies.
relatedTitles	List (2–5)	Adjacent titles that are NOT the same role but frequently get conflated with it.
seniorityLevels	List (1–4)	Exact seniority tier labels mapping to this persona across different company sizes.

Representative Examples · 2 fields

Field	Type	Description
exampleJobTitles	List (3–10)	Concrete, verbatim job titles as they would appear on a LinkedIn profile.
linkedinTitles	List (3–5)	Realistic LinkedIn headline strings as this persona might actually write them.

Outreach Strategy · 7 fields

Field	Type	Description
bestChannel	List (1–3)	Communication channels this persona is most responsive on, ranked most effective first.
emailPreference	Text (long)	Hyper-specific guidance on ideal email length, structure, and style for this persona's seniority.
emailResponsePattern	Text (long)	Exactly how this persona typically replies to sales emails when they do engage (e.g. 'Responds with a forward').
bestContactTime	Text (long)	The exact best day(s) and time window to reach this persona, and why.
sequenceStrategy	Text (long)	A concrete multi-touch outreach plan with numbered steps specifying channel, timing, and intent.
linkedinActivity	Text	This persona's typical LinkedIn engagement level (e.g. 'Posts daily').
phoneAccessibility	Text	This persona's phone accessibility level (e.g. 'Direct mobile dial available').

Qualification · 5 fields

Field	Type	Description
interestedCriteria	List (2–5)	Observable signals qualifying this persona as merely 'Interested' — top-of-funnel engagement.
warmCriteria	List (2–5)	Observable signals indicating movement beyond passive interest into active engagement.

Field	Type	Description
meetingReadyCriteria	List (2–5)	Observable signals indicating readiness for a sales conversation (BANT/MEDDIC-style).
notNowCriteria	List (2–5)	Observable signals indicating genuine interest but bad timing.
deadCriteria	List (2–5)	Observable signals indicating permanent disqualification.

Scoring Input (new / additive) · 1 field

Field	Type	Description
roleFamily	Text	Categorical role-family bucket (e.g. 'Sales Leadership', 'Marketing Ops', 'IT/Security', 'Finance') — a single closest-fitting bucket, not a list. Used for Campaign-Copy Viability scoring to match this persona against case studies/objections tagged by role.

APPENDIX A

Envelope & Confidence Pattern

Every field across all four schemas is built with a shared `makeEnvelope()` helper (`envelope.js`) rather than a bare Zod type. This means the **Type** column in this document describes the underlying value type (Text, Number, List, or List of Objects) — the actual generated field is that value wrapped together with metadata, most notably a per-field confidence score. This mirrors the confidence-badge behaviour described in the earlier Field Reference for Company Profile and select Persona fields, except that in the current schemas the envelope pattern is applied uniformly to every field on every entity, not a subset.

Two field shapes appear throughout the schemas:

- **Scalar envelope** — `makeEnvelope()` or `makeEnvelope(z.number().())` wraps a single Text or Number value.
- **List envelope** — `z.array(makeEnvelope())` wraps a list of independently-sourced Text items; `z.array(makeEnvelope(z.object({{...}})))` wraps a list of structured records (documented in this reference as “List of Objects”, with sub-fields called out beneath the parent field’s description).

APPENDIX B

Fields Defined but Not Active

The following fields exist in source as commented-out schema code. They are not part of the live generation schema and the AI does not currently produce them, but they are documented here since they remain in the codebase and may be reactivated.

Field	Type	Description
website	Text	Primary website URL. Commented out in the schema — marked User-only in the Excel spec, so the orchestrator does not generate this field. Kept in source as an extractive fallback for pipelines where the user omits it.
excludeList	List	Company types, industries, or profiles that are a poor fit. Commented out — Excel treats this as User-only → Generative (user fills first; agent infers only if missing).
avoidList	List	Messaging angles, claims, or topics to avoid in outreach. Commented out — same User-only → Generative treatment as excludeList.

All three are on `company.js`. Each is marked in source as **User-only** → **Generative**: the user is expected to supply the value first, with the agent inferring it only when the user has left it blank.

APPENDIX C

Schema Versioning Note

The persona schema file is named `persona2.js`, exporting `PersonaSchema2` — naming that strongly implies an earlier `persona.js` / `PersonaSchema` exists or existed. This document was generated only from `persona2.js`, since that is the file provided for reference. The 64-field structure documented in Section 4 is substantially larger than the 34-field structure (5 identity + 29 research fields) described in the previous Field Reference — consistent with `persona2` being a newer, expanded rewrite of the persona model rather than a re-organization of the same fields. If an active `persona.js` still exists in the codebase and is the one actually wired into production, it should be reviewed separately, as its field set may differ from what’s documented here.

Also note: three other fields across the schemas follow a similar “newer addition” pattern and are called out inline where they appear — `Company.goalTimeline`, `Product.defaultCloseRate`, and `ICP.expectedCloseRate`. Each is a numeric scoring input with no prior counterpart in the earlier Field Reference, added to support deterministic Product/Revenue/Sales-Cycle fit scoring downstream.