@fernandot

Ayuda WordPress

FERNANDO TELLADO

HOW TO BUILD AND PUBLISH A PLUGIN IN WORDPRESS.ORG AND WHY YOU SHOULD DO IT

BIO

- Ayuda WordPress guilty
- Teacher, consultant, writer
- es.WordPress.org Admin
- **WordPress España GTE**
- SiteGround's WP_ambassador()
- **WooCommerce Madrid & WordCamp Madrid organizer**
- Writer of several WordPress books

Fernando Tellado
@fernandot
Ayuda WordPress

IS MY PLUGIN NECESSARY?

- It’s a functionality not included in the core
- Improves core functionalities
- Improves other plugin’s functionalities
- Add functionalities to a theme
- Fix bugs
- It’s useful for the people
- Save time/work to users
- Will make users happier

IS THERE ANOTHER PLUGIN THAT DOES THE SAME THING?

- It is NOT allowed to copy other plugins without providing something substantial
- My plugin add functionalities
- My plugin is a fork from a abandoned project
- My plugin does (something) better

DO I KNOW HOW TO DO IT?

- Do I know HTML?
- Do I know PHP?
- Do I know CSS? Is it needed?
- Do I know JS? Is it needed?
- Do I know the APIs?…

WORDPRESS APIS

- Dashboard Widgets API
- Database API
- HTTP API
- REST API
- File Header API
- Filesystem API
- Metadata API
- Options API
- Plugin API
- Quicktags API
- Rewrite API
- Settings API
- Shortcode API
- Theme Modification API
- Theme Customization API
- Transients API
- Widgets API
- XML-RPC WordPress API

DO I KNOW HOW TO DO IT?

- Plugin Developer Handbook:
  https://developer.wordpress.org/plugins/
- WordPress Code Reference:
  https://developer.wordpress.org/reference/
- WordPress Coding Standards:
  https://make.wordpress.org/core/handbook/best-practices/coding-standards/
- Accessibility Coding Standards:
  https://make.wordpress.org/core/handbook/best-practices/coding-standards/accessibility-coding-standards/

Code Reference

Want to know what's going on inside WordPress? Search the Code Reference for more information about WordPress' functions, classes, methods, and hooks.

Try it out:

the_po

- the_post
- the_posts
- the_post_password
- WP_Query::the_post
- the_post_thumbnail
- the_post_navigation
- the_posts_navigation

admin_referrer_policy	Dashboard widgets
alloptions	Database
attachment_submitbox_misc_actions	HTTP API
audio_submitbox_misc_sections	Filesystem

WILL IT BE UPDATED?

- An outdated plugin is insecure by nature
- An outdated plugin says little about You
- An outdated plugin is scary

This plugin **hasn't been tested with the latest 3 major releases of WordPress**. It may no longer be maintained or supported and may have compatibility issues when used with more recent versions of WordPress.

Exclude Pages

By Simon Wheatley

Download

This is Scary

Este plugin aún no ha sido traducido a Español. ¡Ayuda a traducirlo!

This is Frightening

This is Creepy

Description

This plugin adds a checkbox, "include this page in menus", uncheck this to exclude pages from the page navigation that users see on your site.

Version:	1.92
Last updated:	**7 years ago**
Active installations:	**100,000+**
WordPress Version:	**2.2.3 or higher**

WILL I PROVIDE SUPPORT?

- A plugin without support says little about You
- A plugin without support conveys insecurity
- A plugin without support harms the community

Support » Plugin: Exclude Pages

Subscribe to this plugin

Search this forum

1 2 3 →

Topic			Last Post
Notice: Undefined index: epfm_meta_box_field Started by: jkepler	1	0	9 months, 4 weeks ago jkepler
PLEASE ADOPT THIS PLUGIN Started by: Ray Gulick	4	3	7 months, 3 weeks ago Gomisan
Collected Data Started by: 07egidio	1	0	1 year, 6 months ago 07egidio
PHP Error: Strict Standards: Only variables should be assigned by reference Started by: Ray Gulick	1	0	2 years ago Ray Gulick
Für deutsche User / For german user Started by: m266	1	0	2 years, 3 months ago m266

The only dose of common sense

Howdy, Fernando Tellado

Log Out

Exclude Pages

Frequently Asked Questions

Support Threads

Active Topics

Unresolved Topics

Reviews

Views

The worst thing is not when the questions were asked, but that no one answered.

DOES IT BENEFIT ME?

- You'll be part of the community
- Free feedback about your coding abilities
- Perception of quality
- A huge target audience
- Freemium business model
- Authority as developer: https://profiles.wordpress.org/fernandot

Fernando Tellado

Edit | Notifications

Member Since: November 13th, 2008

Madrid (Spain)

https://ayudawp.com

CEO at BISNIS.es

@fernandot on WordPress.org and Slack

Find me on:

About Me

Activity

Plugins

Favorites

Divi Lightbox for Images

★★★★★

Active Installs: 500+

No Gutenberg

★★★★★

Active Installs: Less than 10

Show only lowest prices in WooCommerce variable products

★★★★★

Active Installs: 1,000+

WordPress WPO Tweaks

★★★★★

Active Installs: 1,000+

DO I KNOW ENGLISH?

- Plugin syntax
- Plugin texts
- Docs
- Comms with Plugin’s Team
- Plugin Support

Fernando Tellado
@fernandot
Ayuda WordPress

THE PLUGIN

- Plugin base structure
- Security and validation
- Localization (Gettext)
- Coding Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
<?php
/*
Plugin Name:  Name of my plugin
Plugin URI:   https://developer.wordpress.org/plugins/the-basics/
Description:  Base description about what the plugin does
Version:      1.0
Author:       My Name
Author URI:   https://myweb.com
License:      GPL2
License URI:  https://www.gnu.org/licenses/gpl-2.0.html
Text Domain:  slug-of-my-plugin
Domain Path:  /languages
*/
```

Plugin's Header

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Prevent PHP execution in the plugin path. Always include
this in your plugin’s code. */

defined( 'ABSPATH' ) || die( 'No script kiddies please!' );
```

Security

Fernando Tellado
@fernandot
Ayuda WordPress

THE INTENTIONALLY VULNERABLE PLUGIN
https://gist.github.com/joncave/5348689
CREATE AND VALIDATE NONCES
wp_create_nonce
SANITIZE ALL
sanitize_*()
ESCAPE DATA OUTPUT
esc_*()

Security

Fernando Tellado
@fernandot
Ayuda WordPress

isset() y empty(): Does an endpoint exists and it isn’t empty?
mb_strlen() o strlen(): The endpoint has the expected chars
preg_match(), strpos(): Chain duplicity
count(): How many elements contains an array
in_array(): What’s in an array
is_email(): If an email exists and if it’s a valid email
term_exists(): If any taxonomy exists
username_exists(): If the user exists
validate_file(): If it’s a real path

Validate All

```
/* INIT for localization. Allways include this thing in your plugins.
Change "my-plugin" and "my_plugin" with your plugin slug */

function my_plugin_init() {

   load_plugin_textdomain( 'my-plugin', false,
dirname( plugin_basename( __FILE__ ) ) . '/languages' );

}

add_action( 'plugins_loaded', ‘my_plugin_init' );
```

Localization

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Remember: My plugin’s Header */
Plugin Name: My plugin
Text Domain: my-plugin
Domain Path: /languages (not necessary at wordpress.org)
*/
```

Localization

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Localizating plugin strings with Gettext */
__( ‘Text to translate', 'my-plugin' );
/* Or */
_e( ‘Text to translate', 'my-plugin' )
/* Long version */
echo __( ‘Text to translate’, 'mi-plugin' )
```

Localization

Fernando Tellado
@fernandot
Ayuda WordPress

https://developer.wordpress.org/plugins/internationalization/how-to-internationalize-your-plugin/

```
/* Localizating with endpoints and placeholders */

printf(
    /* Translators: 1: City’s name 2: ZIP */
    __( ‘Your ZIP is %2$s and your city’s name is %1$s.', ‘my-plugin'
),
    $city,
    $zipcode
);
```

Localization

Fernando Tellado
@fernandot
Ayuda WordPress

```
<?php
//Silence is Golden
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
/my-plugin
    my-plugin.php
    uninstall.php
    /languages
    /includes
    /admin
        /js
        /css
        /images
  /public
        /js
        /css
        /images
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
<?php
if ( is_admin() ) {
    // we are in admin
    require_once( dirname( __FILE__ ) . '/admin/mi-
plugin-admin.php' );
}
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* PREFIX EVERYTHING TO PREVENT NAME COLLISIONS WITH
FUCNTION NAMES, VARIABLES, CLASSES, ETC */

function my_plugin_init() {
(what the init does)
}
add_action( 'name_of_the_action', 'mi_plugin_init' );
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* CHECK THE EXISTENCE OF ENDPOINTS, FUNCTIONS, ETC */
//Create a function called "wporg_init" if it doesn’t exists
if ( !function_exists( 'wporg_init' ) ) {
    function wporg_init() {
        register_setting( 'wporg_settings', 'wporg_option_foo'
);
    }
}
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* VERSION CHECK IN THE PLUGIN HEADER */
… etc
* WC requires at least: 3.0
* WC tested up to: 3.4
* License: GPLv2+
… etc
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* VALIDATE THE CODE */

https://validator.w3.org/
http://jigsaw.w3.org/css-validator/
https://github.com/squizlabs/PHP_CodeSniffer
https://php.wpdanger.com/plugins.php
```

Best Practices

Fernando Tellado
@fernandot
Ayuda WordPress

```
if (!defined('WP_UNINSTALL_PLUGIN')) {
    die;
}

$option_name = 'wporg_option';
delete_option($option_name);
delete_site_option($option_name);
global $wpdb;
$wpdb->query("DROP TABLE IF EXISTS {$wpdb->prefix}
mytable");
```

uninstall.php

Fernando Tellado
@fernandot
Ayuda WordPress

Analyze how the most popular plugins are developed to learn how to approach your plugin

BONUS: Learn from others

Fernando Tellado
@fernandot
Ayuda WordPress

FOLLOW THE GUIDELINES

- GPLv2 or higher
- You’re responsible for your plug contents and actionsAllways publish an stable version
- Code must be readable (don’t obfuscate)
- Trialware forbidden
- SAS allowed
- Do not track users without consent
- Do not send execrable code from external services
- Nothing illegal, dishonest or offensive
- Do not show public external links without permission
- Do no distract admin
- Don’t spam at wordpress.org
- Use default WordPress libraries
- Don’t overcommit
- Version number incremental
- Do not send your plugin if it isn’t finished (don’t do name-squatting)
- Respect registered names and brands

CHOOSE A GOOD NAME

- The slug will be created from the plugin name in the readme
- You won't be able to change the slug EVER
- Cannot match another plugin's slug
- Name cannot begin with registered trademark names
- Don't use redundancies like 'plugin for xxx' or 'WordPress xxx'.
- Initially give it a short name (slug), and improve/expand the name upon updates

```
/* It will be rejected as it includes
‘plugin’ and ‘WordPress’ */
My awesome WPO WordPress plugin
/* And it would create an ugly slug */
my-awesome-wordpress-plugin
```

Choose a good name

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Name of my plugin */
Speedy
/* Great slug */
speedy
/* Change the name when it gets approved */
Speedy - Best WordPress Plugin to Speed your
Website
```

Choose a good name

Fernando Tellado
@fernandot
Ayuda WordPress

fernandotellado/pluginpublishi | WooCommerce – Show only lov | No Gutenberg – Disable Gutenl | WordPress WPO Tweaks & Opt

https://wordpress.org/plugins/show-only-lowest-prices-in-woocommerce-variable-products/

My Sites | Howdy, Fernando Tellado

WordPress.org

Search WordPress.org

Showcase | Themes | Plugins | Mobile | Support | Get Involved | About | Blog | Hosting | Get WordPress

Plugins | My Favorites | Beta Testing | Developers | Search plugins

Very long and Ugly slug

WooCommerce – Show only lowest prices in variable products

Download

By Fernando Tellado

fernandotellado/pluginpublishi

WordPress WPO Tweaks & Opt

Haz clic para retroceder una página o pulsa unos segundos para ver el historial

ess.org/plugins/wpo-tweaks/

My Sites

Howdy, Fernando Tellado

WordPress.org

Search WordPress.org

Showcase Themes Plugins Mobile Support Get Involved About Blog Hosting

Get WordPress

Plugins

My Favorites Beta Testing Developers

Search plugins

Short and good slug

WPO Tweaks

WordPress WPO Tweaks & Optimizations

By Fernando Tellado

Download

Title improved upon first commit

THE PERFECT README.TXT

- A good SEO title
- Short description: max. 150 characters, it must tell the user why your plugin will helps him. Used in the plugins search. Good for SEO
- Long description: promote your plugin, give technical details, useful and relevant, learn from the best developers
- FAQ: Anticipation, recurring errors in forums, include useful codes
- Bonus: Add value, sell yourself

Fernando Tellado
@fernandot
Ayuda WordPress

THE PERFECT README.TXT

- Use Markdown
- === Name of the plugin ===
- == Sections ==
- = Subsections =
- 1. 2. Ordered List
- * * Unordered List
- `Code`
- https://github.com/fernandotellado/pluginpublishing/blob/master/readme.txt

Fernando Tellado
@fernandot
Ayuda WordPress

THE PERFECT README.TXT

- Recommend current WordPress and PHP versions. Add this tags:
  - Requires at least: 4.x
  - Tested up to: 4.9.x
  - Requires PHP: 5.6

Version:	0.9.17
Last updated:	1 week ago
Active installations:	4,000+
WordPress Version:	4.2 or higher
Tested up to:	5.2
PHP Version:	5.6 or higher
Languages:	See all 5
Tags:	browser cache, gzip, optimisation, optimization, wpo

Fernando Tellado
@fernandot
Ayuda WordPress

=== WordPress WPO Tweaks & Optimizations ===
Contributors: fernandot
Donate link: https://www.paypal.me/fernandotellado
Tags: wpo, optimization, optimisation, gzip, browser cache, cache expires, compression, speed, query strings, heartbeat api, json, rest api, json api, jquery_migrate, emoji, query strings, dashicons, pagespeed, pingdom, gtmetrix
Requires at least: 4.2
Requires PHP: 5.6
Tested up to: 5.2
Stable tag: trunk
License: GPLv2+
License URI: http://www.gnu.org/licenses/gpl-2.0.html

WPO Optimizations, Improvements and Tweaks to Speed Up WordPress

== Description ==

By default, WordPress load several functions, services and scripts that aren't mandatory and usually slow down your installation and waste hosting resources. From years I've been trying out some tweaks to save hosting resources and improve WordPress Performance and Load Time. After thousands of tests this plugin include my best speed and performance optimizations with just one click.

With this plugin you can safely deactivate that annoying services, unnecessary codes and scripts in order to save hosting resources and costs, and to speed up WordPress for better results in tools like Google PageSpeed, Pingdom Tools, GTMetrix, WebPageTest and others.

The improvements (tweaks) that the plugin automatically applies securely are the following:

* NEW: Added browser cache expires rules to main WordPress .htaccess file
* NEW: Added GZIP compression rules to main WordPress .htaccess file
* Remove Dashicons in admin bar (only for non logged users)
* Remove Emoji's styles and scripts
* Disable REST API (full disabled)
* Control Heartbeat API interval
* Remove Query Strings from Static Resources
* Defer Parsing of JavaScript
* Remove Gravatar Query Strings
* Remove Really Simple Discovery link from header
* Remove wlwmanifest.xml (Windows Live Writer) from header
* Remove Shortlink URL from header
* Remove WordPress Generator Version from header
* Remove s.w.org DNS Prefetch
* Remove jquery_migrate
* Remove unnecessary links from header
* Remove generator name from RSS Feeds
* Remove Capital P Dangit filter
* Disable PDF thumbnails preview
* Disable Self Pingbacks

No options. Just activate the plugin and test your site's speed in your favourite tool (GTMetrix, Pingdom Tools, etc.)

== Plugin Requirements ==
* This plugin requires WordPress 4.7 or greater
* This plugin requires PHP 5.6 or greater

== Installation ==

1. Go to your WP Dashboard > Plugins and search for 'wpo tweaks' or…
2. Download the plugin from WP repository
3. Upload the 'wpo-tweaks' folder to the '/wp-content/plugins/' directory
2. Activate the plugin through the 'Plugins' menu in WordPress

Readme Validator

https://wordpress.org/plugins/developers/readme-validator/

WordPress Plugin readme.txt Validator

https://

Validate!

... or paste your `readme.txt` here:

```
=== Plugin Name ===
```

Validate!

https://wordpress.org/plugins/developers/add/

Once submitted, your plugin will be manually reviewed for any common errors as well as ensuring it complies with all the guidelines.

> Currently there are **16** plugins awaiting review.

Select File Upload

Maximum allowed file size: 10MB

Even if you've submitted a dozen plugins, take the time to refresh your memory with the following information:

- How to use SVN
- Plugin Assets (and how to use them)
- Developer FAQ

PLUGIN REJECTED

- Don’t panic
- Don’t send it again and again
- Apply the instructions received
- Respond to every question
- Resend the improved plugin by email
- **Learn**



[WordPress Plugin Directory] Request: Divi Lightbox for images

Ipstenu (Mika Epstein) <plugins@wordpress.org> mar., 6 dic. 2017 22:27
para mí

We cannot accept your plugin with this name

Your autogenerated plugin slug was this: divi-lightbox-for-images

Since you don’t appear to legally represent that group, we need to change the plugin slug.

We recommend the following: lightbox-for-images-divi

A rather lengthy explanation of why is included below, but the tl;dr is that we're no longer accepting plugins that begin with (or are in total) a trademarked product name or term as the name or slug of a plugin (ex: Facebook or google-maps-bathrooms). Nor are we accepting plugins that include the name of another plugin at the beginning of the name/slug (eg: contact-form-7-music), UNLESS you legally represent that service/plugin/theme/etc.

Please reply to this email with what slug you’d like. We’ll edit it slug for you.

You DO NOT need to edit your code for this. ALL we need is to be on the same page for the plugin slug :)

If you DO work for the company, reply to this email and tell us. We can fix your submission.

Here's the long stuff.

The slug for your plugin is generated based on the name you put in your main plugin file, with hyphens inserted in

Plugin rejected.
Don’t Panic!

Instructions

PLUGIN APPROVED

- Follow the instructions
- Schedule your first commit
- Take your time, there's no rush.
- Have a drink!



[WordPress Plugin Directory] WordPress WPO Tweaks has been approved!

Plugin approved

WordPress <plugins@wordpress.org> lun., 16 oct. 2017 23:49
para mí

Congratulations, your plugin hosting request for WordPress WPO Tweaks has been approved.

Within one hour you will have access to your SVN repository with the WordPress.org username and password you used to log in and submit your request. Your username is case sensitive.

https://plugins.svn.wordpress.org/wpo-tweaks

Next Steps

Here are some handy links to help you get started.

WordPress Plugin Directory Guidelines:
https://developer.wordpress.org/plugins/wordpress-org/detailed-plugin-guidelines/

Using Subversion with the WordPress Plugin Directory:
https://developer.wordpress.org/plugins/wordpress-org/how-to-use-subversion/

FAQ about the WordPress Plugin Directory:
https://developer.wordpress.org/plugins/wordpress-org/plugin-developer-faq/

WordPress Plugin Directory readme.txt standard:
https://wordpress.org/plugins/developers/#readme

A readme.txt validator:
https://wordpress.org/plugins/developers/readme-validator/

- Revision 1902058: /wpo-tweaks

- ..
- assets/
- branches/
- languages/
- tags/
- trunk/

Powered by Apache Subversion version 1.9.5 (r1770682).

Plugin Directory

source: wpo-tweaks

View revision: View diff against:

Name	Size	Rev	Age	Author	Last Change
../					
assets		1750639	8 months	fernandot	Banners and icons changed
branches		1747492	9 months	plugin-master	Adding WordPress WPO Tweaks by fernandot.
languages		1747712	9 months	fernandot	first languages folder
tags		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
0.9.8		1868637	2 months	fernandot	New functions added and versioning
0.9.9		1868637	2 months	fernandot	New functions added and versioning
0.9.10		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
0.9.11		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
trunk		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
readme.txt	8.7 KB	1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
wordpress-wpo-tweaks.php	8.6 KB	1899025	5 days	fernandot	Security check to prevent error 500 in some intalls

View changes...

Note: See TracBrowser for help on using the repository browser.

PUBLISHING YOUR PLUGIN

- Create the directory = approved slug
- Create the subdirectories (assets, trunk, tags, languages?)
- Move the plugin files and folders to the directory created
- Create screenshots, icons and banners
- Checkout
- Commit

Fernando Tellado
@fernandot
Ayuda WordPress

PUBLISHING YOUR PLUGIN

- First, upload the MVV (Minimum Viable Version)
- Apply all the modifications suggested
- Upload de improved version
- Write a good *title*
- Write a good description
- Commit the improved version

Fernando Tellado
@fernandot
Ayuda WordPress

ASSETS

- Normal Banner: banner-772x250.(jpg|png)
- Retina banner: banner-1544x500.(jpg|png)
- Normal icon: icon-128x128.(png|jpg)
- Retina icon: icon-256x256.(png|jpg)
- SVG icon: icon.svg
- Screenshot 1: screenshot-1.(png|jpg|gif)
- Screenshot 2: screenshot-2.(png|jpg|gif)

```
$ cd my-plugin
$ svn checkout https://plugins.svn.wordpress.org/
my-plugin my-plugin
$ svn add trunk/*
$ svn add assets/*
$ svn add tags/*
$ svn svn commit - 'First version of my-plugin'
```

SVN

Fernando Tellado
@fernandot
Ayuda WordPress

SVN HELP

- svn help
- svn help add
- svn help checkout
- svn help commit
- ls
- cd
- mkdir

```
AyudaWP:wpo-tweaks ft$ svn help
usage: svn <subcommand> [options] [args]
Subversion command-line client, version 1.4.4.
Type 'svn help <subcommand>' for help on a specific subcommand.
Type 'svn --version' to see the program version and RA modules
  or 'svn --version --quiet' to see just the version number.

Most subcommands take file and/or directory arguments, recursing
on the directories.  If no arguments are supplied to such a
command, it recurses on the current directory (inclusive) by default.

Available subcommands:
   add
   blame (praise, annotate, ann)
   cat
   checkout (co)
   cleanup
   commit (ci)
   copy (cp)
   delete (del, remove, rm)
   diff (di)
   export
   help (?, h)
   import
   info
   list (ls)
   lock
   log
   merge
   mkdir
   move (mv, rename, ren)
   propdel (pdel, pd)
   propedit (pedit, pe)
   propget (pget, pg)
   proplist (plist, pl)
   propset (pset, ps)
   resolved
   revert
   status (stat, st)
   switch (sw)
   unlock
   update (up)
```

SMARTSVN
TRAC
SUBTILE

RAPIDSVN
QSVN
ESVN

SUBVERSION CLIENT

Fernando Tellado
@fernandot
Ayuda WordPress

SmartSVN | Project | Edit | View | Modify | Change Set | Tag+Branch

Update | Commit | move | Move | Revert | D

- Check Out...

- Open Working Copy...
- Edit Working Copy...
- Manage As Project...
- Remove Working Copy...

- Import Into Repository...
- Set Up Local Repository...

- Open or Manage Projects... ⌘P
- Close ⌘W

- Manage Log Caches...

- Settings...
- Default Settings

Steps

- Repository
- Location
- Local Directory
- Project

Repository

Select from which repository you want to check out.

Repository: https://plugins.svn.wordpress.org/wpo-tweaks

Cancel | Go Back | Continue | Finish

Steps

- Repository
- > Location
- Local Directory
- Project

Location

Select the file or directory you want to check out.

HEAD of https://plugins.svn.wordpress.org/wpo-tweaks

Show Revision...

Directories

- wpnibbler (508184)
- wpnivo (490522)
- wpnofollow-all-post-links (248433)
- wpnopin (509750)
- wpnotificationbar (270559)
- wpnsc-not-short-code (87165)
- wpo-tweaks (1899025)
  - assets (1750639)
  - branches
  - languages (1747712)
  - tags (1899025)
  - trunk (1899025)

URL: https://plugins.svn.wordpress.org/wpo-tweaks

Cancel | Go Back | Continue | Finish

Steps

- Repository
- Location
- > Local Directory
- Project

Local Directory

Enter or select a local directory, where the checked out project should be stored.

Local Directory: ~/Documents/user/mis-plugins/wpo-tweaks

Check Out:
- ( ) Directly into the above directory
- (•) Into subdirectory: wpo-tweaks
- ( ) Relative to repository root

Checkout will be performed directly into the following final directory. If it does not exist yet, it will be created automatically.

Checkout Directory: /Users/fer 1/Documents/user/mis-plugins/wpo-tweaks/wpo-tweaks

Checkout Depth: Fully recursive

Cancel | Go Back | Continue | Finish

Update | Commit | Add | Remove | Move | Revert | Delete | Fix | Changes | Annotate | Log | Graph | Main | Review | Purchase

Directories × | Files ×

31 files hidden | File Filter

wpo-tweaks (1747769)
- assets
- branches
- languages (174771
- tags
- trunk (1747702)

Name	Revision	Local State	Copy From	Relative Directory
readme.txt	2076713	Modified		tags/0.9.17
readme.txt	2076713	Modified		trunk

1. Click on REVIEW

2. Compare Changes

3. COMMIT

Changes for readme.txt (EOL: Unix) ×

```
35 * Remove s.w.org DNS Prefetch
36 * Remove jquery_migrate
37 * Remove unnecessary links from header
38 * Remove generator name from RSS Feeds
39 * Remove Capital P Dangit filter
40 * Disable PDF thumbnails preview
41 * Disable Self Pingbacks
42
43 <strong>No options</strong>. Just activate the plugin and test your site's speed in your favo
44
45 == Plugin Requirements ==
46 * This plugin requires WordPress 4.7 or greater
47 * This plugin requires PHP 5.6 or greater
48
49
50 == Installation ==
51
52 1. Go to your WP Dashboard > Plugins and search for 'wpo tweaks' or…
53 2. Download the plugin from WP repository.
54 3. Upload the 'wpo-tweaks' folder to the '/wp-content/plugins/' directory
55 2. Activate the plugin through the 'Plugins' menu in WordPress
56
57 == Frequently Asked Questions ==
58
59 = What does WPO mean? =
```

```
35 * Remove s.w.org DNS Prefetch
36 * Remove jquery_migrate
37 * Remove unnecessary links from header
38 * Remove generator name from RSS Feeds
39 * Remove Capital P Dangit filter
40 * Disable PDF thumbnails preview
41 * Disable Self Pingbacks
42
43 <strong>No options</strong>. Just activate the plugin and test your site's speed in your favo
44
45 == Plugin Requirements ==
46 * This plugin requires WordPress 4.7 or greater
47 * This plugin requires PHP 5.6 or greater
48
49
50 == Installation ==
51
52 1. Go to your WP Dashboard > Plugins and search for 'wpo tweaks' or…
53 2. Download the plugin from WP repository
54 3. Upload the 'wpo-tweaks' folder to the '/wp-content/plugins/' directory
55 2. Activate the plugin through the 'Plugins' menu in WordPress
56
57 == Frequently Asked Questions ==
58
59 = What does WPO mean? =
```

MY PLUGIN IS SO CUTE!

- Subscribe to make.wordpress.org/plugins
- Subscribe to #plugins channel at WP Slack
- Respond every forum topic
- Encourages (good) ratings
- Update it / Improve it
- Enjoy!

Fernando Tellado
@fernandot
Ayuda WordPress

MY PLUGIN IS SO CUTE!

Fernando Tellado
@fernandot
Ayuda WordPress

MY PLUGIN IS SO CUTE



Fernando Tellado
@fernandot
Ayuda WordPress

Fernando Tellado
@fernandot
Ayuda WordPress

OBRIGADO!

https://github.com/fernandotellado/pluginpublishing