WordCamp
Sevilla 2018

@fernandot

Ayuda WordPress

FERNANDO TELLADO

CÓMO CREAR Y PUBLICAR UN PLUGIN EN WORDPRESS.ORG Y POR QUÉ DEBERÍAS HACERLO

BIO

- Culpable de Ayuda WordPress
- Profesor, consultor, escritor
- Admin es.WordPress.org
- GTE **WordPress España**
- Brand Ambassador SiteGround España
- Brand Ambassador YITH
- Promotor CampusWP
- Organizador **WooCommerce Madrid** y **WordCamp Madrid**
- Presidente ADEWEB
- Autor de varios libros WordPress

Fernando Tellado
@fernandot
Ayuda WordPress

¿HACE FALTA MI PLUGIN?

- Es una funcionalidad no incluida en el core
- Mejora funcionalidades del core
- Mejora funcionalidades de otros plugins
- Añade funcionalidades a un tema
- Arregla problemas
- Sirve para algo a los usuarios
- Ahorrará tiempo/trabajo a los usuarios
- Hará mas felices a los usuarios

¿EXISTE YA OTRO QUE HAGA LO MISMO?

- No está permitido copiar otros plugins sin aportar algo sustancial
- Mi plugin añade funcionalidades
- Mi plugin es un fork de un proyecto abandonado
- Mi plugin lo hace mejor

¿SÉ CÓMO HACERLO?

- ¿Sé HTML?
- ¿Sé PHP?
- ¿Sé CSS? ¿Lo necesita?
- ¿Sé JS? ¿Lo necesita?
- ¿Conozco las APIs?…

WORDPRESS APIS

- Dashboard Widgets API
- Database API
- HTTP API
- REST API
- File Header API
- Filesystem API
- Metadata API
- Options API
- Plugin API
- Quicktags API
- Rewrite API
- Settings API
- Shortcode API
- Theme Modification API
- Theme Customization API
- Transients API
- Widgets API
- XML-RPC WordPress API

¿SÉ CÓMO HACERLO?

- Plugin Developer Handbook:
  https://developer.wordpress.org/plugins/
- WordPress Code Reference:
  https://developer.wordpress.org/reference/
- WordPress Coding Standards:
  https://make.wordpress.org/core/handbook/best-practices/coding-standards/
- Accessibility Coding Standards:
  https://make.wordpress.org/core/handbook/best-practices/coding-standards/accessibility-coding-standards/

Code Reference

Want to know what's going on inside WordPress? Search the Code Reference for more information about WordPress' functions, classes, methods, and hooks.

Try it out:

the_po

- the_post
- the_posts
- the_post_password
- WP_Query::the_post
- the_post_thumbnail
- the_post_navigation
- the_posts_navigation

admin_referrer_policy	Dashboard widgets
alloptions	Database
attachment_submitbox_misc_actions	HTTP API
audio_submitbox_misc_sections	Filesystem

¿TENDRÁ ACTUALIZACIONES?

- Un plugin sin actualizar es inseguro por definición
- Un plugin sin actualizar dice poco de ti
- Un plugin sin actualizar da miedo

Hide fields | Filter | Group | Sort | ...

https://airtable.com/shrp1J02SfHn3dS2y/tbl2dxRrZV8gXHv39

Plugin Name	Active Installs	Plugin URL	Version	Last Updated	Vuln Type	Vuln Title	Vulnerability URL
WP PHP widget*	30000	https://wordpress.org/plu...	1.0.2	10 de Noviembre de 2010	FPD	WP PHP Widget 1.0.2 - Full Pat...	https://wpvulndb.com/vulnerabilit
WP Post to PDF	1000	https://wordpress.org/plu...	2.3.1	18 de Agosto de 2012	XSS	WP Post to PDF 2.3.1 - wp-adm...	https://wpvulndb.com/vulnerabilit
Spreadsheet	1000	https://wordpress.org/plu...	2.0	5 de Diciembre de 2012	XSS	Spreadsheet - /dhtmlxspreadsh...	https://wpvulndb.com/vulnerabilit
Bookmarkify	800	https://wordpress.org/plu...	1.1.3	15 de Febrero de 2010	XSS	Bookmarkify <= 2.9.2 - Cross-S...	https://wpvulndb.com/vulnerabilit
Xorbin Digital Flash Clock	600	https://wordpress.org/plu...	1.0	24 de Abril de 2013	XSS	Xorbin Digital Flash Clock 1.0 - ...	https://wpvulndb.com/vulnerabilit
Image Metadata Cruncher	500	https://wordpress.org/plu...	1.8	13 de Marzo de 2013	XSS	Image Metadata Cruncher - Mu...	https://wpvulndb.com/vulnerabilit
FAQs Manager	400	https://wordpress.org/plu...	1.0	10 de Diciembre de 2012	SQLI	IndiaNIC FAQs Manager 1.0 - Bli...	https://wpvulndb.com/vulnerabilit
FAQs Manager	400	https://wordpress.org/plu...	1.0	10 de Diciembre de 2012	XSS	IndiaNIC FAQs Manager 1.0 - As...	https://wpvulndb.com/vulnerabilit
FAQs Manager	400	https://wordpress.org/plu...	1.0	10 de Diciembre de 2012	UNKNOWN	IndiaNIC FAQs Manager 1.0 - C...	https://wpvulndb.com/vulnerabilit
FAQs Manager	400	https://wordpress.org/plu...	1.0	10 de Diciembre de 2012	CSRF	IndiaNIC FAQs Manager 1.0 - FA...	https://wpvulndb.com/vulnerabilit
Easy Banners	300	https://wordpress.org/plu...	1.4	27 de Octubre de 2012	XSS	Easy Banners 1.4 - Cross-Site S...	https://wpvulndb.com/vulnerabilit
The Crawl Rate Tracker	200	https://wordpress.org/plu...	2.0.2	4 de Septiembre de 2011	SQLI	Craw Rate Tracker <= 2.0.2 - S...	https://wpvulndb.com/vulnerabilit
ThinkIT WP Contact Form	200	https://wordpress.org/plu...	0.1	24 de Julio de 2014	CSRF	ThinkIT <= 0.3 - wp-admin/adm...	https://wpvulndb.com/vulnerabilit
WordSpew*	100	https://wordpress.org/plu...	0.0	25 de Septiembre de 20...	SQLI	Wordspew - Remote SQL Inject...	https://wpvulndb.com/vulnerabilit
bib2html*	100	https://wordpress.org/plu...	0.9.3	31 de Octubre de 2007	XSS	bib2html 0.9.3 - /OSBiB/create/...	https://wpvulndb.com/vulnerabilit
Dynamic Font Replaceme...	100	https://wordpress.org/plu...	1.3 EN	13 de Octubre de 2009	SQLI	Dynamic Font Replacement 1.3 ...	https://wpvulndb.com/vulnerabilit
Floating Tweets	100	https://wordpress.org/plu...	1.0.1	13 de Junio de 2011	XSS	floating-tweets - Stored XSS	https://wpvulndb.com/vulnerabilit
Floating Tweets	100	https://wordpress.org/plu...	1.0.1	13 de Junio de 2011	UNKNOWN	floating-tweets - directory trav...	https://wpvulndb.com/vulnerabilit
A to Z Category Listing	100	https://wordpress.org/plu...	1.2	13 de Septiembre de 2011	SQLI	A to Z Category Listing <= 1.3 -...	https://wpvulndb.com/vulnerabilit
URL Cloak & Encrypt	70	https://wordpress.org/plu...	3.8.0	5 de Enero de 2014	XSS	Cloak & Encrypt < 2.0 - Cross-...	https://wpvulndb.com/vulnerabilit
Spicy Blogroll	40	https://wordpress.org/plu...	1.0.0	20 de Enero de 2011	RFI	Spicy Blogroll - spicy-blogroll-a...	https://wpvulndb.com/vulnerabilit
ecords	Sum 37040						

WordPress.org Español

Plugins

Este plugin **no se ha probado con las últimas 3 versiones mayores de WordPress**. Puede que ya no tenga soporte ni lo mantenga nadie, o puede que tenga problemas de compatibilidad cuando se usa con las versiones más recientes de WordPress.

Exclude Pages

Por Simon Wheatley

¿A que da miedito esto?

Descargar

Este plugin aún no sido traducido a Español. ¡Ayuda a traducirlo!

Detalles Valoraciones Instalación Soporte Desarrollo

Descripción

This plugin adds a checkbox, “include this page in menus”, uncheck this to exclude pages from the page navigation that users see on your site.

Any issues: contact me.This plugin adds a checkbox, “include this page in menus”, which is checked by default. If you uncheck

Versión:	1.92
Última actualización:	**hace 6 años**
Instalaciones activas:	100.000+
Requiere la versión de WordPress:	2.2.3
Probado hasta:	3.4.2

Esto da más miedo

Y esto más aún

¿DARÉ SOPORTE?

- Un plugin sin soporte dice poco de ti
- Un plugin sin soporte genera inseguridad
- Un plugin sin soporte perjudica a la comunidad

Support » Plugin: Exclude Pages

Subscribe to this plugin

Search this forum

1 2 3 →

Única dosis de sensatez

Topic			Last Post
PLEASE ADOPT THIS PLUGIN Started by: Ray Gulick	2	1	1 month, 4 weeks ago mlipenk
Collected Data Started by: 07egidio	1	0	8 months, 2 weeks ago 07egidio
PHP Error: Strict Standards: Only variables should be assigned by reference Started by: Ray Gulick	1	0	1 year, 2 months ago Ray Gulick
Für deutsche User / For german user Started by: m266	1	0	1 year, 5 months ago m266
Strict Standards: Only variables should be assigned by reference in Started by: aehageman	4	3	10 months, 1 week ago lindseeeeee
Broken on a new installation Started by: TuteurWeb	1	0	2 years, 6 months ago TuteurWeb

Lo peor no es de hace cuanto son las consultas lo peor es que nadie les dió respuesta

Howdy, Fernando Tellado

Log Out

Exclude Pages

Frequently Asked Questions

Support Threads

Active Topics

Unresolved Topics

Reviews

Views

Most popular topics

¿ME APORTA ALGO?

- Te conviertes en parte de la comunidad
- Feedback sobre tu código
- Percepción de calidad
- Enorme público objetivo
- Modelo Freemium
- Autoridad como desarrollador: https://profiles.wordpress.org/fernandot

Fernando Tellado

Edit | Notifications

Member Since: November 13th, 2008

Madrid (Spain)

https://ayudawp.com

CEO at BISNIS.es

@fernandot on WordPress.org and Slack

Find me on:

About Me

Activity

Plugins

Favorites

Divi Lightbox for Images

★★★★★

Active Installs: 500+

No Gutenberg

★★★★★

Active Installs: Less than 10

Show only lowest prices in WooCommerce variable products

★★★★★

Active Installs: 1,000+

WordPress WPO Tweaks

★★★★★

Active Installs: 1,000+

¿SÉ INGLÉS?

- La sintaxis del plugin
- Los textos del plugin
- La documentación
- Las comunicaciones con el equipo de plugins
- El soporte del plugin

EL PLUGIN

- Estructura base del plugin
- Seguridad y validación
- Internacionalización (Gettext)
- Buenas prácticas de código

Fernando Tellado
@fernandot
Ayuda WordPress

```php
<?php
/*
Plugin Name:  Nombre de mi plugin
Plugin URI:   https://developer.wordpress.org/plugins/the-basics/
Description:  Descripción básica de lo que hace el plugin
Version:      1.0
Author:       Mi nombre
Author URI:   https://miweb.es
License:      GPL2
License URI:  https://www.gnu.org/licenses/gpl-2.0.html
Text Domain:  slug-de-mi-plugin
Domain Path:  /languages
*/
```

Cabecera del plugin

```
/* Impedir ejecución de PHP en la ruta. Incluye siempre esto
en tus plugins. */

defined( 'ABSPATH' ) || die( 'No script kiddies please!' );
```

Seguridad

Fernando Tellado
@fernandot
Ayuda WordPress

EL PLUGIN INTENCIONADAMENTE VULNERABLE
https://gist.github.com/joncave/5348689
CREA Y VALIDA NONCES
wp_create_nonce
SANEA TODO
sanitize_*()
ESCAPA LA SALIDA DE DATOS
esc_*()

Seguridad

Fernando Tellado
@fernandot
Ayuda WordPress

isset() y empty(): ¿existe una variable y no está en blanco
mb_strlen() o strlen(): la variable tiene los caracteres esperados
preg_match(), strpos(): duplicado de cadenas
count(): cuántos elementos hay en un array
in_array(): qué hay en un array
is_email(): si existe un email y es válido
term_exists(): si existe alguna taxonomía
username_exists(): si existe el usuario
validate_file(): si la ruta es real

Valida todo

```
/* INIT para internacionalización. Incluye siempre esto en tus
plugins. Sustituye "mi-plugin" y "mi_plugin" por el slug de tu plugin
*/

function mi_plugin_init() {

   load_plugin_textdomain( 'mi-plugin', false,
dirname( plugin_basename( __FILE__ ) ) . '/languages' );

}

add_action( 'plugins_loaded', 'mi_plugin_init' );
```

Internacionalización

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Recuerda: Cabecera de mi plugin */
Plugin Name: Mi plugin
Text Domain: mi-plugin
Domain Path: /languages (en wordpress.org ya no hace
falta)
*/
```

Internacionalización

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Internacionalizando cadenas del plugin con Gettext */
__( 'Texto a traducir', 'mi-plugin' );
/* O también */
_e( 'Texto a traducir', 'mi-plugin' )
/* O la versión larga */
echo __( 'Texto a traducir', 'mi-plugin' )
```

Internacionalización

https://developer.wordpress.org/plugins/internationalization/how-to-internationalize-your-plugin/

```
/* Internacionalizando con variables y placeholders */

printf(
    /* Traductores: 1: Nombre de la ciudad 2: Código postal */
    __( 'Tu código postal es %2$s y tu ciudad es %1$s.', 'mi-plugin' ),
    $city,
    $zipcode
);
```

Internacionalización

Fernando Tellado
@fernandot
Ayuda WordPress

```
<?php
//Silence is Golden
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
/mi-plugin
    mi-plugin.php
    uninstall.php
    /languages
    /includes
    /admin
        /js
        /css
        /images
  /public
        /js
        /css
        /images
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
<?php
if ( is_admin() ) {
    // estamos en la administración
    require_once( dirname( __FILE__ ) . '/admin/mi-
plugin-admin.php' );
}
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* PON PREFIJO A TODO PARA EVITAR COLISIONES DE NOMBRES
CON FUNCIONES, VARIABLES, CLASES, ETC */

function mi_plugin_init() {
(lo que haga el init)
}
add_action( 'nombre_de_accion', 'mi_plugin_init' );
```

Buenas prácticas

```
/* VERIFICA LA EXISTENCIA DE VARIABLES, FUNCIONES, ETC */
//Crea una función llamada "wporg_init" si no existe
if ( !function_exists( 'wporg_init' ) ) {
    function wporg_init() {
        register_setting( 'wporg_settings', 'wporg_option_foo'
);
    }
}
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* VERIFICA VERSIONES EN LA CABECERA DEL PLUGIN */
… etc
* WC requires at least: 3.0
* WC tested up to: 3.4
* License: GPLv2+
… etc
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* VALIDA EL CÓDIGO */

https://validator.w3.org/
http://jigsaw.w3.org/css-validator/
https://github.com/squizlabs/PHP_CodeSniffer
https://php.wpdanger.com/plugins.php
```

Buenas prácticas

Fernando Tellado
@fernandot
Ayuda WordPress

```
if (!defined('WP_UNINSTALL_PLUGIN')) {
    die;
}

$option_name = 'wporg_option';
delete_option($option_name);
delete_site_option($option_name);
global $wpdb;
$wpdb->query("DROP TABLE IF EXISTS {$wpdb->prefix}
mytable");
```

uninstall.php

Fernando Tellado
@fernandot
Ayuda WordPress

Analiza cómo están desarrollados los plugins más populares para aprender cómo abordar tu plugin

Extra: Aprende de otros

Fernando Tellado
@fernandot
Ayuda WordPress

CUMPLE LAS ESPECIFICACIONES

- Compatible con GPLv2 o superior
- Eres responsable de los contenidos y acciones de tu plugin
- Debes tener publicada siempre una versión estable
- El código debe ser legible (no ofuscar)
- Prohibido trialware
- Permitido SAS
- No hacer seguimiento a usuarios sin su consentimiento
- No enviar código ejecutable desde servicios externos
- Nada ilegal, deshonesto u ofensivo
- No enlaces externos públicos sin permiso
- No distraer de la administración
- No spam en wordpress.org
- Usar las bibliotecas por defecto de WordPress
- No pasarse con los commits
- Incrementar los números de versión
- No envíes tu plugin sin tenerlo terminado (no hagas reservas de nombres)
- Respeta marcas registradas y nombres

ELIGE BIEN EL NOMBRE

- Se creará el slug a partir del nombre del plugin en el readme
- No podrás cambiar el slug nunca
- No puede coincidir con el slug de otro plugin
- El nombre no puede empezar con nombres de marcas registradas
- No uses redundancias como 'plugin para xxx' o 'WordPress xxx'
- Crea inicialmente un nombre (slug) corto, mejora/amplía el nombre en las actualizaciones

```
/* Te lo rechazarán por incluir plugin y
WordPress */
Mi maravilloso plugin WordPress para WPO
/* Crearía un slug terrible */
mi-maravilloso-plugin-worpress-para-wpo
```

Elige bien el nombre

Fernando Tellado
@fernandot
Ayuda WordPress

```
/* Nombre de mi plugin */
Speedy
/* Crearía un slug genial */
speedy
/* Cuanto te lo aprueben cambia el nombre */
Speedy - El mejor plugin para acelerar tu web
```

Elige bien el nombre

Es seguro https://es.wordpress.org/plugins/show-only-lowest-prices-in-woocommerce-variable-products/

Mis sitios

Hola, Fernando Tellado

WordPress.org Español

Temas Plugins Soporte Colabora Equipo Meetups Nosotros Blog

Descarga WordPress

Plugins

Mis favoritos Pruebas beta Desarrolladores

Buscar plugins

Mal slug

Muestra solo los precios más bajos en los productos variables de WooCommerce

Por Fernando Tellado

Descargar

Detalles Valoraciones Instalación Soporte Desarrollo

Es seguro | https://es.wordpress.org/plugins/wpo-tweaks/

Mis sitios

Hola, Fernando Tellado

WordPress.org Español

Temas Plugins Soporte Colabora Equipo Meetups Nosotros Blog

Descarga WordPress

Plugins

Mis favoritos Pruebas beta Desarrolladores

Buscar plugins

Buen slug

Mejoras WPO para WordPress

Por Fernando Tellado

Descargar

Nombre mejorado en el primer commit

Detalles Valoraciones Instalación Soporte Desarrollo

EL README.TXT PERFECTO

- Un buen título SEO
- Descripción corta: max. 150 caracteres, que diga al usuario en qué le ayudará tu plugin. Se usa en el buscador de plugins. Buen SEO
- Descripción larga: vende tu plugin, da detalles técnicos, útil y relevante aprende de los mejores
- FAQ: Anticípate, errores recurrentes en los foros, incluye códigos útiles
- Extras: Aporta valor, véndete

EL README.TXT PERFECTO

- Usa Markdown
- === Nombre del plugin ===
- == Secciones ==
- = Subsecciones =
- 1. 2. Lista ordenada
- * * Lista desordenada
- `Código`
- https://github.com/fernandotellado/publicatuplugin/blob/master/readme.txt

Fernando Tellado
@fernandot
Ayuda WordPress

EL README.TXT PERFECTO

- Recomienda versiones de WordPress actuales y PHP. Añade las tags:
  - Requires at least: 4.x
  - Tested up to: 4.9.x
  - Requires PHP: 5.6

Versión:	0.9.11
Última actualización:	hace 6 días
Instalaciones activas:	1.000+
Requiere la versión de WordPress:	4.2
Probado hasta:	4.9.6
Requiere la versión de PHP:	5.6
Idiomas:	Ver todos los 4
Etiquetas:	browser cache, gzip, optimisation, optimization, wpo

```
=== Nombre del plugin ===
Contributors: (esto debería ser una lista de usuarios de wordpress.org)
Donate link: https://ejemplo.com/
Tags: comments, spam
Requires at least: 4.6
Tested up to: 4.7
Stable tag: 4.3
Requires PHP: 5.2.4
License: GPLv2 or later
License URI: https://www.gnu.org/licenses/gpl-2.0.html

Aquí una descripción corta del plugin. No debería tener más de 150.  No uses marcado aquí.

== Description ==

Esta es la descripción larga. Sin límite, y puedes usar Markdown (así como en las siguientes secciones).

Por compatibilidad previa, si no está disponible esta sección ses usa toda la descripción corta y analiza el Markdown.

Unas cuantas notas sobre las secciones anteriores:

*   "Contributors" es una lista separada por comas de nombres de usuario de wordpress.org
*   "Tags" es una lista separada por comas de la lista de etiquetas aplicable al plugin
*   "Requires at least" es la versión más antigua en la que funcionará el plugin
*   "Tested up to" es la versión más moderna en la que "has probado con éxito el plugin". Podría funcionar en versiones superiores …
esta es simplemente la más moderna en la que lo has verificado.
```

Readme Validator https://es.wordpress.org/plugins/developers/readme-validator/

Validador de readme.txt de plugins WordPress

https://

¡Validar!

... o pega tu `readme.txt` aquí:

=== Plugin Name ===

¡Validar!

Añade tu plugin

Una vez enviado, tu plugin se revisará manualmente pare encontrar cualquier error habitual, así como para asegurar que cumple todas las directrices.

Actualmente hay **4** plugins en espera de revisión.

Seleccionar archivo Subir

Tamaño máximo permitido del archivo: 50MB

Incluso si has enviado una docena de plugins, tómate el tiempo para refrescar tu memoria con la siguiente información:

- Cómo usar SVN
- Recursos de plugins (y cómo usarlos)
- Preguntas frecuentes de desarrollador

PLUGIN RECHAZADO

- No entres en pánico
- No lo envíes otra vez
- Aplica las recomendaciones
- Responde a lo que te pregunten por email
- Reenvía el plugin mejorado por email
- **Aprende**

[WordPress Plugin Directory] Request: Divi Lightbox for images

Ipstenu (Mika Epstein) <plugins@wordpress.org> 5/12/17
para mí

Plugin rechazado - NO ENTRES EN PÁNICO

We cannot accept your plugin with this name

Your autogenerated plugin slug was this: divi-lightbox-for-images

Recomendaciones

Since you don't appear to legally represent that group, we need to change the plugin slug.

We recommend the following: lightbox-for-images-divi

A rather lengthy explanation of why is included below, but the tl;dr is that we're no longer accepting plugins that begin with (or are in total) a trademarked product name or term as the name or slug of a plugin (ex: Facebook or google-maps-bathrooms). Nor are we accepting plugins that include the name of another plugin at the beginning of the name/slug (eg: contact-form-7-music), UNLESS you legally represent that service/plugin/theme/etc.

Please reply to this email with what slug you'd like. We'll edit it slug for you.

You DO NOT need to edit your code for this. ALL we need is to be on the same page for the plugin slug :)

If you DO work for the company, reply to this email and tell us. We can fix your submission.

Here's the long stuff.

The slug for your plugin is generated based on the name you put in your main plugin file, with hyphens inserted in place of spaces. This means if you were to name your plugin "My Really Cool Cookie Jam" then your URL on WordPress.org would be http://wordpress.org/plugins/my-really-cool-cookie-jam

This becomes a larger issue when plugins use the names of other plugins in their own.

For example, if you have written an add-on plugin for WooCommerce, you may not name it "WooCommerce Improved Product Search" as that would generate the slug "woocommerce-improved-product-search" and that would conflict with the trademark of 'WooCommerce.' That said, it would be acceptable to submit the name "Woo Improved Product Search" which would use the slug "woo-improved-product-search" (woo not being trademarked you see).

As another example, if you have a plugin that integrates a service with a Easy Digital Downloads, you may call it "My Service Integration for Easy Digital Downloads", but you may not use "Easy Digital Downloads - My Service Integration". Alternately you could use 'EDD My Service Integration' and that too would be permitted.

None of this impacts your display name of your plugin. The display name is generated from your readme.txt, and that can be whatever you'd like. Keep in mind, you should use "My Product for Other Product" as the description. Consider the example of Keurig. If you made an eco-friendly brew cup, you could market it "EcoBrew Pod for Keurig" but you could NOT attempt to market it as "Keurig EcoBrew Pod." The latter implies a direct relationship to Keurig and is actually against the law in some countries.

PLUGIN APROBADO

- Sigue las indicaciones
- Planifica bien el primer commit
- Tómate tu tiempo, no hay prisa
- ¡Tómate algo!

[WordPress.org Plugins] Request Approved: show-only-lowest-prices-in-woocommerce-variable-products

WordPress.org <plugins@wordpress.org> 17/3/17
para mí

fernandot,

Congratulations, your plugin hosting request has been approved.

Plugin aprobado :-)

Within one hour you will have access to your SVN repository with the WordPress.org username and password you used to log in and submit your request. Your username is case sensitive.

https://plugins.svn.wordpress.org/show-only-lowest-prices-in-woocommerce-variable-products/

Here are some handy links to help you get started.

WordPress Plugin Directory Guidelines:
https://developer.wordpress.org/plugins/wordpress-org/detailed-plugin-guidelines/

Using Subversion with the WordPress Plugin Directory:
https://developer.wordpress.org/plugins/wordpress-org/how-to-use-subversion/

FAQ about the WordPress Plugin Directory:
https://developer.wordpress.org/plugins/wordpress-org/plugin-developer-faq/

WordPress Plugin Directory readme.txt standard:
https://wordpress.org/plugins/about/readme.txt

A readme.txt validator:
https://wordpress.org/plugins/about/validator/

Plugin Assets (header images etc):
https://developer.wordpress.org/plugins/wordpress-org/plugin-assets/

If you have issues or questions, please reply to this email and let us know.

Enjoy!

-The WordPress Plugin Directory Team
https://make.wordpress.org/plugins/

Siguientes pasos

- Revision 1902058: /wpo-tweaks

- ..
- assets/
- branches/
- languages/
- tags/
- trunk/

Powered by Apache Subversion version 1.9.5 (r1770682).

Plugin Directory

source: wpo-tweaks

View revision: View diff against:

Name	Size	Rev	Age	Author	Last Change
../					
assets		1750639	8 months	fernandot	Banners and icons changed
branches		1747492	9 months	plugin-master	Adding WordPress WPO Tweaks by fernandot.
languages		1747712	9 months	fernandot	first languages folder
tags		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
0.9.8		1868637	2 months	fernandot	New functions added and versioning
0.9.9		1868637	2 months	fernandot	New functions added and versioning
0.9.10		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
0.9.11		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
trunk		1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
readme.txt	8.7 KB	1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
wordpress-wpo-tweaks.php	8.6 KB	1899025	5 days	fernandot	Security check to prevent error 500 in some intalls

View changes...

Note: See TracBrowser for help on using the repository browser.

Plugin Directory

source: wpo-tweaks

Revision Log Mode:

- Stop on copy
- Follow copies
- Show only adds and deletes

View log starting at 19020! and back to

Show at most 100 revisions per page.

Show full log messages

Update

Added Modified Copied or renamed

View changes

Diff		Rev	Age	Author	Log Message
		@1899025	5 days	fernandot	Security check to prevent error 500 in some intalls
		@1880627	5 weeks	fernandot	wp version supported
		@1868647	2 months	fernandot	right tag on trunk
		@1868637	2 months	fernandot	New functions added and versioning
		@1857853	3 months	fernandot	wp new version compatibility update
		@1786379	7 months	fernandot	readme text change
		@1785995	7 months	fernandot	Bug fixed for dashicons
		@1761792	8 months	fernandot	wp 4.9 compatibility check
		@1756131	8 months	fernandot	minor update
		@1752863	8 months	fernandot	change defer parsing method to solve issues
		@1752293	8 months	fernandot	solve issues of defear parsing of js with AMP

PUBLICANDO EL PLUGIN

- Crea el directorio = slug aprobado
- Crea las subcarpetas (assets, trunk, tags, ¿languages?)
- Mueve archivos y carpetas del plugin al directorio
- Crea capturas, iconos y banners
- Checkout
- Commit

Fernando Tellado
@fernandot
Ayuda WordPress

PUBLICANDO EL PLUGIN

- Primero sube la VMV (Versión Mínima Viable)
- Aplica las modificaciones propuestas
- Sube la versión arreglada
- Escribe un buen *title*
- Escribe una buena descripción
- Commit de la versión mejorada

Fernando Tellado
@fernandot
Ayuda WordPress

ASSETS

- Banner normal: banner-772x250.(jpg|png)
- Banner Retina: banner-1544x500.(jpg|png)
- Icono normal: icon-128x128.(png|jpg)
- Icono Retina: icon-256x256.(png|jpg)
- Icono SVG: icon.svg
- Captura 1: screenshot-1.(png|jpg)
- Captura 2: screenshot-2.(png|jpg)

```
$ cd mi-plugin
$ svn checkout https://plugins.svn.wordpress.org/
mi-plugin mi-plugin
$ svn add trunk/*
$ svn add assets/*
$ svn add tags/*
$ svn svn commit - m 'Primera versión de mi-plugin'
```

CONSOLA SVN

SVN HELP

- svn help
- svn help add
- svn help checkout
- svn help commit
- ls
- cd
- mkdir

```
AyudaWP:wpo-tweaks ft$ svn help
usage: svn <subcommand> [options] [args]
Subversion command-line client, version 1.4.4.
Type 'svn help <subcommand>' for help on a specific subcommand.
Type 'svn --version' to see the program version and RA modules
  or 'svn --version --quiet' to see just the version number.

Most subcommands take file and/or directory arguments, recursing
on the directories.  If no arguments are supplied to such a
command, it recurses on the current directory (inclusive) by default.

Available subcommands:
   add
   blame (praise, annotate, ann)
   cat
   checkout (co)
   cleanup
   commit (ci)
   copy (cp)
   delete (del, remove, rm)
   diff (di)
   export
   help (?, h)
   import
   info
   list (ls)
   lock
   log
   merge
   mkdir
   move (mv, rename, ren)
   propdel (pdel, pd)
   propedit (pedit, pe)
   propget (pget, pg)
   proplist (plist, pl)
   propset (pset, ps)
   resolved
   revert
   status (stat, st)
   switch (sw)
   unlock
   update (up)
```

SMARTSVN
TRAC
SUBTILE

RAPIDSVN
QSVN
ESVN

CLIENTE SUB VERSION

Fernando Tellado
@fernandot
Ayuda WordPress

Directories

- svn-1.9.x (1.9.x, 1824509)
  - build
  - contrib
  - doc
  - notes
  - subversion
  - tools

Files — 2,166 files hidden — File Filter

Name	Revision	Local State	Change Set	Copy From	Relative Directory	Branch
x509parse.c	1824509	Modified			subversion/libsvn_subr	branch '1.9.x'
x509-test.c	1824509	Modified			subversion/tests/libsvn_subr	branch '1.9.x'

Changes for x509parse.c (EOL: Windows) — +2~5

```
258     return svn_error_create(SVN_ERR_X509_CERT_INVALID_ALG, err, NULL);
259
260   alg->p = *p;
261   *p += alg->len;
262
263   if (*p == end)
264     return SVN_NO_ERROR;
265
266   /*
267    * assume the algorithm parameters must be NULL
268    */
269   err = asn1_get_tag(p, end, &len, ASN1_NULL);
270   if (err)
271     return svn_error_create(SVN_ERR_X509_CERT_INVALID_ALG, err, NULL);
272
273   if (*p != end)
274     {
275       err = svn_error_create(SVN_ERR_ASN1_LENGTH_MISMATCH, NULL, NULL);
276       return svn_error_create(SVN_ERR_X509_CERT_INVALID_ALG, err, NULL);
277     }
278
```

```
274     *  hashAlgorithm      [0] HashAlgorithm    DEFAULT sha1,
        *  maskGenAlgorithm   [1] MaskGenAlgorithm DEFAULT mgf1SHA1,
        *  saltLength         [2] INTEGER          DEFAULT 20,
        *  trailerField       [3] TrailerField     DEFAULT trailerFieldBC
        * }
        */
        err = asn1_get_tag(p, end, &len, ASN1_CONSTRUCTED | ASN1_SEQUENCE);
        if (err)
          return svn_error_create(SVN_ERR_X509_CERT_INVALID_ALG, err, NULL);

        *p += len;
      }
286   else
287     {
288       /* Algorithm parameters must be NULL for other algorithms */
289       err = asn1_get_tag(p, end, &len, ASN1_NULL);
290       if (err)
291         return svn_error_create(SVN_ERR_X509_CERT_INVALID_ALG, err, NULL);
292     }
293
294   if (*p != end)
```

Output

- Merge: . successfully merged. (2 entries)
  - subversion\tests\libsvn_subr\x509-test.c (Modified)
  - subversion\libsvn_subr\x509parse.c (Modified)

Transactions

- https://svn.apache.org/repos/asf/subversion/branches/1.9.x (25 revisions)
  - Today (2 revisions)
    - 1824405 05:00 svn-role 3 entries Merge r1818584 from trunk: * r1818584
    - 1824399 02:49 jamessan 1 entry * STATUS: Vote +1 on r1818584, approving.
  - 2018-02-11 (1 revision)

SmartSVN | Project | Edit | View | Modify | Change Set | Tag+Branch

Update | Commit | move | Move | Revert | D

- Check Out...

- Open Working Copy...
- Edit Working Copy...
- Manage As Project...
- Remove Working Copy...

- Import Into Repository...
- Set Up Local Repository...

- Open or Manage Projects... ⌘P
- Close ⌘W

- Manage Log Caches...

- Settings...
- Default Settings

Steps

- Repository
- Location
- Local Directory
- Project

Repository

Select from which repository you want to check out.

Repository: https://plugins.svn.wordpress.org/wpo-tweaks

Cancel | Go Back | Continue | Finish

Steps

- Repository
- > Location
- Local Directory
- Project

Location

Select the file or directory you want to check out.

HEAD of https://plugins.svn.wordpress.org/wpo-tweaks

Show Revision...

Directories

- wpnibbler (508184)
- wpnivo (490522)
- wpnofollow-all-post-links (248433)
- wpnopin (509750)
- wpnotificationbar (270559)
- wpnsc-not-short-code (87165)
- wpo-tweaks (1899025)
  - assets (1750639)
  - branches
  - languages (1747712)
  - tags (1899025)
  - trunk (1899025)

URL: https://plugins.svn.wordpress.org/wpo-tweaks

Cancel | Go Back | Continue | Finish

Steps

- Repository
- Location
- > Local Directory
- Project

Local Directory

Enter or select a local directory, where the checked out project should be stored.

Local Directory: ~/Documents/user/mis-plugins/wpo-tweaks

Check Out:
- ( ) Directly into the above directory
- (•) Into subdirectory: wpo-tweaks
- ( ) Relative to repository root

Checkout will be performed directly into the following final directory. If it does not exist yet, it will be created automatically.

Checkout Directory: /Users/fer 1/Documents/user/mis-plugins/wpo-tweaks/wpo-tweaks

Checkout Depth: Fully recursive

Cancel | Go Back | Continue | Finish

wpo-tweaks - SmartSVN Foundation 9.1.3

Update | Commit | Add | Remove | Move | Revert | Delete | Fix | Changes | Annotate | Log | Graph | Main | Review | Purchase

3. Commit

Directories

- wpo-tweaks (174769
  - assets
  - branches
  - languages (174771
  - tags
  - trunk (1747702)

Files

19 files hidden | File Filter

Name	Revision	Local State	Copy From	Relative Directory
banner-772x250.jpeg		Removed		assets
wordpress-wpo-tweaks.php	1899025	Modified		trunk

1. Clic en Review

2. Revisa los cambios

Changes for wordpress-wpo-tweaks.php (EOL: Unix)

```
1  <?php
2  /**
3   * Plugin Name: WPO Tweaks
4   * Plugin URI: https://servicios.ayudawp.com/
5   * Description: Several WordPress WPO Optimizations to save hosting resources, Speed Up WordP
6   * Version: 0.9.11
7   * Author: Fernando Tellado
8   * Author URI: https://tellado.es/
9   *
10  * @package Nombre del plugin
11  * License: GPL2+
12  * License URI:  https://www.gnu.org/licenses/gpl-2.0.html
13  * Text Domain: wpo-tweaks
14  *
15  * WordPress WPO is free software: you can redistribute it and/or modify
16  * it under the terms of the GNU General Public License as published by
17  * the Free Software Foundation, either version 2 of the License, or
18  * any later version.
19  *
20  * WordPress WPO is distributed in the hope that it will be useful,
21  * but WITHOUT ANY WARRANTY; without even the implied warranty of
22  * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
23  * GNU General Public License for more details.
24  *
25  * You should have received a copy of the GNU General Public License
26  * along with WordPress WPO. If not, see https://www.gnu.org/licenses/gpl-2.0.html
27  */
28
29 defined( 'ABSPATH' ) || die( 'No script kiddies please!' );
30
31 /* INIT FOR TRANSLATION READY */
32 function wpo_tweaks_init() {
33     load_plugin_textdomain( 'wpo-tweaks', false, dirname( plugin_basename( __FILE__ ) ) . '/l
```

```
1  <?php
2  /**
3   * Plugin Name: WPO Tweaks
4   * Plugin URI: https://servicios.ayudawp.com/
5   * Description: Several WordPress WPO Optimizations to save hosting resources, Speed Up WordP
6   * Version: 0.9.12
7   * Author: Fernando Tellado
8   * Author URI: https://tellado.es/
9   *
10  * @package Nombre del plugin
11  * License: GPL2+
12  * License URI:  https://www.gnu.org/licenses/gpl-2.0.html
13  * Text Domain: wpo-tweaks
14  *
15  * WordPress WPO is free software: you can redistribute it and/or modify
16  * it under the terms of the GNU General Public License as published by
17  * the Free Software Foundation, either version 2 of the License, or
18  * any later version.
19  *
20  * WordPress WPO is distributed in the hope that it will be useful,
21  * but WITHOUT ANY WARRANTY; without even the implied warranty of
22  * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the
23  * GNU General Public License for more details.
24  *
25  * You should have received a copy of the GNU General Public License
26  * along with WordPress WPO. If not, see https://www.gnu.org/licenses/gpl-2.0.html
27  */
28
29 defined( 'ABSPATH' ) || die( 'No script kiddies please!' );
30
31 /* INIT FOR TRANSLATION READY */
32 function wpo_tweaks_init() {
33     load_plugin_textdomain( 'wpo-tweaks', false, dirname( plugin_basename( __FILE__ ) ) . '/l
```

EXTRA: PUBLÍCALO EN GITHUB

- WordPress.org lleva demasiados años usando SVN
- Oportunidades de mejora por parte de colaboradores
- Exportar de GIT a SVN: https://github.com/Seravo/git-to-wordpress-plugin-svn-pusher
- En algún momento se abandonará SVN en favor de GIT

MI PLUGIN… ES TAAAAAN MONO

- Suscríbete a make.wordpress.org/plugins
- Suscríbete a #plugins en WP Slack
- Atiende las consultas en los foros
- Fomenta (buenas) valoraciones
- Actualízalo / Mejóralo
- Disfruta

Fernando Tellado
@fernandot
Ayuda WordPress

MI PLUGIN… ES TAAAAAN MONO

Fernando Tellado
@fernandot
Ayuda WordPress

MI PLUGIN… ES TAAAAAN MONO

Fernando Tellado
@fernandot
Ayuda WordPress

WordCamp
Sevilla 2018

Fernando Tellado
@fernandot
Ayuda WordPress

¡GRACIAS!

https://github.com/fernandotellado/publicatuplugin