

◀ 1 ▶

```

user
[CONTEXT]

[TABLE fetal_health]

Column metadata:

    baseline value (DOUBLE) ---- {'count': 2126, 'unique_count': 48, 'null_count': 0, 'min': 106.0, 'max': 160.0,
'avg': 133.3038570084666}
    accelerations (DOUBLE) ---- {'count': 2126, 'unique_count': 20, 'null_count': 0, 'min': 0.0, 'max': 0.019, 'avg':
0.003178269049858867}
    fetal_movement (DOUBLE) ---- {'count': 2126, 'unique_count': 102, 'null_count': 0, 'min': 0.0, 'max': 0.481,
'avg': 0.009480714957667028}

```

uterine_contractions (DOUBLE) ---- {'count': 2126, 'unique_count': 16, 'null_count': 0, 'min': 0.0, 'max': 0.015, 'avg': 0.004366415804327334}

light_decelerations (DOUBLE) ---- {'count': 2126, 'unique_count': 16, 'null_count': 0, 'min': 0.0, 'max': 0.015, 'avg': 0.0018894637817497494}

severe_decelerations (DOUBLE) ---- {'count': 2126, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 0.001, 'avg': 3.292568203198495e-06}

prolongued_decelerations (DOUBLE) ---- {'count': 2126, 'unique_count': 6, 'null_count': 0, 'min': 0.0, 'max': 0.005, 'avg': 0.00015851364063969908}

abnormal_short_term_variability (DOUBLE) ---- {'count': 2126, 'unique_count': 75, 'null_count': 0, 'min': 12.0, 'max': 87.0, 'avg': 46.99012229539041}

mean_value_of_short_term_variability (DOUBLE) ---- {'count': 2126, 'unique_count': 57, 'null_count': 0, 'min': 0.2, 'max': 7.0, 'avg': 1.3327845719661344}

percentage_of_time_with_abnormal_long_term_variability (DOUBLE) ---- {'count': 2126, 'unique_count': 87, 'null_count': 0, 'min': 0.0, 'max': 91.0, 'avg': 9.846660395108184}

mean_value_of_long_term_variability (DOUBLE) ---- {'count': 2126, 'unique_count': 249, 'null_count': 0, 'min': 0.0, 'max': 50.7, 'avg': 8.187629350893681}

histogram_width (DOUBLE) ---- {'count': 2126, 'unique_count': 154, 'null_count': 0, 'min': 3.0, 'max': 180.0, 'avg': 70.44590780809031}

histogram_min (DOUBLE) ---- {'count': 2126, 'unique_count': 109, 'null_count': 0, 'min': 50.0, 'max': 159.0, 'avg': 93.57949200376294}

histogram_max (DOUBLE) ---- {'count': 2126, 'unique_count': 86, 'null_count': 0, 'min': 122.0, 'max': 238.0, 'avg': 164.02539981185325}

histogram_number_of_peaks (DOUBLE) ---- {'count': 2126, 'unique_count': 18, 'null_count': 0, 'min': 0.0, 'max': 18.0, 'avg': 4.068203198494826}

histogram_number_of_zeroes (DOUBLE) ---- {'count': 2126, 'unique_count': 9, 'null_count': 0, 'min': 0.0, 'max': 10.0, 'avg': 0.3236124176857949}

histogram_mode (DOUBLE) ---- {'count': 2126, 'unique_count': 88, 'null_count': 0, 'min': 60.0, 'max': 187.0, 'avg': 137.45202257761053}

histogram_mean (DOUBLE) ---- {'count': 2126, 'unique_count': 103, 'null_count': 0, 'min': 73.0, 'max': 182.0, 'avg': 134.61053621825025}

histogram_median (DOUBLE) ---- {'count': 2126, 'unique_count': 95, 'null_count': 0, 'min': 77.0, 'max': 186.0, 'avg': 138.09031044214487}

histogram_variance (DOUBLE) ---- {'count': 2126, 'unique_count': 133, 'null_count': 0, 'min': 0.0, 'max': 269.0, 'avg': 18.808090310442147}

histogram_tendency (DOUBLE) ---- {'count': 2126, 'unique_count': 3, 'null_count': 0, 'min': -1.0, 'max': 1.0, 'avg': 0.32031984948259645}

fetal_health (DOUBLE) ---- {'count': 2126, 'unique_count': 3, 'null_count': 0, 'min': 1.0, 'max': 3.0, 'avg': 1.304327375352775}



Sample data:

| baseline_value | accelerations | fetal_movement | uterine_contractions | light_decelerations |
severe_decelerations | prolonged_decelerations | abnormal_short_term_variability |
mean_value_of_short_term_variability | percentage_of_time_with_abnormal_long_term_variability |
mean_value_of_long_term_variability | histogram_width | histogram_min | histogram_max |
histogram_number_of_peaks | histogram_number_of_zeroes | histogram_mode | histogram_mean |
histogram_median | histogram_variance | histogram_tendency | fetal_health |
0| 120.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 0.0 | 73.0 | 0.5 | 43.0 | 2.4 | 64.0 | 62.0 | 126.0 | 2.0 | 0.0 | 120.0 | 137.0 | 121.0
| 73.0 | 1.0 | 2.0 |
1| 132.0 | 0.006 | 0.0 | 0.006 | 0.003 | 0.0 | 0.0 | 17.0 | 2.1 | 0.0 | 10.4 | 130.0 | 68.0 | 198.0 | 6.0 | 1.0 | 141.0 |
136.0 | 140.0 | 12.0 | 0.0 | 1.0 |
2| 133.0 | 0.003 | 0.0 | 0.008 | 0.003 | 0.0 | 0.0 | 16.0 | 2.1 | 0.0 | 13.4 | 130.0 | 68.0 | 198.0 | 5.0 | 1.0 | 141.0 |
135.0 | 138.0 | 13.0 | 0.0 | 1.0 |
3| 134.0 | 0.003 | 0.0 | 0.008 | 0.003 | 0.0 | 0.0 | 16.0 | 2.4 | 0.0 | 23.0 | 117.0 | 53.0 | 170.0 | 11.0 | 0.0 | 137.0 |
134.0 | 137.0 | 13.0 | 1.0 | 1.0 |
4| 132.0 | 0.007 | 0.0 | 0.008 | 0.0 | 0.0 | 0.0 | 16.0 | 2.4 | 0.0 | 19.9 | 117.0 | 53.0 | 170.0 | 9.0 | 0.0 | 137.0 | 136.0 |
138.0 | 11.0 | 1.0 | 1.0 |

[GOAL]

Make a complete EDA of my dataset

[OUTPUT]

assistant

```
```json
{
 "mode": "overview",
 "recommendation": "To perform a complete EDA of the dataset, we first need to understand the overall structure and distribution of the data. The 'fetal_health' table contains various features related to fetal health, so we'll start by examining the summary statistics and distributions of these features.",
 "output_fields": [
```




```
"feature_name",
"count",
"unique_count",
"null_count",
"min",
"max",
"avg",
"data_type"
],
"chart_type": "bar",
"visualization_fields": [
 "feature_name",
 "avg"
]
}
...
```

```
```sql
SELECT
  column_name AS feature_name,
  count AS count,
  unique_count AS unique_count,
  null_count AS null_count,
  min AS min,
  max AS max,
  avg AS avg,
  data_type
FROM
  (SELECT
    UNNEST(ARRAY['baseline value', 'accelerations', 'fetal_movement', 'uterine_contractions',
'light_decelerations',
  'severe_decelerations', 'prolongued_decelerations', 'abnormal_short_term_variability',
  'mean_value_of_short_term_variability', 'percentage_of_time_with_abnormal_long_term_variability',
  'mean_value_of_long_term_variability', 'histogram_width', 'histogram_min', 'histogram_max',
  'histogram_number_of_peaks', 'histogram_number_of_zeroes', 'histogram_mode', 'histogram_mean',
  'histogram_median', 'histogram_variance', 'histogram_tendency', 'fetal_health']) AS column_name,
    UNNEST(ARRAY[2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126, 2126,
2126, 2126, 2126, 2126, 2126, 2126]) AS count,
    UNNEST(ARRAY[48, 20, 102, 16, 16, 2, 6, 75, 57, 87, 249, 154, 109, 86, 18, 9, 88, 103, 95, 133, 3, 3]) AS
```



```
unique_count,  
  UNNEST(ARRAY[0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0]) AS null_count,  
  UNNEST(ARRAY[106.0, 0.0, 0.0, 0.0, 0.0, 0.0, 0.0, 12.0, 0.2, 0.0, 0.0, 3.0, 50.0, 122.0, 0.0, 0.0, 60.0, 73.0,  
77.0, 0.0, -1.0, 1.0]) AS min,  
  UNNEST(ARRAY[160.0, 0.019, 0.481, 0.015, 0.015, 0.001, 0.005, 87.0, 7.0, 91.0, 50.7, 180.0, 159.0, 238.0,  
18.0, 10.0, 187.0, 182.0, 186.0, 269.0, 1.0, 3.0]) AS max,  
  UNNEST(ARRAY[133.3038570084666, 0.003178269049858867, 0.009480714957667028,  
0.004366415804327334, 0.0018894637817497494, 3.292568203198495e-06, 0.00015851364063969908,  
46.99012229539041, 1.3327845719661344, 9.846660395108184, 8.187629350893681, 70.44590780809031,  
93.57949200376294, 164.02539981185325, 4.068203198494826, 0.3236124176857949, 137.45202257761053,  
134.61053621825025, 138.09031044214487, 18.808090310442147, 0.32031984948259645,  
1.304327375352775]) AS avg,  
  UNNEST(ARRAY['DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE',  
'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE',  
'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE', 'DOUBLE']) AS data_type  
) AS metadata;  
...
```



AI generated results can be inaccurate, inspect it!



sample data from **view_quoj** (8 columns × 22 rows)

[show column stats](#)

feature_name	count	unique_count	null_count	min	max	avg	data_type
baseline value	2126	48	0	106	160	133.3038570085	DOUBLE
accelerations	2126	20	0	0	0.019	0.003178269	DOUBLE
fetal_movement	2126	102	0	0	0.481	0.009480715	DOUBLE
uterine_contractions	2126	16	0	0	0.015	0.0043664158	DOUBLE
light_decelerations	2126	16	0	0	0.015	0.0018894638	DOUBLE
severe_decelerations	2126	2	0	0	0.001	0.0000032926	DOUBLE
prolongued_decelera...	2126	6	0	0	0.005	0.0001585136	DOUBLE
abnormal_short_ter...	2126	75	0	12	87	46.9901222954	DOUBLE
mean_value_of_shor...	2126	57	0	0.2	7	1.332784572	DOUBLE
.....							