

Chat Log

Transformation Code

```
SELECT
    'BMI' AS column_name,
    BMI AS value
FROM
    diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
    'MentHlth' AS column_name,
    MentHlth AS value
FROM
    diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
    'PhysHlth' AS column_name,
    PhysHlth AS value
FROM
    diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
    'Age' AS column_name,
    Age AS value
FROM
    diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
    'Education' AS column_name,
    Education AS value
FROM
    diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
    'Income' AS column_name,
    Income AS value
FROM
    diabetes_012_health_indicators_brfss2015;
```

Derivation Dialog



user

[CONTEXT]

[TABLE diabetes_012_health_indicators_brfss2015]

Column metadata:

Diabetes_012 (DOUBLE) ---- {'count': 253680, 'unique_count': 3, 'null_count': 0, 'min': 0.0, 'max': 2.0, 'avg': 0.29692131819615264}

HighBP (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.4290011037527594}

HighChol (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.4241209397666351}

CholCheck (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.9626695048880479}

BMI (DOUBLE) ---- {'count': 253680, 'unique_count': 84, 'null_count': 0, 'min': 12.0, 'max': 98.0, 'avg': 28.382363607694735}

Smoker (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.44316855881425415}

Stroke (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.04057079785556607}

HeartDiseaseorAttack (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.09418558814254178}

PhysActivity (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.7565436770734784}

Fruits (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.6342557552822453}

Veggies (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.811419899085462}

HvyAlcoholConsump (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.05619678334910123}

AnyHealthcare (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.9510525070955534}

NoDocbcCost (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.08417691579943236}

GenHlth (DOUBLE) ---- {'count': 253680, 'unique_count': 5, 'null_count': 0, 'min': 1.0, 'max': 5.0, 'avg': 2.5113923052664773}

MentHlth (DOUBLE) ---- {'count': 253680, 'unique_count': 31, 'null_count': 0, 'min': 0.0, 'max': 30.0, 'avg': 3.1847721538946705}



PhysHlth (DOUBLE) ---- {'count': 253680, 'unique_count': 31, 'null_count': 0, 'min': 0.0, 'max': 30.0, 'avg': 4.2420805739514345}
DiffWalk (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.16822374645222327}
Sex (DOUBLE) ---- {'count': 253680, 'unique_count': 2, 'null_count': 0, 'min': 0.0, 'max': 1.0, 'avg': 0.4403421633554084}
Age (DOUBLE) ---- {'count': 253680, 'unique_count': 13, 'null_count': 0, 'min': 1.0, 'max': 13.0, 'avg': 8.032119205298013}
Education (DOUBLE) ---- {'count': 253680, 'unique_count': 6, 'null_count': 0, 'min': 1.0, 'max': 6.0, 'avg': 5.050433617155472}
Income (DOUBLE) ---- {'count': 253680, 'unique_count': 8, 'null_count': 0, 'min': 1.0, 'max': 8.0, 'avg': 6.053874960580258}

Sample data:

| Diabetes_012 | HighBP | HighChol | CholCheck | BMI | Smoker | Stroke | HeartDiseaseorAttack | PhysActivity | Fruits | Veggies | HvyAlcoholConsump | AnyHealthcare | NoDocbcCost | GenHlth | MentHlth | PhysHlth | DiffWalk | Sex | Age | Education | Income |
0| 0.0 | 1.0 | 1.0 | 1.0 | 40.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 1.0 | 0.0 | 5.0 | 18.0 | 15.0 | 1.0 | 0.0 | 9.0 | 4.0 | 3.0 |
1| 0.0 | 0.0 | 0.0 | 0.0 | 25.0 | 1.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 3.0 | 0.0 | 0.0 | 0.0 | 0.0 | 7.0 | 6.0 | 1.0 | 2.0 |
2| 0.0 | 1.0 | 1.0 | 1.0 | 28.0 | 0.0 | 0.0 | 0.0 | 0.0 | 1.0 | 0.0 | 0.0 | 1.0 | 1.0 | 5.0 | 30.0 | 30.0 | 1.0 | 0.0 | 9.0 | 4.0 | 8.0 |
3| 0.0 | 1.0 | 0.0 | 1.0 | 27.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.0 | 0.0 | 1.0 | 0.0 | 2.0 | 0.0 | 0.0 | 0.0 | 0.0 | 11.0 | 3.0 | 6.0 |
4| 0.0 | 1.0 | 1.0 | 1.0 | 24.0 | 0.0 | 0.0 | 0.0 | 1.0 | 1.0 | 1.0 | 0.0 | 1.0 | 0.0 | 2.0 | 3.0 | 0.0 | 0.0 | 0.0 | 11.0 | 5.0 | 4.0 |

[GOAL]

Can you identify any outliers in the data?

[OUTPUT]



assistant

```
```json
```

```
{
 "mode": "distribution",
 "recommendation": "To identify outliers, we need to examine the distribution of numerical fields in the data. We
will focus on fields like 'BMI', 'MentHlth', 'PhysHlth', 'Age', 'Education', and 'Income' as they are numerical and
could potentially contain outliers.",
 "output_fields": ["column_name", "value"],
 "chart_type": "boxplot",
 "visualization_fields": ["column_name", "value"]
}
```


```
```
```

```
```sql
```

```
SELECT
 'BMI' AS column_name,
 BMI AS value
FROM
 diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
 'MentHlth' AS column_name,
 MentHlth AS value
FROM
 diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
 'PhysHlth' AS column_name,
 PhysHlth AS value
FROM
 diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
 'Age' AS column_name,
 Age AS value
FROM
 diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
```



```
'Education' AS column_name,
Education AS value
FROM
 diabetes_012_health_indicators_brfss2015
UNION ALL
SELECT
 'Income' AS column_name,
 Income AS value
FROM
 diabetes_012_health_indicators_brfss2015;
...
```



AI generated results can be inaccurate, inspect it!



sample data from **view\_jnhx** (2 columns × 1522080 rows)

[show column stats](#)

column_name	value
BMI	40
BMI	25
BMI	28
BMI	27
BMI	24
BMI	25
BMI	30
BMI	25
BMI	30
.....	.....