



Activity 12.1 Solution File


1) Step 1



2) Step 2




3) Step 3



```
Video11.1 - zsh - 80x24
@liv ~/Downloads/Video11.1 % > python3 show_databases.py
('education',)
('information_schema',)
('mysql',)
('performance_schema',)
('pluto',)
('sys',)
@liv ~/Downloads/Video11.1 % >
```

4) Step 4




```
create.py - code
create.py ./ create.py sample X show_databases.py ./ show_databases.py
sample > create.py > ...
1 import mysql.connector
2 import sys
3 sys.dont_write_bytecode = True
4
5 cnx = mysql.connector.connect(user='root',
6                               password='[REDACTED]',
7                               host='127.0.0.1',
8                               database='',
9                               auth_plugin='mysql_native_password')
10
11 # create cursor
12 cursor = cnx.cursor()
13
14 # delete previous db
15 query = ("DROP DATABASE IF EXISTS `restaurants`;")
16 cursor.execute(query)
17
18 # create db
19 query = ("CREATE DATABASE IF NOT EXISTS restaurants")
20 cursor.execute(query)
21
22 # use db
23 query = ("USE restaurants")
24 cursor.execute(query)
25
26 # create table
27 query = '''
28 CREATE TABLE posts(
29     id VARCHAR(20),
30     stamp VARCHAR(20)
31 )
32 '''
33 cursor.execute(query)
34
35 # clean up
36 cnx.commit()
37 cursor.close()
```

5) Step 5

```
@liv ~/Downloads/code/sample % > python3 create.py
@liv ~/Downloads/code/sample % > python3 show_databases.py
('education',)
('information_schema',)
('mysql',)
('performance_schema',)
('pluto',)
('restaurants',)
('sys',)
@liv ~/Downloads/code/sample % >
```

6) Step 6



```
insert.py — code
create.py ./ create.py sample insert.py x show_databases.py ./
OPEN EDITORS
create.py
create.py sample
x insert.py sample
show_databases.py
show_databases.py sample
CODE
sample
create.py
driver.py
insert.py
selects.py
show_databases.py
create.py
insert.py
selects.py
show_databases.py
OUTLINE
Python 3.9.7 64-bit 0 0 0 Ln 25, Col 16 Spaces: 4 UTF-8 LF Python
```


```
sample > insert.py > ...
1 import mysql.connector
2 from datetime import datetime
3 import uuid
4 import sys
5 sys.dont_write_bytecode = True
6
7 cnx = mysql.connector.connect(user='root',
8                               password='[REDACTED]',
9                               host='127.0.0.1',
10                              database='restaurants',
11                              auth_plugin='mysql_native_password')
12
13 # create cursor
14 cursor = cnx.cursor()
15
16 # insert
17 id = str(1)
18 time = datetime.now().strftime('%Y-%m-%d %H:%M:%S')
19 query = (f'INSERT INTO `posts` VALUES("{id}","{time}")')
20 cursor.execute(query)
21
22 # clean up
23 cnx.commit()
24 cursor.close()
25 cnx.close()
```

7) Step 7



```
sample — -zsh — 80x24
~/Downloads/Video11.1 — -zsh  ...  ~/Downloads/code/sample — -zsh  +
[redacted]@liv ~/Downloads/code/sample % > python3 selects.py
('1', '2021-10-21 11:31:50')
[redacted]@liv ~/Downloads/code/sample % > 
```

8) Step 8



9) Step 9

