


Activity 12.2 Solution File

1a.



```


1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employeeCollection = [
11     {"FirstName": "John", "LastName": "Smith", "Age": 25},
12     {"FirstName": "Peter", "LastName": "Smith", "Age": 26},
13     {"FirstName": "Gabriel", "LastName": "Smith", "Age": 28},
14     {"FirstName": "Penny", "LastName": "Lane", "Age": 22},
15     {"FirstName": "Eleanor", "LastName": "Rigby", "Age": 23},
16     {"FirstName": "Helen", "LastName": "Rose", "Age": 23}
17 ]
18
19 # insert into collection
20 result = collection.insert_many(employeeCollection)
21
22 #
23 if "employee" in client.list_database_names():
24     print("Employee database created!")
25
26 print(result.inserted_ids)
27
28

```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

PS D:\EmertusVbodule 12> Assignment 12.2

1b.



```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employeeCollection = [
11     {"FirstName": "John", "LastName": "Smith", "Age": 25},
12     {"FirstName": "Peter", "LastName": "Smith", "Age": 26},
13     {"FirstName": "Gabriel", "LastName": "Smith", "Age": 28},
14     {"FirstName": "Penny", "LastName": "Lane", "Age": 22},
15     {"FirstName": "Eleanor", "LastName": "Rigby", "Age": 23},
16     {"FirstName": "Helen", "LastName": "Rose", "Age": 23}
17 ]
18
19 # insert into collection
20 result = collection.insert_many(employeeCollection)
21
22 #
23 if "employee" in client.list_database_names():
24     print("Employee database created!")
25
26 print(result.inserted_ids)
27
28

```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE


PS D:\EmertusVbodule 12> cd 'd:\AppData\Local\Programs\Python\Python310\python.exe' 'c:\Users\mauroi\vscode\extensions\ms-python.python-2021.10.1365161279\pythonFiles\lib\python\debugpy\launcher' '63899' '-...' 'd:\EmertusVbodule 12> Assignment 12.2' mongoDBCreate.py

Employee database created!

[ObjectId('6173ea837de97cccd2f54941'), ObjectId('6173ea837de97cccd2f54942'), ObjectId('6173ea837de97cccd2f54943'), ObjectId('6173ea837de97cccd2f54944'), ObjectId('6173ea837de97cccd2f54945'), ObjectId('6173ea837de97cccd2f54946')]

PS D:\EmertusVbodule 12>

2a.




```
1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employee = collection.find_one({"lastName": "Rigby"})
11
12 print(employee)
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

PS D:\EmeritusVModule 12\Assignment 12.2>

2b.




```
1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employee = collection.find_one({"lastName": "Rigby"})
11
12 print(employee)
```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

PS D:\EmeritusVModule 12\Assignment 12.2> python mongoDBFindOne.py; cd "d:\EmeritusVModule 12\Assignment 12.2"; & "D:\AppData\Local\Programs\Python\Python38\python.exe" "c:\Users\mauroi\.vscode\extensions\ms-python.python-2021.10.130101279\python\lib\python\debugger_launcher" "64795" "-.-" "d:\EmeritusVModule 12\Assignment 12.2\mongoDBFindOne.py" ("id": ObjectId("6179a837a607cccd254045"), "FirstName": "Eleanor", "LastName": "Rigby", "Age": 22)

PS D:\EmeritusVModule 12\Assignment 12.2>

3a.




```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employeeCursor = collection.find({"LastName":"Smith"})
11
12 for employee in employeeCursor:
13     print(employee)

```

PS D:\Emertus\Module 12\Assignment 12.2> []

3b.



```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 employeeCursor = collection.find({"LastName":"Smith"})
11
12 for employee in employeeCursor:
13     print(employee)

```


PS D:\Emertus\Module 12\Assignment 12.2> python mongoDBFindMany.py

```

{"_id": ObjectId("6173ea837de97cccd2f54041"), "FirstName": "John", "LastName": "Smith", "Age": 25}
{"_id": ObjectId("6173ea837de97cccd2f54042"), "FirstName": "Peter", "LastName": "Smith", "Age": 26}
{"_id": ObjectId("6173ea837de97cccd2f54043"), "FirstName": "Gabriel", "LastName": "Smith", "Age": 28}

```

4a.




```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Rose"}
11 newvalues = { "$set": { 'Age': 32 } }
12
13 collection.update_one(filter, newvalues)
14
15 employeeCursor = collection.find()
16 for employee in employeeCursor:
17     print(employee)

```

PS D:\Emertus\Module 12\Assignment 12.2>

4b.



```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Rose"}
11 newvalues = { "$set": { 'Age': 32 } }
12
13 collection.update_one(filter, newvalues)
14
15 employeeCursor = collection.find()
16 for employee in employeeCursor:
17     print(employee)

```

PS D:\Emertus\Module 12\Assignment 12.2> d:\d:\Emertus\Module 12\Assignment 12.2> & "D:\AppData\Local\Programs\Python\Python310\python.exe" "c:\Users\mauro\vscode\extensions\ms-python.pytho-2021.10.1365161279\pythonFiles\lib\python\debugpy\launcher" "40413" "-." "d:\Emertus\Module 12\Assignment 12.2\mongoDBUpdateOne.py"


```

{"_id": "ObjectId('6173ea837de97cccd2f54041')", "FirstName": "John", "LastName": "Smith", "Age": 25}
{"_id": "ObjectId('6173ea837de97cccd2f54042')", "FirstName": "Peter", "LastName": "Smith", "Age": 26}
{"_id": "ObjectId('6173ea837de97cccd2f54043')", "FirstName": "Gabriel", "LastName": "Smith", "Age": 28}
{"_id": "ObjectId('6173ea837de97cccd2f54044')", "FirstName": "Perry", "LastName": "Lane", "Age": 22}
{"_id": "ObjectId('6173ea837de97cccd2f54045')", "FirstName": "Eleanor", "LastName": "Rigby", "Age": 23}
{"_id": "ObjectId('6173ea837de97cccd2f54046')", "FirstName": "Helen", "LastName": "Rose", "Age": 32}

```


PS D:\Emertus\Module 12\Assignment 12.2>

5a.




```
1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Smith"}
11 newvalues = { "$set": { "Department": "Computer Science" } }
12
13 collection.update_many(filter, newvalues)
14
15 employeeCursor = collection.find()
16 for employee in employeeCursor:
17     print(employee)
```

5b.



```
PS D:\emeritus\module 12\Assignment 12.2> cd .; python mongoDBUpdateMany.py
{"_id": "6173ea837d697cccd2f54041", "FirstName": "John", "LastName": "Smith", "Age": 25, "Department": "Computer Science"}
{"_id": "6173ea837d697cccd2f54042", "FirstName": "Peter", "LastName": "Smith", "Age": 26, "Department": "Computer Science"}
{"_id": "6173ea837d697cccd2f54043", "FirstName": "Gabriel", "LastName": "Smith", "Age": 28, "Department": "Computer Science"}
{"_id": "6173ea837d697cccd2f54044", "FirstName": "Penny", "LastName": "Lane", "Age": 22}
{"_id": "6173ea837d697cccd2f54045", "FirstName": "Eleanor", "LastName": "Rigby", "Age": 23}
{"_id": "6173ea837d697cccd2f54046", "FirstName": "Helen", "LastName": "Rose", "Age": 32}
```

6a.




```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Rose"}
11
12 collection.delete_one(filter)
13
14 employeeCursor = collection.find()
15 for employee in employeeCursor:
16     print(employee)

```

6b.



```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Rose"}
11
12 collection.delete_one(filter)
13
14 employeeCursor = collection.find()
15 for employee in employeeCursor:
16     print(employee)


```

```

PS D:\Emertus\Module 12\Assignment 12.2> .\mongoDBDeleteOne.py
{"_id": ObjectId("6173ea8379e97cccd2f54041"), "FirstName": "John", "LastName": "Smith", "Age": 25, "Department": "Computer Science"}

```

7a.



```


1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Smith"}
11
12 collection.delete_many(filter)
13
14 employeeCursor = collection.find()
15 for employee in employeeCursor:
16     print(employee)
  
```

Terminal output:

```

PS D:\emeritus\module 12\Assignment 12.2>
  
```

7b.



```

1 import pymongo
2 client = pymongo.MongoClient("mongodb://localhost:27017/")
3
4 # database
5 database = client["employee"]
6
7 # collection
8 collection = database["employees"]
9
10 filter = {"LastName": "Smith"}
11
12 collection.delete_many(filter)
13
14 employeeCursor = collection.find()
15 for employee in employeeCursor:
16     print(employee)
  
```

Terminal output:

```

PS D:\emeritus\module 12\Assignment 12.2> .\mongoDBDeleteMany.py
{"_id": "6173ea8379e97cccd2f54045", "FirstName": "Perry", "LastName": "Lane", "Age": 22}
{"_id": "6173ea8379e97cccd2f54045", "FirstName": "Eleanor", "LastName": "Rigby", "Age": 23}
PS D:\emeritus\module 12\Assignment 12.2>
  
```