


Activity 12.3 Solution File


Step 1)



Step 2)


```
[redacted]@liv ~ % > docker run -p 6379:6379 --name activity12.3 -d redis
90e5f9b9656056d5976c4e8745cf1509a45a8f9c34463e40cee6a8c7834abd22
[redacted]@liv ~ % >
```

Step 3)




```
1 # pip install redis
2 import redis
3 from datetime import datetime
4
5 # connect to server
6 r = redis.Redis(host='localhost', port=6379, db=0)
7
8 # Use the mset method to define your dictionary
9 r.mset({"Italy": "Rome", "France": "Paris"})
```

Step 4)



```
@liv ~/Desktop/Activity12.3 % > python3 write.py
@liv ~/Desktop/Activity12.3 % >
```

Step 5)




```
read.py — Activity12.3
write.py • read.py x
OPEN EDITORS 1 UNSAVED
• write.py
x read.py
ACTIVITY12.3
read.py
write.py

read.py > ...
1 # pip install redis
2 import redis
3
4 # connect to server
5 r = redis.Redis(host='localhost', port=6379, db=0)
6
7
8 #Use the get method to read the values in your dictionary
9 print(r.get("Italy"))
10 print(r.get("France"))
```

Python 3.9.7 64-bit 0 0 0 Ln 10, Col 23 Spaces: 4 UTF-8 LF Python

Step 6)



```
!liv ~/Desktop/Activity12.3 % > python3 read.py
b'Rome'
b'Paris'
!liv ~/Desktop/Activity12.3 % >
```