



Activity 12.4 Solution File


1.



2.



3.




The screenshot shows the Visual Studio Code interface. The left sidebar has the 'Run and Debug' button highlighted. The main editor displays a Python script named 'read.py' with the following code:

```
1 from cassandra.cluster import Cluster
2
3 cluster = Cluster(['localhost'], port=9042)
4 session = cluster.connect('books', wait_for_all_pools=True)
5 session.execute('USE books')
6 rows = session.execute('SELECT * FROM book')
7 for row in rows:
8     print(row)
9
```

The bottom panel shows the 'TERMINAL' tab with the following output:

```
py\launcher' '56361' '--' 'd:\Emeritus\Module 12\Activity 12.4 - Cassandra\write.py'
PS D:\Emeritus\Module 12\Activity 12.4 - Cassandra> d; cd 'd:\Emeritus\Module 12\Activity 12.4 - Cassandra'; & 'D:\AppData\Local\Pro
grams\Python\Python310\python.exe' 'c:\Users\mauro\.vscode\extensions\ms-python.python-2021.10.1365161279\pythonFiles\lib\python\debug
py\launcher' '49683' '--' 'd:\Emeritus\Module 12\Activity 12.4 - Cassandra\write.py'
PS D:\Emeritus\Module 12\Activity 12.4 - Cassandra> d; cd 'd:\Emeritus\Module 12\Activity 12.4 - Cassandra'; & 'D:\AppData\Local\Pro
grams\Python\Python310\python.exe' 'c:\Users\mauro\.vscode\extensions\ms-python.python-2021.10.1365161279\pythonFiles\lib\python\debug
py\launcher' '57382' '--' 'd:\Emeritus\Module 12\Activity 12.4 - Cassandra\read.py'
Row(book_id=1, author='Hernando de Soto', name='The Mystery of Capital', number_of_pages=209, year_published=1970)
Row(book_id=2, author='Hans Christian Andersen', name='Fairytale', number_of_pages=784, year_published=1836)
Row(book_id=4, author='William Shakespeare', name='Romeo and Juliet', number_of_pages=100, year_published=1597)
Row(book_id=3, author='Dante Alighieri', name='The Divine Comedy', number_of_pages=928, year_published=1315)
PS D:\Emeritus\Module 12\Activity 12.4 - Cassandra>
```

4.



The screenshot shows a terminal window with the following content:

```
docker exec -it cfa0bd5ec210e7b4e143198435fc969400073e193c8a59fd32481ef4c08a2cd1 /bin/sh
# cqlsh
Connected to Test Cluster at 127.0.0.1:9042
[cqlsh 6.0.0 | Cassandra 4.0.1 | CQL spec 3.4.5 | Native protocol v5]
Use HELP for help.
cqlsh> use books
... ;
cqlsh:books> INSERT INTO book (BOOK_ID,NAME, AUTHOR, YEAR_PUBLISHED, NUMBER_OF_PAGES)
... VALUES (5,'Hamlet', 'William Shakespeare', 1603, 100);
cqlsh:books>
```

5.

```
docker exec -it cfa0bd5ec210e7b4e143198435fc969400073e193c8a59fd32481ef4c08a2cd1 /bin/sh
cqlsh:books> select * from book;
```

book_id	author	name	number_of_pages	year_published
5	William Shakespeare	Hamlet	100	1603
1	Hernando de Soto	The Mystery of Capital	209	1970
2	Hans Christian Andersen	Fairy Tales	784	1836
4	William Shakespeare	Romeo and Juliet	100	1597
3	Dante Alighieri	The Divine Comedy	928	1315

```
(5 rows)
cqlsh:books> _
```