



Activity 12.5 Solution File

Step 1)



Step 2)



Activity12-5 [Spark plan](#)

Join us virtually for the Firebase Summit on 10 November 2021. [Register now](#)

Get started by adding Firebase to your app


iOS Android Web Flutter

Add an app to get started

Store and sync app data in milliseconds

Open "https://console.firebase.google.com/project/activity12-5/firestore" in a new tab behind the current one

Step 3)



Project settings

General Cloud Messaging Integrations **Service accounts** Data privacy Users and permissions App check

[Manage service account permissions](#)

Firebase Admin SDK

Legacy credentials

Database secrets

All service accounts


4 service accounts

Admin SDK configuration snippet

Node.js Java **Python** Go

```
import firebase_admin
from firebase_admin import credentials

cred = credentials.Certificate("path/to/serviceAccountKey.json")
firebase_admin.initialize_app(cred)
```




```


1  {} serviceAccountKey.json > ...
2
3  "type": "service_account",
4  "project_id": "activity12-5",
5  "private_key_id": [REDACTED],
6  "private_key": "[REDACTED]",
7  "client_email": "firebase-adminsdk-6ugiu@activity12-5.iam.gserviceaccount.com",
8  "client_id": [REDACTED],
9  "auth_uri": "https://accounts.google.com/o/oauth2/auth",
10 "token_uri": "https://oauth2.googleapis.com/token",
11 "auth_provider_x509_cert_url": "https://www.googleapis.com/oauth2/v1/certificates/public",
12 "client_x509_cert_url": "https://www.googleapis.com/robot/v1/metadata/x509/firebase-adminsdk-6ugiu@activity12-5.iam.gserviceaccount.com"
13

```

Step 4)




Step 5)



```
fire.py — Activity 12.5 files
EXPLORER
  OPEN EDITORS
    fire.py
    serviceAccountKey.json
  ACTIVITY 12.5 FILES
    fire
    fire.py
    serviceAccountKey.json


fire.py
4 from firebase_admin import db
5
6 # Fetch the service account key JSON file contents
7 cred = credentials.Certificate('serviceAccountKey.json')
8
9 # Initialize the app with a service account, granting admin privileges
10 firebase_admin.initialize_app(cred, {
11     'databaseURL': 'https://activity12-5-default-rtdb.firebaseio.com/'
12 })
13
14 # save data
15 ref = db.reference('py/')
16 users_ref = ref.child('users')
17 users_ref.set({
18     'house1': {
19         'bedrooms': '2',
20         'square footage': '1200'
21     },
22     'house2': {
23         'bedrooms': '3',
24         'square footage': '1400'
25     }
26 })
27
28 # update data
29 hopper_ref = users_ref.child('house2')
30 hopper_ref.update({
31     'bathrooms': '2'
32 })
33
34 # read data
35 handle = db.reference('py/users/alanisawesome')
36
37 # Read the data at the posts reference (this is a blocking operation)
38 print(ref.get())
```

Step 6)



```
fire.py — Activity 12.5 files
fire.py > ...
4 from firebase_admin import db
5
6 # Fetch the service account key JSON file contents
7 cred = credentials.Certificate('serviceAccountKey.json')
8
9 # Initialize the app with a service account, granting admin privileges
10 firebase_admin.initialize_app(cred, {
11     'databaseURL': 'https://activity12-5-default-rtdb.firebaseio.com/'
12 })
13
14 # save data
15 ref = db.reference('py/')
16 users_ref = ref.child('users')
17 users_ref.set({
18     'house1': {
19         'bedrooms': '2',
20         'square footage': '1100'
21     },
22     'house2': {
23         'bedrooms': '3',
24         'square footage': '1400'
25     },
26 })
27
28 # update data
29 hopper_ref = users_ref.child('house2')
30 hopper_ref.update({
31     'bathrooms': '2'
32 })
33 # read data
34 handle = db.reference('py/users/alanisawesome')
35
36 # Read the data at the posts reference (this is a blocking operation)
37 print(ref.get())
```

Step 7)



```

fire.py — Activity 12.5 files
fire.py x {} serviceAccountKey.json
4 from firebase_admin import db
5
6 # Fetch the service account key JSON file contents
7 cred = credentials.Certificate('serviceAccountKey.json')
8
9 # Initialize the app with a service account, granting admin privileges
10 firebase_admin.initialize_app(cred, {
11     'databaseURL': 'https://activity12-5-default-rtdb.firebaseio.com/'
12 })
13
14 # save data
15 ref = db.reference('py/')
16 users_ref = ref.child('users')
17 users_ref.set({
18     'house1': {
19         'bedrooms': '2',
20         'square footage': '1100'
21     },
22     'house2': {
23         'bedrooms': '3',
24         'square footage': '1400'
25     },
26 })

```

PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE

```

[redacted]@liv ~/Downloads/Activity 12.5 files % > python3 fire.py
{users: {house1: {'bedrooms': '2', 'square footage': '1100'}, 'house2': {'bedrooms': '2', 'bedrooms': '3', 'square footage': '1400'}}}
[redacted]@liv ~/Downloads/Activity 12.5 files % >

```

Step 8)

