


Activity 13.1 Solution File

1.




The screenshot shows the Visual Studio Code interface with the file `container.py` open. The Explorer sidebar on the left shows the project structure with `ACTIVITY13.1` and `container.py`. The main editor area displays the following Python code:

```
1 import os
2 import sys
3
4 # -----
5 # input arguments
6 # -----
7 # -create, create containers
8
9 # create container
10 def create(cmd, db):
11     result = os.system(cmd)
12     if (result == 0):
13         print(f'Created {db}')
14
15 # read input argument
16 argument = len(sys.argv)
17 if (argument > 1):
18     argument = sys.argv[1]
19
20 # if -create input argument, create containers
21 if(argument == '-create'):
22     create('docker run -p 3306:3306 --name some-mysql -e MYSQL_
23
```

The bottom status bar shows the following information: Python 3.10.0 64-bit, 0 errors/warnings, Cloud Code, minikube, Kubernetes, Ln 23, Col 1, Spaces: 4, UTF-8, CRLF, Python, Prettier, and a search icon.

2.




```
PS D:\e\... \module13\Activity13.1> dir

Directory: D:\e\... \module13\Activity13.1


Mode                LastWriteTime         Length Name
----                -
-a----           11/3/2021   6:00 AM             536 container.py

PS D:\e\... \module13\Activity13.1> python container.py -create
Unable to find image 'mysql:latest' locally
latest: Pulling from library/mysql
b380bbd43752: Pull complete
f23cbf2ecc5d: Pull complete
30cfc6c29c0a: Pull complete
b38609286cbe: Pull complete
8211d9e66cd6: Pull complete
2313f9eeca4a: Pull complete
7eb487d00da0: Pull complete
4d7421c8152e: Pull complete
77f3d8811a28: Pull complete
cce755338cba: Pull complete
69b753046b9f: Pull complete
b2e64b0ab53c: Pull complete
Digest: sha256:6d7d4524463fe6e2b893ffc2b89543c81dec7ef82fb2020a1b27606666464d87
Status: Downloaded newer image for mysql:latest
0bc6701374e184bdcc08145aae94108a51633e99e9b3b8111ebe29a0b2c7e3b4
Created mysql
PS D:\e\... \module13\Activity13.1>
```

3.




4.




```
Windows PowerShell
PS D:\...module13\Activity13.1> python container.py -delete
some-mysql
some-mysql
Removed some-mysql
PS D:\...module13\Activity13.1>
```


5.



6.




7.




```
PS D:\e\module13\Activity13.1> python container.py -create
fde6346b7d31535b1ccc066a023e071537d353a55f527057fa42cd5f4788773a
Created mysql
68d829cb621ac02242e9dacab80efdadcc60500f78b76a516eb8f18a906793ff
Created mongodb
540ebe509d5e6166d9ab5efa89a131fa4b9b80c68cceb0e3167c41d761e0e30c
Created redis
041b45d9c9933ad21e5802cbc79f1cfa8b40f8006e91623feaaeebe2e317d7e3
Created cassandra
PS D:\e\module13\Activity13.1>
```

8.



9.




A screenshot of a Windows PowerShell window titled "Windows PowerShell". The window has a dark blue background. The command prompt shows the following text:


```
PS D:\[redacted]\module13\Activity13.1> python container.py -delete
some-mysql
some-mysql
Removed some-mysql
some-mongo
some-mongo
Removed some-mongo
some-redis
some-redis
Removed some-redis
some-cassandra
some-cassandra
Removed some-cassandra
PS D:\[redacted]\module13\Activity13.1>
```

The output shows the script successfully deleting containers named 'some-mysql', 'some-mongo', 'some-redis', and 'some-cassandra'. A mouse cursor is visible in the center of the window.

10.



11.



```
PS D:\e\...s\module13\Activity13.1> dir

Directory: D:\e\...s\module13\Activity13.1

Mode                LastWriteTime         Length Name
----                -
-a-----         11/3/2021   6:12 AM             891 container.py

PS D:\e\...s\module13\Activity13.1> python container.py -delete
some-mysql
some-mysql
Removed some-mysql
PS D:\e\...s\module13\Activity13.1>
```