

Acceptance tests

ACME Rookies v1.0

Development team	
Identifier	G11
Members	<i>Calle González, Álvaro García Gallego, Julia Jiménez Vega, María Nolé Anguita, Antonio Ruiz Pliego, Fernando Manuel</i>
Testing team	
Identifier	G4
Members	<i>Borge Sánchez, Santiago Calzado Llamas, Ángel Manuel Navarro Cruz, Raúl Núñez Arenas, Agustín Ríos Zea, Alberto Souto Villegas, José Antonio</i>
Indexing data	
Test designers	<i>Calle González, Álvaro García Gallego, Julia Jiménez Vega, María Nolé Anguita, Antonio Ruiz Pliego, Fernando Manuel</i>
Testers	<i>Borge Sánchez, Santiago Calzado Llamas, Ángel Manuel Navarro Cruz, Raúl Núñez Arenas, Agustín Ríos Zea, Alberto Souto Villegas, José Antonio</i>
Notes	<i>Before testing each test, please populate the database, except test where indicates otherwise.</i>

Table of contents

Use case 01 Register as a company	6
Use case 02 Register as a company	8
Use case 03 Register as a rookie	9
Use case 04 Register as a rookie	11
Use case 05 List companies available and navigate to the corresponding positions	12
Use case 06 Search for a position using a single key word	14
Use case 07 Edit his or her personal data	15
Use case 08 Edit his or her personal data	17
Use case 09 An actor who is not authenticated must be able to list the positions available and navigate to the corresponding companies.	19
Use case 10 An actor who is authenticated as a company must be able to manage their positions: creating and listing.	21
Use case 11 An actor who is authenticated as a company must be able to manage their positions: displaying, make final and cancelled.	24
Use case 12 An actor who is authenticated as a company must be able to manage their positions: editing and deleting.	27
Use case 13 An actor who is authenticated as a company must be able to manage their problems: creating and listing.	30
Use case 14 An actor who is authenticated as a company must be able to manage their problems: displaying.	33
Use case 15 An actor who is authenticated as a company must be able to manage their problems: make final.	34
Use case 16 An actor who is authenticated as a company must be able to manage their problems: editing and deleting.	37
Use case 17 An actor who is authenticated as a company must be able to manage the applications to their positions: listing, showing and make decision.	40
Use case 18 An actor who is authenticated as a rookie must be able to manage his or her applications: listing, displaying and updating.	44
Use case 19 An actor who is authenticated as a rookie must be able to manage his or her applications: create.	51
Use case 20 Create user accounts for new administrators	55
Use case 21 Create user accounts for new administrators	57
Use case 22 Display a dashboard	59
Use case 23 Display a dashboard	61
Use case 24 The system must be easy to customise at run time	62
Use case 25 The system must be easy to customise at run time	65

Use case 26 Manage his or her curricula: Edit/Display curriculum	66
Use case 27 Manage his or her curricula: Create/Delete curriculum	71
Use case 28 Manage his or her curricula: Edit Personal data	75
Use case 29 Manage his or her curricula: Create/List/Display Position data	79
Use case 30 Manage his or her curricula: Edit/Delete Position data	84
Use case 31 Manage his or her curricula: Create/List/Display Education data	89
Use case 32 Manage his or her curricula: Edit/Delete Education data	93
Use case 33 Manage his or her curricula: Create/List/Display Miscellaneous data	98
Use case 34 Manage his or her curricula: Edit/Delete Miscellaneous data	101
Use case 35 Manage his or her finder	104
Use case 36 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and delete them.	112
Use case 37 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.	114
Use case 38 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.	115
Use case 39 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating, and deleting them.	116
Use case 40 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.	117
Use case 41 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.	118
Use case 42 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.	119
Use case 43 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	120
Use case 44 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	122
Use case 45 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	123
Use case 46 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	124

Use case 47 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	125
Use case 48 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.	126
Use case 49 An actor who is authenticated as an administrator must be able to broadcast a notification message to the actor of the system. The message must have tag "SYSTEM" by default.	127
Use case 50 An actor who is authenticated as an administrator must be able to broadcast a notification message to the actor of the system. The message must have tag "SYSTEM" by default.	129
Use case 51 An actor who is authenticated as an administrator must be able to launch a process that flags the actors of the system as spammers or not-spammers.	130
Use case 52 Ban an actor with the spammer flag	132
Use case 53 Ban an actor with the spammer flag	135
Use case 54 Unban an actor who was banned previously	136
Use case 55 Unban an actor who was banned previously	139
Use case 56 Create user accounts for new auditors	140
Use case 57 Create user accounts for new auditors	142
Use case 58 Browse the list of providers and navigate to their items	144
Use case 59 Browse the list of items and navigate to their providers	147
Use case 60 Register as a provider	149
Use case 61 Register as a provider	151
Use case 62 An actor who is authenticated as a provider must be able manage their items: creating, listing and displaying.	152
Use case 63 An actor who is authenticated as a provider must be able manage their items: editing and deleting.	156
Use case 64 An actor who is authenticated as an auditor must be able manage their audits: creating, listing and displaying.	158
Use case 65 An actor who is authenticated as an auditor must be able manage their audits: editing and deleting.	161
Use case 66 An actor who is authenticated as an auditor must be able manage their audits: make final.	163
Use case 67 An actor who is authenticated as an administrator must be able to run a procedure to notify the existing users of the rebranding. The system must guarantee that the process is run only once.	165

Use case 68 An actor who is authenticated as an administrator must be able to run a procedure to notify the existing users of the rebranding. The system must guarantee that the process is run only once.	167
Use case 69 An actor who is authenticated as an administrator must be able to launch a process to compute an audit score for every company.	168
Use case 70 Manage his or her sponsorships: Edit/Display	170
Use case 71 Manage his or her sponsorship: Create/Delete Sponsorship	174

Use case 01 Register as a company


Description

An unauthenticated user wishes to register to the system as a company; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button".

Access

Main Menu > Register Actor Menu Option > Register Company

Tests

Test 01.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', Commercial name: 'Marca', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the company has been registered in the system, and redirect us to the 'Welcome Page'.</p>  A screenshot of a web browser displaying the Acme Rookies website. The page features a logo of a laptop with a green screen. The main heading 'ACME ROOKIES' is displayed prominently. Below the header, there is a navigation bar with links: 'SEARCH POSITIONS', 'ITEMS LIST', 'POSITIONS AVAILABLE', 'COMPANY LIST', 'PROVIDER LIST', 'LOGIN', and 'REGISTER ACTOR'. Underneath the navigation bar, there are language links 'en es'. The main content area starts with a 'Welcome!' message, followed by 'Acme Rookie' and a brief description: 'Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!'. It also shows the current time as '05/05/2019 13:18'. At the bottom of the page, there is a copyright notice: 'Copyright © 2019 Acme-Rookies, Inc.' and links to 'Terms and conditions' and 'Data processing'.
Outcome	<p>The outcome is the expected one. I can fill the name field with the name “<script> alarm('Hola') </script>” with no errors back from the system.</p>
Notes	

Use case 02 Register as a company

Description

An unauthenticated user wishes to register to the system as a company; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button". As an abnormal behaviour, we are going to try to register a company with a duplicated username.

Access

Main Menu > Register Actor Menu Option > Register Company

Tests

Test 02.1

Description

The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', Commercial name: 'Marca', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'company1', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.

Expected

As an abnormal behaviour, if we filled the form with the previous values, the company hasn't been registered in the system, and redirect us to the same page with the error 'Username already in use'.

The screenshot shows a registration form titled "User Account Information". It includes fields for "Username *:" (containing "company1"), "Password *:", "Confirm password *:", and "Authority" (set to "COMPANY"). A red error message "Username already in use." is displayed next to the username field.

Outcome

The outcome is the expected one.

Notes

Use case 03 Register as a rookie


Description

An unauthenticated user wishes to register to the system as a rookie; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button".

Access

Main Menu > Register Actor Menu Option > Register Rookie

Tests

Test 03.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the rookie has been registered in the system, and redirect us to the 'Welcome Page'.</p>  A screenshot of a web browser displaying the Acme Rookies website. The page features a logo of a laptop with a blue screen. The main heading 'ACME ROOKIES' is displayed in large, bold, grey letters. Below the logo, there is a navigation bar with links: 'SEARCH POSITIONS', 'ITEMS LIST', 'POSITIONS AVAILABLE', 'COMPANY LIST', 'PROVIDER LIST', 'LOGIN', and 'REGISTER ACTOR'. Underneath the navigation bar, there are language links 'en es'. The main content area starts with a 'Welcome!' message in bold. Below it, the text 'Acme Rookie' is displayed. A subtext reads 'Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!'. It also shows the current time as 'Current time is 05/05/2019 13:18'. At the bottom of the page, there is a copyright notice 'Copyright © 2019 Acme-Rookies, Inc.' followed by links to 'Terms and conditions' and 'Data processing'.
Outcome	<p>The outcome is the expected one.</p> <p>I can fill the name field with the name “<script> alarm('Hola') </script>” with no errors back from the system.</p>
Notes	

Use case 04 Register as a rookie

Description

An unauthenticated user wishes to register to the system as a rookie; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button". As an abnormal behaviour, we are going to try to register a rookie with an invalid email pattern for this user.

Access

Main Menu > Register Actor Menu Option > Register Rookie

Tests

Test 04.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@', phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Procceses' checkbox and click on 'Save' button.</p>
Expected	<p>As an abnormal behaviour, if we filled the form with the previous values, the rookie hasn't been registered in the system, and redirect us to the same page with the error 'Invalid email pattern'.</p>  <p>The screenshot shows a registration form titled "Personal Information". It contains fields for Name, Surname, VAT number, Photo, Email, Phone Number, and Address. The Email field contains "marcos@" and has a red error message "Invalid email pattern" next to it. All other fields appear to have valid input.</p>
Outcome	The outcome is the expected one.
Notes	

Use case 05 List companies available and navigate to the corresponding positions

Description

An unauthenticated user wishes to list companies of the system and navigate to their positions; First, he/she lists the companies, display the profile of one of them and click to 'Positions' link to list the positions. Finally, he/she displays one of the different positions in the list.

Access

Main Menu > Company List Menu Option > Click on 'Display profile' of one of them > Click on link called 'Positions' > Click on 'Display position' of one of them.

The screenshot shows two pages of the ACME ROOKIES website:

Page 1: Actor list (Company List)

This page displays a table of actors (Companies) with columns: ID, Name, Email, Phone Number, Address, Commercial Name, and Audit score. There are three entries:

ID	Name	Email	Phone Number	Address	Commercial Name	Audit score
1	Company 1 Garcia	company1@gmail.com	63615521	Cafe Company 1	One Commercial Name	0.4
2	Company 2 Lobato	company2@gmail.com	63615521	Cafe Company 2	Two Commercial Name	0.55
3	Company 3 Perez	company3@gmail.com	63615521	Cafe Company 3	Three Commercial Name	0.55

Page 2: Company Information (Detailed View)

This page shows details for Company 1 (Commercial name: One Commercial Name, Audit score: 0.4). It includes a back arrow and a link to 'Positions'.

Page 3: Position list (From Company Information)

This page displays a table of positions with columns: ID, Company, Ticker, Title, Deadline, Profile, Skills, and Technologies. There are two entries:

ID	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
1	Company 1	ONIC-1462	Position 1 - Company 1	2019-12-15	Economist	Number	Android
2	Company 1	ONIC-1752	Position 2 - Company 1	2019-12-15	Math	Number	R

Tests

Test 05.1

Description First, we are going to list the companies of the system and show the profile of the company 1. Next, in the profile of company 1 we have to click in 'Positions' link in Company Information, then, we display the position with the ticker: 'ONEC-4562'

Expected As a normal behaviour, if we follow the previous steps we have listed companies and their positions correctly.

	Full name	Email	Phone Number	Address	Commercial Name	Audit score
Display profile	Company1 Garcia	company1@gmail.com	63015521	Calle Company 1	One Commercial Name	0.4
Display profile	Company2 Lohato	company2@gmail.com	63015521	Calle Company 2	Two Commercial Name	
Display profile	Company3 Perez	company3@gmail.com	63015521	Calle Company 3	Three Commercial Name	0.55

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

Outcome The outcome is the expected one.

Notes

Use case 06 Search for a position using a single key word

Description

A user wishes to search for a position using a single key word; he or she fills in a text box the key word; finally, he or she hits the 'Search' button and list the results.

Access

In order to get to the search page, you must click "Main Menu > Search Positions".

Tests

Test 06.1																																	
Description	<p>Go to the search page and introduce the key word "2". Finally, click on the "Search" button.</p>																																
Expected	<p>The system must return the following output:</p> <p>The screenshot shows a search interface with a header containing links for SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, LOGIN, and REGISTER ACTOR. Below this is a language selection bar with 'en es'. The main area is titled 'Search positions' and contains a search form with a 'Keyword' input set to '2' and a 'Search' button. A message below the form says '3 items found, displaying all items.' followed by a page number '1'. A table then displays three rows of search results:</p> <table border="1"><thead><tr><th></th><th>Company</th><th>Ticker</th><th>Title</th><th>Deadline</th><th>Profile</th><th>Skills</th><th>Technologies</th></tr></thead><tbody><tr><td>Display position</td><td>Company1</td><td>ONEC-4752</td><td>Position 2 - Company 1</td><td>2019/12/05</td><td>Math</td><td>Number</td><td>R</td></tr><tr><td>Display position</td><td>Company2</td><td>TWOC-4146</td><td>Position 6 - Company 2</td><td>2019/11/05</td><td>Junior</td><td>Python</td><td>Eclipse</td></tr><tr><td>Display position</td><td>Company2</td><td>TWOC-4786</td><td>Position 7 - Company 2</td><td>2019/11/05</td><td>Senior</td><td>Python</td><td>Eclipse</td></tr></tbody></table> <p>At the bottom of the page, there is copyright information: 'Copyright © 2019 Acme-Rookies, Inc.', a link to 'Terms and conditions', and a link to 'Data processing'.</p>		Company	Ticker	Title	Deadline	Profile	Skills	Technologies	Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R	Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Python	Eclipse	Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Python	Eclipse
	Company	Ticker	Title	Deadline	Profile	Skills	Technologies																										
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R																										
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Python	Eclipse																										
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Python	Eclipse																										
Outcome	The outcome is the expected one.																																
Notes																																	


Use case 07 Edit his or her personal data

Description

An authenticated user wishes to edit his/her personal data; he or she updates the personal information data and click on 'Save' button. Note that to edit the personal data of any actor, we have to do the same steps of this test so we are going to do an example of edit personal data of a company with the account: company1/company1.

Access

Main Menu > Login Menu Option > Fill the form with company1/company1 > Profile Menu Option > Click on Display actor > Edit Personal Information link



Display actor

Personal Information

Full name: Company1 Garcia
VAT number: 97%
Email: company1@gmail.com


COMPANY NAME
your tagline here

Photo:

Phone Number: 63015521
Address: Calle Co. ✓ .

[Edit Personal Information](#) [Export data](#)

Tests

Test 07.1	
Description	<p>We are going to update the name of the company 1. To do this, in the field 'Name' we change 'Company1' to 'Manolo' and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the personal information of the company 1 has been edited correctly and return us to 'Display actor' view.</p>  <p>The screenshot shows a software interface with a light blue header bar. On the left is a laptop icon, and to its right is the text "ACME ROOKIES". Below the header is a navigation bar with links: PROBLEMS LIST, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (COMPANY1). Underneath the navigation bar are two language links: en es. The main content area is titled "Display actor". It contains a section for "Personal Information" which includes fields for Full name (Manolo Garcia), VAT number (97%), and Email (company1@gmail.com). Below this is a logo consisting of a stylized yellow and black geometric shape, with the text "COMPANY NAME" and "your tagline here" underneath. Further down are fields for Photo, Phone Number (+34 63015521), and Address (Calle Company 1). At the bottom of this section are two links: Edit Personal Information and Export data.</p>
Outcome	The outcome is the expected one.
Notes	

Use case 08 Edit his or her personal data


Description

An authenticated user wishes to edit his/her personal data; he or she updates the personal information data and click on 'Save' button. Note that to edit the personal data of any actor, we have to do the same steps of this test so we are going to do an example of edit personal data of a company with the account: company1/company1. As an abnormal behaviour, we are going to try to edit the personal data of another company different from us.

Access

Main Menu > Login Menu Option > Fill the form with company1/company1

Tests

Test 08.1	
Description	<p>We are going to edit personal information of the company 2 (we are log in the system as a company 1). To do this, we have to copy the url of the edit form.</p> <p>http://localhost:8080/Acme-Rookies/actor/administrator,auditor,company,provider,rookie/edit.do?actorId=6935</p> <p>And change the actorId of the previous link from '6935' to '6936' to access to the edit personal information form of the company 2.</p>
Expected	<p>If we follow the previous step, the system redirect us to an error page because we are not authorized to update a personal information of another user of the system.</p>  <p>The screenshot shows a web page with a light blue header. On the left is a white icon of a laptop with a teal screen. To its right, the text "ACME ROOKIES" is displayed in a bold, sans-serif font. Below the header is a dark navigation bar containing links: PROBLEMS LIST, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (COMPANY1). Underneath the navigation bar, there are two small links: "en" and "es". The main content area has a light gray background. It features a large, bold, black "Error" heading. Below it, the text "An error has occurred" is followed by a link "Return to the homepage". At the bottom of the page, there is a footer with copyright information: "Copyright © 2019 Acme-Rookies, Inc.", "Terms and conditions", and "Data processing".</p>
Outcome	The outcome is the expected one.
Notes	

Use case 09 An actor who is not authenticated must be able to list the positions available and navigate to the corresponding companies.

Description

A user not authenticated can list available positions and navigate to the corresponding companies. Available positions are positions in final mode.

Access

Main Menu > Positions available > Display position > Link to the company



Display position

Company: [One Commercial Name](#)



Ticker: ONEC-4562

Title: Position 1 - Company 1

Description: Esta es position1 del company1

Deadline: 2019/12/05

Profile: Economy

Tests

Test 09.1

Description

List positions available. Display the position and navigate to the corresponding companies.

Position list

6 items found, displaying 1 to 5.

[First/Prev] 1, 2 [Next/Last]

	Company	Ticker
Display position	Company1	ONEC-4562
Display position	Company1	ONEC-4752

Display position

Company: [One Commercial Name](#)



Ticker: ONEC-4562

Title: Position 1 - Company 1

Description: Esta es position1 del company1

Deadline: 2019/12/05

Profile: Economy

Expected

The system must return positions list. The system finds 6 items.

Position list

6 items found, displaying 1 to 5.

[First/Prev] 1, 2 [Next/Last]

	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Python	Eclipse
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Python	Eclipse
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java

When we click on display position link (Position1) the system returns display view of the position selected.

[en](#) | [es](#)

Display position

Company: [One Commercial Name](#)
Ticker: ONEC-4562
Title: Position 1 - Company 1
Description: Esta es position1 del company1
Deadline: 2019/12/05
Profile: Economy
Skills: Number
Technologies: Android
Salary: 3.124.87 € (97% VAT Inc.)
Audits

2 items found, displaying all items.
1

Display	Auditor
Display	Auditor1 Garcia
Display	Auditor3 Garcia

When we click on "One commercial name" the system return to the Display actor.

Display actor

Personal Information

Full name: Company1 Garcia
VAT number: 97%
Email: company1@gmail.com



COMPANY NAME
your tagline here

Photo:
Phone Number: 63015521
Address: Calle Company 1

Outcome The outcome is the expected one.

Notes

Use case 10 An actor who is authenticated as a company must be able to manage their positions: creating and listing.

Description

A user authenticated as a company wishes would create new positions; he or she fills in a form with data; finally, he or she save the form.

Access

Main Menu > Login > Fill the form with company1/company1 > Profile >Display Actor > Positions link > Create a position link

Position list

The screenshot shows a user interface for managing positions. On the left, there's a sidebar with 'ST PROFILE (COMPANY1)' at the top, followed by a dropdown arrow, 'Display actor', 'Message list', and 'Logout'. Below the sidebar, the main content area displays 'Audit score: 0.4' and 'Positions: [Positions](#)'. To the right, a table titled 'Position list' shows four items: 'Display position' with 'Edit' and 'Cancel' links, and three other rows of 'Display position' with 'Cancel' links. At the bottom of the main content area, there's a link 'Create a position' with a black arrow pointing towards it from the right side of the image.

4 items found, displaying all items.
1

Display position	Edit	Cancel
Display position	Cancel	
Display position	Cancel	
Display position		

[Create a position](#) ←

Tests

Test 10.1	
Description	The form must be filled in with the following data: title: 'Java developer', description "description", deadline "01/01/2020", profile "Junior", skills "Hard working", technologies "Java", salary "800",

problems "Problem1 - Company1, Problem2 - Company1". Finally, save the form.

Edit a position

The screenshot shows a form titled "Edit a position". The form contains the following fields:

- Title: Java developer
- Description: description
- Deadline: 01/01/2020
- Profile: Junior
- Skills: Hard working
- Technologies: Java
- Salary: 800
- Problems: A dropdown menu listing "Problem 1 - Company 1", "Problem 2 - Company 1", "Problem 3 - Company 1", and "Problem 14 - Company 1".

At the bottom of the form are two buttons: "Save" and "Cancel".

Expected

The system must return the positions list in which must be the new position. Only must be show display and edit link because it is in draft mode.

Position list

5 items found, displaying all items 1								
	Date	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Edite	Company1	ONFC-4772	Position 3 - Company 1	2019/12/05	Math	Number	R
Display position	Edite	Company1	OneC-8023	Java developer	2020/01/01	Junior	Hard working	Java
Display position	Canceled	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Canceled	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position		Company1	ONEC-4122	Position 4 - Company 1	2019/12/05	Math	Number	R

Create a position

Outcome


The outcome is the expected one.

Notes

Test 10.2

Description

The form must be saved in blank.

Expected	<p><i>The system must return the form with the errors like the following screenshot.</i></p>  <p>The screenshot shows a form titled 'Edit a position'. It contains several input fields with validation messages:</p> <ul style="list-style-type: none"> 'Title' field: 'Must not be blank' 'Description' field: 'Must not be blank' 'Deadline' field: 'Cannot be null' 'Profile' field: 'Must not be blank' 'Skills' field: 'Must not be blank' 'Technologies' field: 'Must not be blank' 'Salary' field: '0.0' 'Problems' dropdown menu: 'Problem 1 - Company 1', 'Problem 2 - Company 1', 'Problem 3 - Company 1', 'Problem 14 - Company 1' (with a checked checkbox) <p>At the bottom are 'Save' and 'Cancel' buttons.</p>
Outcome	The outcome is the expected one.
Notes	

Use case 11 An actor who is authenticated as a company must be able to manage their positions: displaying, make final and cancelled.

Description

A user authenticated as a company wishes displaying, make final and cancelled their positions. First, the user displays the position and click on make final link. Finally, once it is final the user will can cancel it.

Access

Main Menu > Login > Fill the form with company1/company1 > Profile >Display Actor > Positions link > Display link in the position with title "Java developer" (created in the previous test) > Make final link> Cancel link

Make sure that you are created position with title "Java developer" and have two problems. If it isn't is like that you can't make final.

The screenshot shows a web application interface. On the left is a sidebar menu with the following items:

- ST PROFILE (COMPANY1)
- Display actor
- Message list
- Logout

To the right of the sidebar, there is a section labeled "Audit score: 0.4" and "Positions: [Positions](#)". Below this is a table titled "Credit Card Information".

The table has the following columns: Company, Ticker, and Title. It contains five rows of data:

Company	Ticker	Title
Company1	ONEC-4772	Position 3 - Company 1
Company1	OneC-5210	Java developer
Company1	ONEC-4562	Position 1 - Company 1
Company1	ONEC-4752	Position 2 - Company 1
Company1	ONEC-4122	Position 4 - Company 1

Display position

[Make final](#)

Company: [One Commercial Name](#)

Ticker: OneC-5210

Title: Java developer

Description: description

Final mode: false

Deadline: 2020/01/01

Profile: Junior


Skills: Hard working


Technologies: Java

Tests

Test 11.1

Description	<p>First, we are going to display position with title "Java developer", click on make final link. Finally click on cancel link.</p>																														
Expected	<p>When we click on make final link the system must return to the position link. The position only must show display and cancel link. Realise that already don't show edit link.</p> <table border="1"><thead><tr><th></th><th></th><th>Company</th><th>Ticker</th><th>Title</th></tr></thead><tbody><tr><td>Display position</td><td>Cancel</td><td>Company1</td><td>ONEC-4562</td><td>Position 1 - Company 1</td></tr><tr><td>Display position</td><td>Cancel</td><td>Company1</td><td>ONEC-4752</td><td>Position 2 - Company 1</td></tr><tr><td>Display position</td><td>Edit</td><td>Company1</td><td>ONEC-4772</td><td>Position 3 - Company 1</td></tr><tr><td>Display position</td><td></td><td>Company1</td><td>ONEC-4122</td><td>Position 4 - Company 1</td></tr><tr><td>Display position</td><td>Cancel</td><td>Company1</td><td>OneC-5210</td><td>Java developer</td></tr></tbody></table>			Company	Ticker	Title	Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1	Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1	Display position	Edit	Company1	ONEC-4772	Position 3 - Company 1	Display position		Company1	ONEC-4122	Position 4 - Company 1	Display position	Cancel	Company1	OneC-5210	Java developer
		Company	Ticker	Title																											
Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1																											
Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1																											
Display position	Edit	Company1	ONEC-4772	Position 3 - Company 1																											
Display position		Company1	ONEC-4122	Position 4 - Company 1																											
Display position	Cancel	Company1	OneC-5210	Java developer																											
	<p>When we click on cancel link the system must return position list. The position cancelled only must show display link.</p> <table border="1"><thead><tr><th></th><th></th><th>Company</th><th>Ticker</th><th>Title</th></tr></thead><tbody><tr><td>Display position</td><td>Cancel</td><td>Company1</td><td>ONEC-4562</td><td>Position 1 - Company 1</td></tr><tr><td>Display position</td><td>Cancel</td><td>Company1</td><td>ONEC-4752</td><td>Position 2 - Company 1</td></tr><tr><td>Display position</td><td>Edit</td><td>Company1</td><td>ONEC-4772</td><td>Position 3 - Company 1</td></tr><tr><td>Display position</td><td></td><td>Company1</td><td>ONEC-4122</td><td>Position 4 - Company 1</td></tr><tr><td>Display position</td><td></td><td>Company1</td><td>OneC-5210</td><td>Java developer</td></tr></tbody></table>			Company	Ticker	Title	Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1	Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1	Display position	Edit	Company1	ONEC-4772	Position 3 - Company 1	Display position		Company1	ONEC-4122	Position 4 - Company 1	Display position		Company1	OneC-5210	Java developer
		Company	Ticker	Title																											
Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1																											
Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1																											
Display position	Edit	Company1	ONEC-4772	Position 3 - Company 1																											
Display position		Company1	ONEC-4122	Position 4 - Company 1																											
Display position		Company1	OneC-5210	Java developer																											
Outcome	The outcome is the expected one.																														
Notes																															

Test 11.2	
Description	<p>Introduce this URL. "/position/company/cancel.do?positionId=7028" Where 7028 is the id of position3 how is in draft mode and can't be cancelled.</p>
Expected	<p>The system must show view of position list, but it shows an error "Cannot be cancel".</p>  <p>Copyright © 2019 Acme-Rookie</p>
Outcome	The outcome is the expected one.
Notes	

Test 11.3	
Description	<p>Introduce this URL. "/position/company/makeFinal.do?positionId=7028" Where 7028 is the id of position3 how hasn't got any problem and can't make final.</p>
Expected	<p>The system must show view of position list, but it shows an error "Cannot make final".</p>  <p>Copyright © 2019 Acme-Rookie</p>
Outcome	The outcome is the expected one.
Notes	


Use case 12 An actor who is authenticated as a company must be able to manage their positions: editing and deleting.

Description

A user authenticated as a company wishes would edit and delete their positions; he or she fills in a form with data and he or she save the form. Finally, he or she click another one on edit and delete it.

Access

Main Menu > Login > Fill the form with company1/company1 > Profile >Display Actor > Positions link > Edit link in the position with title "Position3-Company1" > Delete button



Edit a position

Position list

4 items found, displaying all items.

1

		Company	Ticker	Title
Display position	Edit	Company1	ONEC-4772	Position 3 - Company 1
Display position	Cancel	Company1	ONEC-4362	Position 1 - Company 1
Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1
Display position		Company1	ONEC-4122	Position 4 - Company 1

[Create a position](#)

The dialog box contains fields for Title (Position 3 - Company 1), Description (Esta es position3 del company1), Deadline (05/12/2019), Profile (Math), Number, Skills (R), Technologies, Salary (3586.2), and Problems (dropdown menu with items: Problem 1 - Company 1, Problem 2 - Company 1, Problem 3 - Company 1, Problem 14 - Company 1). It includes 'Save', 'Delete', and 'Cancel' buttons.

Tests

Test 12.1

Description

First, we are going to edit company with title "Position 3-Company1" and change technologies for "new technology" and click on save. Later, click another one on edit link in the same position and click on delete button.

Expected

When save form the system must return position list with the technologies changed.

4 items found, displaying all items 1								
		Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Edit	Company1	OneC-8629	Position 3 - Company 1	2019/12/05	Math	Number	New technology
Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position		Company1	ONEC-4122	Position 4 - Company 1	2019/12/05	Math	Number	R

Create a position

Copyright © 2019 Acme-Rookies, Inc.

Moreover, when we delete it the system must return position list without the position deleted.

1								
		Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Cancel	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Cancel	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position		Company1	ONEC-4122	Position 4 - Company 1	2019/12/05	Math	Number	R

Create a position

Copyright © 2019 Acme-Rookies, Inc.

Outcome

The outcome is the expected one.


Notes

Please, when finish this test populate again.

Test 12.2**Description**

We are going to change only deadline for "01/01/2019. Finally, save the form.

Realize that the deadline is in the past.

Expected	<p><i>The system must return the form with the errors like the following screenshot.</i></p>  <p>The screenshot shows a form titled 'Edit a position' for 'Position 3 - Company 1'. The form fields include:</p> <ul style="list-style-type: none"> Title: Esta es position3 del company1 Description: Esta es position3 del company1 Deadline: 01/01/2019 (highlighted in red with the error message 'Deadline must be in the future') Profile: Math Skills: Number Technologies: R Salary: 3586.23 Problems: Problem 1 - Company 1, Problem 2 - Company 1, Problem 3 - Company 1, Problem 14 - Company 1 (with a checked checkbox) <p>At the bottom are buttons for Save, Delete, and Cancel.</p>
Outcome	The outcome is the expected one.
Notes	

Use case 13 An actor who is authenticated as a company must be able to manage their problems: creating and listing.

Description

A user authenticated as a company wishes would create new problems; he or she fills in a form with data; finally, he or she save the form.

Access

Main Menu > Login > Fill the form with company1/company1 > Problems list > Create new problem link



The screenshot shows a navigation bar with several links: PROBLEMS LIST, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (COMPANY1). The 'PROBLEMS LIST' link is highlighted with a large black circle. Below the navigation bar, there is a search input field containing 'es'.

Problem list



6 items found, displaying 1 to 5.
[First/Prev] 1, 2 [Next/Last]

Display	Edit	Make final
Display	Edit	Make final
Display	Edit	Make final
Display		
Display		
Display		

[Create a problem](#) 

Tests

Test 13.1																	
Description	<p>The form must be filled in with the following data: title: 'title acceptance test", statement "statement acceptance test", hint "hint acceptance test", attachment http://attachments.com % http://attachments1.com where % is a enter key.</p> <p>Edit a problem</p> <p>Title <input type="text" value="Problem Acceptance test"/> statement acceptance test Statement <input type="text" value="hint acceptance test"/> Hint</p> <p>Separate the urls from the attachments by "ENTER KEY"</p> <p><input type="text" value="http://attachments.com"/> <input type="text" value="http://attachments1.com"/></p> <p>Attachments <input type="button" value="..."/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>																
	<p>To pass to another page must be click on next link.</p> <p>7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p>																
Expected	<p>The system must return list positions, but we can't see the new problem because the list is paginated. So, you must go to the 2nd page. The list must show display, edit and make final link.</p> <table border="1"><thead><tr><th></th><th></th><th></th><th>Title</th></tr></thead><tbody><tr><td>Display</td><td>Edit</td><td>Make final</td><td>Problem 4 - Company 1</td></tr><tr><td>Display</td><td>Edit</td><td>Make final</td><td>Problem 17 - Company 1</td></tr><tr><td>Display</td><td>Edit</td><td>Make final</td><td>Problem Acceptance test</td></tr></tbody></table>				Title	Display	Edit	Make final	Problem 4 - Company 1	Display	Edit	Make final	Problem 17 - Company 1	Display	Edit	Make final	Problem Acceptance test
			Title														
Display	Edit	Make final	Problem 4 - Company 1														
Display	Edit	Make final	Problem 17 - Company 1														
Display	Edit	Make final	Problem Acceptance test														
Outcome	The outcome is the expected one.																
Notes																	

Test 13.2	
Description	<p><i>The form must be filled in with the following data: title: 'title acceptance test", statement "statement acceptance test", hint "hint acceptance test", attachment "attachments".</i></p> 
Expected	<p><i>The system must return an error "Invalid URL in attachments".</i></p> 
Outcome	The outcome is the expected one.
Notes	

Use case 14 An actor who is authenticated as a company must be able to manage their problems: displaying.

Description

A user authenticated as a company wishes would displays their problems; he or she goes to problems list and display it.

Access

Main Menu > Login > Fill the form with company1/company1 > Problems list > Display link



Problem list

7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]			
			Title
Display	Edit	Make final	Problem 4 - Company 1
Display	Edit	Make final	Problem 17 - Company 1
Display	Edit	Make final	Problem Acceptance test
Display			Problem 1 - Company 1
Display			Problem 2 - Company 1

Tests

Test 14.1	
Description	<p>The user how is in problem list view must click on display link of any of their problem. In this case in the problem created previously.</p>
Expected	<p>The system must return a view where show the problem. Must show the following attributes, also the attachments must be show like a link.</p> <div style="border: 1px solid black; padding: 10px;"><p>Display problem</p><p>Title: Problem Acceptance test Statement: statement acceptance test Hint: hint acceptance test Attachments:</p><ul style="list-style-type: none">• http://attachments.com• http://attachments1.com<p>Final mode: false</p><p>Positions</p><p>Nothing found to display.</p><p>Back</p></div>
Outcome	The outcome is the expected one.
Notes	


Use case 15 An actor who is authenticated as a company must be able to manage their problems: make final.

Description

A user authenticated as a company wishes would make final their problems; once the problem is final the user can't delete or edit it.

Access

Main Menu > Login > Fill the form with company1/company1 > Problems list > Make final link




Problem list

Problem list			Title
Display	Edit	Make final	Problem 4 - Company 1
Display	Edit	Make final	Problem 17 - Company 1
Display	Edit	Make final	Problem Acceptance test
Display			Problem 1 - Company 1
Display			Problem 2 - Company 1

Tests

Test 15.1										
Description	<p><i>The user how is in problem list view must click on make final link of the problem created previously.</i></p>									
Expected	<p><i>The system must return problem list. In the row of the problem acceptance test neither the edit link nor the make final link appear.</i></p> <div style="border: 1px solid black; padding: 10px; margin-top: 10px;"><p>Problem list</p><p>7 items found, displaying 6 to 7. [First/Prev] 1, 2 [Next/Last]</p><table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th style="background-color: yellow;"></th><th style="background-color: yellow;"></th><th>Title</th></tr></thead><tbody><tr><td style="text-align: center;">Display</td><td></td><td>Problem 14 - Company 1</td></tr><tr style="outline: 2px solid black;"><td style="text-align: center;">Display</td><td></td><td>Problem Acceptance test</td></tr></tbody></table></div>			Title	Display		Problem 14 - Company 1	Display		Problem Acceptance test
		Title								
Display		Problem 14 - Company 1								
Display		Problem Acceptance test								
Outcome	The outcome is the expected one.									
Notes										

Test 15.2	
Description	<p>Introduce this URL. http://localhost/Acme-Rookies/problem/company/makeFinal.do?problemId=7068 where 7068 is the id of the problem15 who is to another user.</p>
Expected	<p>The system must return problem list and show an error.</p> 
Outcome	The outcome is the expected one.
Notes	


Use case 16 An actor who is authenticated as a company must be able to manage their problems: editing and deleting.

Description

A user authenticated as a company wishes would edit and delete their problems; he or she fills in a form with data and he or she save the form. Finally, he or she return to the edit view and will delete it.

Access

Main Menu > Login > Fill the form with company1/company1 > Problems list >Edit link > Delete button



Problem list

7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]			
Display	Edit	Make final	Title
Display	Edit ←	Make final	Problem 4 - Company 1
Display			Problem 1 - Company 1

Separate the urls from the attachments by "ENTER KEY"

A screenshot of a modal dialog box titled 'Attachments'. It contains a text area for attachments and three buttons: 'Save', 'Delete', and 'Cancel'. A large black arrow points to the 'Edit' link in the text area.

Tests

Test 16.1

Description

Click on edit link to the problem4. Change the title by "editing title" and save the form. Later click on another one to edit link and click on delete button.

A screenshot of the 'Edit a problem' form. It includes fields for 'Title' (set to 'Editing problem'), 'Statement' (containing text about a rookie living in Sevilla), 'Hint' (containing text about a rookie living in Sevilla), and an 'Attachments' section. Below the form is a note: 'Separate the urls from the attachments by "ENTER KEY"'.

Expected	<p><i>The system must return position list in which the title is changed.</i></p> <h3>Problem list</h3> <p>7 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1" data-bbox="371 467 1383 592"> <thead> <tr> <th></th><th></th><th></th><th>Title</th></tr> </thead> <tbody> <tr> <td>Display</td><td>Edit</td><td>Make final</td><td>Editing problem</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 1 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 2 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 3 - Company 1</td></tr> </tbody> </table>				Title	Display	Edit	Make final	Editing problem	Display			Problem 1 - Company 1	Display			Problem 2 - Company 1	Display			Problem 3 - Company 1				
			Title																						
Display	Edit	Make final	Editing problem																						
Display			Problem 1 - Company 1																						
Display			Problem 2 - Company 1																						
Display			Problem 3 - Company 1																						
Outcome	<p><i>When delete the problem the system must return position list where the problem no longer appears. Now the system only found 6 items.</i></p> <h3>Problem list</h3> <p>6 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1" data-bbox="371 900 1319 1125"> <thead> <tr> <th></th><th></th><th></th><th>Title</th></tr> </thead> <tbody> <tr> <td>Display</td><td></td><td></td><td>Problem 1 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 2 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 3 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 14 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 17 - Company 1</td></tr> </tbody> </table>				Title	Display			Problem 1 - Company 1	Display			Problem 2 - Company 1	Display			Problem 3 - Company 1	Display			Problem 14 - Company 1	Display			Problem 17 - Company 1
			Title																						
Display			Problem 1 - Company 1																						
Display			Problem 2 - Company 1																						
Display			Problem 3 - Company 1																						
Display			Problem 14 - Company 1																						
Display			Problem 17 - Company 1																						
Notes	<p><i>The information of the table is incorrect because when I delete a problem of the company1,, the system finds 5 items instead of 6</i></p> <h3>Problem list</h3> <p>5 items found, displaying all items. 1</p> <table border="1" data-bbox="371 1410 1271 1596"> <thead> <tr> <th></th><th></th><th></th><th>Title</th></tr> </thead> <tbody> <tr> <td>Display</td><td>Edit</td><td>Make final</td><td>Problem 17 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 1 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 2 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 3 - Company 1</td></tr> <tr> <td>Display</td><td></td><td></td><td>Problem 14 - Company 1</td></tr> </tbody> </table> <p>Create a problem</p>				Title	Display	Edit	Make final	Problem 17 - Company 1	Display			Problem 1 - Company 1	Display			Problem 2 - Company 1	Display			Problem 3 - Company 1	Display			Problem 14 - Company 1
			Title																						
Display	Edit	Make final	Problem 17 - Company 1																						
Display			Problem 1 - Company 1																						
Display			Problem 2 - Company 1																						
Display			Problem 3 - Company 1																						
Display			Problem 14 - Company 1																						

Test 16.2	<p>Description Introduce the following link http://localhost/Acme-Rookies/problem/company/edit.do?problemId=7054 where 7054 is id of a final problem, so they can't be edited.</p>
-----------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Expected	<p><i>The system must return the error view.</i></p>
	<p>Error</p> <p>An error has occurred Return to the homepage</p> <hr/> <p>Copyright © 2019 Acme-Rookies, Inc.</p>
Outcome	The outcome is the expected one.
Notes	

Use case 17 An actor who is authenticated as a company must be able to manage the applications to their positions: listing, showing and make decision.

Description

A company user wishes to list applications to their positions; he or she list the applications, he or she decides on it. He or she can also show the application.

Access

Main Menu > Login > Fill the form with company1/company1 > Profile >Display Actor > Positions link > Display a position > Applications link

Position list

4 items found, displaying all items.
1

Audit score: 0.4

Positions: [Positions](#)

[Display position](#) [Edit](#) [Cancel](#)

[Display position](#) [Edit](#) [Cancel](#)

[Display position](#) [Edit](#) [Cancel](#)

[Display position](#) [Edit](#) [Cancel](#)

[Create a position](#)

Skills: Number
Technologies: Android
Salary: 3,124.87 € (97% VAT Inc.)

Applications: [Applications](#)


Problems

Tests

Test 17.1


Description

Introduce the following link <http://localhost/Acme-Rookies/application/company/list.do?positionId=7031> were 7031 is id of a draft positions.

	
Expected	<i>The system must return the error view.</i>
	<p>Error</p> <p>An error has occurred Return to the homepage</p> <p>Copyright © 2019 Acme-Rookies, Inc.</p>
Outcome	The outcome is the expected one
Notes	


Test 17.2

Description *The company decides to accept or reject the request, and this must be passed to the corresponding state group.*

	
--	--------------------------------------------------------------------------------------

Expected

The system must return a new view with the application in the corresponding group according to the decision we have made.



A screenshot of a web browser displaying the 'ACME ROOKIES' application list. The page title is 'Applications list'. At the top, there are links for PROBLEMS LIST, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (COMPANY). Below these are two sections: 'Submitted applications' (empty) and 'Rejected applications'. The 'Rejected applications' section shows one item: 'Problem 9 - Company 2' by 'Rookie5 Lopez'. A large black arrow points from the text 'According to the decision we have made.' in the 'Expected' section to this application row.

Display	Problem	Rookie
Display	Problem 9 - Company 2	Rookie5 Lopez

Outcome


The outcome is the expected one

Notes

Test 17.3

Description

Check that when you show the application, the status of the application on the display matches its grouping by state.



A screenshot of a web browser displaying the 'ACME ROOKIES' application list. The page title is 'Applications list'. At the top, there are links for PROBLEMS LIST, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (COMPANY). Below these are three sections: 'Submitted applications' (empty), 'Rejected applications' (empty), and 'Accepted applications'. The 'Accepted applications' section shows one item: 'Problem 5 - Company 2' by 'Rookie4 Rodriguez'. A large black arrow points from the text 'the status of the application on the display matches its grouping by state.' in the 'Description' section to this application row.

Display	Problem	Rookie
Display	Problem 5 - Company 2	Rookie4 Rodriguez

Expected

When clicking on the display the system should return the view of the application to show that the status is the same as in the group that is in the list of applications.



ACME ROOKIES

PROBLEMS LIST SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (COMPANY2)
[en](#) | [es](#)

Display application

Rookie: Rookie4 Rodriguez
Application moment: 2019/01/01 10:10
Status: REJECTED
Submitted moment: 2019/02/01 10:10
Answer: [Display answer](#) 
Curriculum: [Display curriculum](#) 
Position: [Position 6 - Company 2](#)
Problem: [Problem 5 - Company 2](#)

[Return](#)

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

We must also check that the link to the answer is correct and does not return any errors. Just as the links to the problem and the position take us to them.

Outcome	The outcome is the expected one
Notes	

Use case 18 An actor who is authenticated as a rookie must be able to manage his or her applications: listing, displaying and updating.

Description

A hacker user wishes to list his/her applications; he or she list the applications. From the list the actor can show the application and if this was pending the actor can add a response.


Access

Main Menu > Login > Fill the form with rookie1/rookie1 > Main Menu > Applications > Applications list



Welcome!

Tests

Test 18.1	
Description	Once we are in the list of your applications, check that the four groups of applications appear according to their status.
Expected	
Outcome	The outcome is the expected one

Notes

Test 18.2

Description

The rookie shows the application by clicking on the link in the first column. "Display".

Applications list

Pending applications

One item found.	1	Problem Problem 1 - Company 1	Position Position 2 - Company 1
Display			

Submitted applications

One item found.	1	Problem Problem 6 - Company 2	Position Position 7 - Company 2
Display			

Rejected applications

One item found.	1	Problem Problem 12 - Company 3	Position Position 8 - Company 3
Display			

Accepted applications

One item found.	1	Problem Problem 1 - Company 1	Position Position 1 - Company 1
Display			



Expected

After this we will see the application's display.

In the case that the status of the application is pending we will have to have the following view with the link to create an answer and thus send the application.



ACME

APPLICATIONS CURRICULUM LIST FINDER OF POSITIONS
[en](#) | [es](#)

Display application

Rookie: Rookie2 Munoz
Application moment: 2019/01/01 10:10
Status: PENDING
Curriculum: [Display curriculum](#)
Position: [Position 7 - Company 2](#)
Problem: [Problem 6 - Company 2](#)

[Create answer](#) 

[Return](#)

In the case that the status of the application is not pending we will have to have the following view:



ACME

APPLICATIONS CURRICULUM LIST FINDER OF POSITIONS SEARCH POSITIONS
[en](#) | [es](#)

Display application

Rookie: Rookie2 Munoz
Application moment: 2019/01/01 10:10
Status: SUBMITTED
Submitted moment: 2019/05/07 14:16
Answer: [Display answer](#)
Curriculum: [Display curriculum](#)
Position: [Position 7 - Company 2](#)
Problem: [Problem 6 - Company 2](#)

[Return](#)

We must also check that the link to the answer is correct and does not return any errors. Just as the links to the problem and the position take us to them.

Outcome	The outcome is the expected one
Notes	<p><i>In case the position to which we have made an application has been cancelled before adding a response the view of the display that we can observe will be:</i></p> <div style="background-color: #f0f0f0; padding: 10px;"> <h2>Display application</h2> <p>Rookie: Rookie2 Munoz Application moment: 2019/05/07 14:14 Status: REJECTED Curriculum: Display curriculum Position: Position 2 - Company 1 Problem: Problem 1 - Company 1</p> <p>Return</p> </div> <p><i>Because the rookie had not yet added an answer, but when passing the position to cancelled, the application is rejected and could not add an answer.</i></p>

Test 18.3

Description

The rookie user can update the applications by adding the response to a pending application. The rookie shows the application by clicking on the link in the first column. "Display".

Applications list

Pending applications
One item found.
1

Display	Problem	Position
Display	Problem 1 - Company 1	Position 2 - Company 1

Submitted applications
One item found.
1

Display	Problem	Position
Display	Problem 6 - Company 2	Position 7 - Company 2

Rejected applications
One item found.
1

Display	Problem	Position
Display	Problem 12 - Company 3	Position 8 - Company 3

Accepted applications
One item found.
1

Display	Problem	Position
Display	Problem 1 - Company 1	Position 1 - Company 1

Then click on the "create an answer" button to add a response to his/her application:



ACME

APPLICATIONS CURRICULUM LIST FINDER OF PO

[en](#) | [es](#)

Display application

Rookie: Rookie2 Munoz
Application moment: 2019/01/01 10:10
Status: PENDING
Curriculum: [Display curriculum](#)
Position: [Position 7 - Company 2](#)
Problem: [Problem 6 - Company 2](#)

[Create answer](#)

[Return](#)

And finally, the actor will have to send the empty form:

The screenshot shows a web page titled "ACME ROOKIES". At the top, there's a navigation bar with links: APPLICATIONS, CURRICULUM LIST, FINDER OF POSITIONS, SEARCH POSITIONS, ITEMS LIST, and POSITIONS AV. Below the navigation bar, there are two input fields: "Text" and "Code Link", both of which are currently empty. Underneath these fields are two buttons: "Save" and "Cancel". At the bottom of the page, there's a copyright notice: "Copyright © 2019 Acme-Rookies, Inc." followed by a link to "Terms and conditions".

Expected

It should show the following view:

This screenshot is identical to the one above, but it includes validation messages. The "Text" field has a red border and the error message "Must not be blank" displayed next to it. Similarly, the "Code Link" field also has a red border and the same error message. The rest of the page, including the navigation bar and footer, remains the same.

In case you do not complete the "code link" with a URL you should see the following error message:



ACME ROOK

APPLICATIONS CURRICULUM LIST FINDER OF POSITIONS SEARCH PO
[en](#) | [es](#)

Edit answer

Text

Code Link Invalid URL

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

Outcome	The outcome is the expected one
Notes	

Use case 19 An actor who is authenticated as a rookie must be able to manage his or her applications: create.


Description

Rookie can apply for position. The rookie must take into account that in order to request the position he cannot have another application made to that position. Neither can the deadline be a date before the current date and the status of the position must be final and not cancelled.

You cannot make an application a rookie that does not have any curriculum. In other words, the rookie who does not have a resume will not have the option to make an application until a curriculum is created in his personal profile.

Access

Main Menu > Login > Fill the form with rookie1/rookie1 > Main Menu > Positions available > Display a position > Apply




Welcome!

Acme Rookie

Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!

Current time is 07/05/2019 18:33

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)



Position list

	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Python	Eclipse
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Python	Eclipse
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)



ACME ROOKIES

APPLICATIONS CURRICULUM LIST FINDER OF POSITIONS SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (RO) en | es

Display position

[Apply](#)

Company: [Two Commercial Name](#)
Ticker: TWOC-4146
Title: Position 6 - Company 2
Description: Esta es position6 del company2
Deadline: 2019/11/05
Profile: Junior
Skills: Python
Technologies: Eclipse
Salary: 5,291.87 € (97% VAT Inc.)
Audits

Tests


Test 19.1

Description	Register a new rookie in the system. Then follow the instructions above and try to apply in some position.
Expected	Check that if the actor does not have a curriculum in his profile we cannot apply.
Display position	To make an application you must have at least one original curriculum added <p>Company: One Commercial Name Ticker: ONEC-4562 Title: Position 1 - Company 1 Description: Esta es position1 del company1 Deadline: 2019/12/05 Profile: Economy Skills: Number Technologies: Android Salary: 3,124.87 € (97% VAT Inc.) Audits</p>
Outcome	The outcome is the expected one
Notes	


Test 19.2

Description

Log in with rookie1/rookie1, introduce the following link
<http://localhost/Acme-Rookies/position/display.do?positionId=7031>
click on "apply".



Expected



Click on "save" and check that it redirects you to the list of applications and that the application created is in the "pending" group.

The screenshot shows a web application interface titled "ACME ROOKIES". At the top, there is a navigation bar with links: APPLICATIONS, CURRICULUM LIST, FINDER OF POSITIONS, SEARCH POSITIONS, ITEMES LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (ROOKIEI). Below the navigation bar, there is a search bar with the text "1" and two small icons. The main content area is titled "Applications list". It contains three sections: "Pending applications", "Submitted applications", and "Rejected applications". The "Pending applications" section has one item found, labeled "1". This item is displayed in a table row with columns "Display", "Problem", and "Position". The "Display" column contains a blue link "Display". The "Problem" column contains the text "Problem 5 - Company 2". The "Position" column contains the text "Position 6 - Company 2". A large black arrow points from the text "The outcome is the expected one." in the notes section below to this table row. The "Submitted applications" and "Rejected applications" sections both show "Nothing found to display". At the bottom of the page, the URL "localhost:Acme-Rookies/#" is visible.

Display	Problem	Position
Display	Problem 5 - Company 2	Position 6 - Company 2

The outcome is the expected one.


Use case 20 Create user accounts for new administrators

Description


An administrator user wishes to register a new administrator; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button".

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Register Administrator



Tests

Test 20.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: marcos@us.es, phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the administrator has been registered in the system, and redirect us to the 'Welcome Page'.</p>  A screenshot of a web browser displaying the Acme Rookies website. The page features a logo of a laptop with a green screen. The main heading "ACME ROOKIES" is displayed prominently. Below the header, there is a navigation bar with links: ADMINISTRATOR, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (ADMIN). Underneath the navigation bar, there are language links: en es. The main content area starts with a "Welcome!" message, followed by "Acme Rookie". A sub-headline states "Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!". Below this, the current time is shown as "Current time is 05/05/2019 18:31". At the bottom of the page, there is a copyright notice: "Copyright © 2019 Acme-Rookies, Inc." and links to "Terms and conditions" and "Data processing".
Outcome	<p>The outcome is the expected one. I can fill the name field with the name "<script> alarm('Hola') </script>" with no errors back from the system.</p>
Notes	

Use case 21 Create user accounts for new administrators

Description

An administrator user wishes to register a new administrator; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button". As an abnormal behaviour, we are going to try to register an administrator without a surname, note that is a field requested in the form and it cannot be blank.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Register Administrator (Same as the previous test)

Tests

Test 21.1

Description

The form must be filled in with the following data: name: 'Marcos', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.

Expected

As an abnormal behaviour, if we filled the form with the previous values, the system return us to the same page with the error 'Must not be blank'.

The screenshot shows a web application interface for 'ACME ROOKIES'. At the top, there is a logo of a laptop and the text 'ACME ROOKIES'. Below the logo, a navigation bar contains links: ADMINISTRATOR, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, PROFILE (ADMIN), and language links en | es. The main content area has a heading 'Register actor' and a sub-section 'Administrator'. A note says '* Requested Fields.' Below this, a 'Personal Information' section contains several input fields:

- Name *: Marcos
- Surname *: (empty field) **Must not be blank**
- VAT number *: 45
- Photo: http://www.google.com
- Email *: marcos@us.es
- Phone Number: 632541235
- Address: Calle 1

Outcome

The outcome is the expected one.

Notes


Use case 22 Display a dashboard

Description


An administrator wants to display a dashboard.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Display dashboard



Tests

Test 22.1																																																
Description	<p><i>The administrator displays a dashboard with so many information of the system.</i></p>																																															
Expected	<p><i>As a normal behaviour, if we follow the Access steps to display the dashboard we expected the next view:</i></p>  <p>The screenshot shows a dashboard titled "ACME ROOKIES" with a laptop icon. The top navigation bar includes links for ADMINISTRATOR, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, PROFILE(ADMIN), and LOGOUT. Below the navigation is a section titled "Display dashboard" which contains two tables showing statistical data for positions and applications per company. At the bottom, there is a table listing companies with their names, emails, phone numbers, addresses, and commercial names.</p> <table border="1"> <thead> <tr> <th>Average</th> <th>Minimum</th> <th>Maximum</th> <th>Standard Deviation</th> </tr> </thead> <tbody> <tr> <td>3.000</td> <td>2.000</td> <td>4.000</td> <td>0.816</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th>Average</th> <th>Minimum</th> <th>Maximum</th> <th>Standard Deviation</th> </tr> </thead> <tbody> <tr> <td>1.556</td> <td>0.000</td> <td>3.000</td> <td>1.066</td> </tr> </tbody> </table> <table border="1"> <thead> <tr> <th colspan="5">The companies that have offered more positions:</th> </tr> </thead> <tbody> <tr> <td colspan="5">3 items found, displaying all items.</td> </tr> <tr> <td>1</td> <td>Full name</td> <td>Email</td> <td>Phone Number</td> <td>Address</td> <td>Commercial Name</td> </tr> <tr> <td>Company1 Garcia</td> <td>company1@gmail.com</td> <td>63015521</td> <td>Calle Company 1</td> <td>One Commercial Name</td> </tr> <tr> <td>Company2 Lobato</td> <td>company2@gmail.com</td> <td>63015521</td> <td>Calle Company 2</td> <td>Two Commercial Name</td> </tr> <tr> <td>Company3 Perez</td> <td>company3@gmail.com</td> <td>63015521</td> <td>Calle Company 3</td> <td>Three Commercial Name</td> </tr> </tbody> </table>	Average	Minimum	Maximum	Standard Deviation	3.000	2.000	4.000	0.816	Average	Minimum	Maximum	Standard Deviation	1.556	0.000	3.000	1.066	The companies that have offered more positions:					3 items found, displaying all items.					1	Full name	Email	Phone Number	Address	Commercial Name	Company1 Garcia	company1@gmail.com	63015521	Calle Company 1	One Commercial Name	Company2 Lobato	company2@gmail.com	63015521	Calle Company 2	Two Commercial Name	Company3 Perez	company3@gmail.com	63015521	Calle Company 3	Three Commercial Name
Average	Minimum	Maximum	Standard Deviation																																													
3.000	2.000	4.000	0.816																																													
Average	Minimum	Maximum	Standard Deviation																																													
1.556	0.000	3.000	1.066																																													
The companies that have offered more positions:																																																
3 items found, displaying all items.																																																
1	Full name	Email	Phone Number	Address	Commercial Name																																											
Company1 Garcia	company1@gmail.com	63015521	Calle Company 1	One Commercial Name																																												
Company2 Lobato	company2@gmail.com	63015521	Calle Company 2	Two Commercial Name																																												
Company3 Perez	company3@gmail.com	63015521	Calle Company 3	Three Commercial Name																																												
Outcome	<p><i>The outcome is the expected one.</i></p>																																															
Notes																																																

Use case 23 Display a dashboard

Description

An administrator wants to display a dashboard. As an abnormal behaviour, we are going to try to display a dashboard as a rookie.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR
en | es

Login

User name: Password:

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

Tests

Test 23.1	
Description	<p>When we are logged as a rookie1, we have to paste this url in our browser to access to the dashboard.</p> <p><code>http://localhost:8080/Acme-Rookies/dashboard/administrator/display.do</code></p>
Expected	<p>If we follow the previous step, the system redirect us to an error page because we are not authorized to display this information.</p> <p>Oops! You don't have access to this resource. Return to the welcome page</p>
Outcome	<p>The outcome is the expected one.</p>
Notes	


Use case 24 The system must be easy to customise at run time

Description

An administrator displays and edits customisation's parameters. He or she fills in a form with valid customisation data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Display customisation > Edit customisation.



9 items found, displaying 1 to 5.

[First/Prev] [1](#), [2](#) [[Next](#)/[Last](#)]

Spam words

sex

viagra

cialis

one million

you've been selected

[Edit customisation](#)

[Return](#)

Tests

Test 24.1							
Description	<p>You must enter in the form the next data: Welcome message in English: 'Hello world!', Welcome message in Spanish: ¡Hola mundo!, Country code: '+72' and VAT tax: '21'. The other form's inputs stay unchanged.</p>						
Expected	<p>The system displays the customisation.</p> <h2>Display customisation</h2> <p>System name: Acme Rookie</p> <p>Banner: https://i.ibb.co/LQXvBrh/Copia-de-I-m-Back.png</p> <p>Welcome message in English: Hello world!</p> <p>Welcome message in Spanish: ¡Hola mundo!</p> <p>Country code: +72</p> <p>Time cached finder results: 1</p> <p>Maximum finder results: 10</p> <p>Flat rate: 500.0</p> <p>VAT tax: 21%</p> <p>Has rebranding notification been sent yet? No</p> <p>9 items found, displaying 1 to 5. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"><thead><tr><th>Spam words</th></tr></thead><tbody><tr><td>sex</td></tr><tr><td>viagra</td></tr><tr><td>cialis</td></tr><tr><td>one million</td></tr><tr><td>you've been selected</td></tr></tbody></table>	Spam words	sex	viagra	cialis	one million	you've been selected
Spam words							
sex							
viagra							
cialis							
one million							
you've been selected							

Outcome	<p><i>Display customisation view shows "false" instead of "No".</i></p> <h2>Display customisation</h2> <p>System name: Acme Rookie</p> <p>Banner: https://i.ibb.co/LQXvBrh/Copia-de-I-m-Back.png</p> <p>Welcome message in English: Hello worl!</p> <p>Welcome message in Spanish: ¡Hola mundo!</p> <p>Country code: +72</p> <p>Time cached finder results: 1</p> <p>Maximum finder results: 10</p> <p>Flat rate: 500.0</p> <p>VAT tax: 21%</p> <p>Has rebranding notification been sent yet? false</p>
Notes	<p><i>This use case has been executed after populating the database.</i></p>

Use case 25 The system must be easy to customise at run time


Description

An administrator displays and edits customisation's parameters. he or she fills in a form with invalid customisation data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Display customisation > Edit customisation.

Tests

Test 25.1	
Description	You must enter on the form the next data: Banner: 'holo', Country code: 'Forocoches', Time cached finder results: '-1', Maximum finder results: '-10', Flat rate: '-500.00' and VAT tax: '-21'. The other form's inputs stay empty.
Expected	The system displays form edition with error messages.  <p>The screenshot shows a form titled "Edit customisation". It contains several input fields with validation errors:</p> <ul style="list-style-type: none">System name: Must not be blankBanner: hola: Invalid URLWelcome message in English: Must not be blankWelcome message in Spanish: Must not be blankCountry code: Forocoches: Does not match patternTime cached finder results: -1: Out of range (1-24)Maximum finder results: -10: Out of range (1-100)Spam words: Must not be blankFlat rate: -500.0: Too small (min = 0)VAT tax: -21: Out of range (0-100) <p>At the bottom are "Save" and "Cancel" buttons.</p>
Outcome	The outcome is the expected one.
Notes	This use case has been executed after previous test. The database hasn't been populated again.

Use case 26 Manage his or her curricula: Edit/Display curriculum


Description

A user authenticated as rookie wishes to edit one of his curriculum; he selects one of his curricula to edit; he fills a form and hits the "Save" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 26.1	
Description	<ol style="list-style-type: none">1. Log in as "rookie1/rookie1".2. Go to "Main Menu > Curriculum list".3. Click on "Display" link of the first curriculum in the list.4. Click on "Edit" link in the field set "General":  The screenshot shows a 'Display curriculum' page. A 'General' field set is open, containing a 'Title' field with the value 'Curriculum del Rookie 1' and an 'Edit' link. Below it is a 'Personal data' field set containing two items: 'Full name: Rookie1 Alvarez' and 'Statement: statement_personal_data_1_del_rookie_1'.5. Fill the field "Title" with "Testing 1" and click on the "Save" button.
Expected	Expected results for each step:

2.

Curriculum list

One item found.

1

		<u>Title</u>	x
Display	Delete	Curriculum del Rookie 1	

[Create new curriculum](#)

3.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookiel Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

	<u>Title</u>	x	<u>Start date</u>	x	<u>End date</u>	x
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20		
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03		

[Create new position date](#)

Education data

One item found.

1

	<u>Degree</u>	x	<u>Mark</u>	x
Display	Edit	Ingeniería Informática del Software	6.2	

[Create new education date](#)

Miscellaneous data

2 items found, displaying all items.

1

	<u>Text</u>	x
Display	Edit	text miscellaneous data1 del rookie 1
Display	Edit	text miscellaneous data2 del rookie 1

[Create new miscellaneous data](#)

[Return to curriculum list](#)

4.

Edit curriculum

General

Title: Curriculum del Rookie 1

[Save](#)

[Delete](#)

[Cancel](#)

	<p>5.</p> <h2>Display curriculum</h2> <p>The screenshot shows a 'Display curriculum' page. At the top is a 'General' field set containing a 'Title' field with the value 'Testing 1'. Below it is an 'Edit' link. Underneath the 'General' field set is a 'Personal data' field set containing a 'Full name' field with the value 'Rookie1 Alvarez'.</p>
Outcome	<i>The outcome is the expected one</i>
Notes	

Test 26.2	
Description	<ol style="list-style-type: none"> 1. Log in as "rookie1/rookie1". 2. Go to "Main Menu > Curriculum list". 3. Click on "Display" link of the first curriculum in the list. 4. Click on "Edit" link in the field set "General". 5. Empty the field "Title" and click on the "Save" button. 6. Click on the "Cancel" button. 7. Click on "Edit" link in the field set "General" again. 8. Empty the field "Title" and click on the "Save" button. 9. Fill the field "Title" with "Testing 1" and click on the "Save" button.
Expected	<i>Expected results for each step:</i>

5.

Edit curriculum

General

Title: **Must not be blank**

[Save](#)

[Delete](#)

[Cancel](#)

6.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- Full name: Rookiel Alvarez
- Statement: statement personal data 1 del rookie 1
- Phone number: 631047853
- GitHub profile: <https://github.com/personal1>
- LinkedIn profile: <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

	Title	Start date	End date	X
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03

[Create new position date](#)

Education data

One item found.

1

	Degree	Mark	X
Display	Edit	Ingeniería Informática del Software	6.2

[Create new education date](#)

Miscellaneous data

2 items found, displaying all items.

1

	Text	X
Display	Edit	text miscellaneous data1 del rookie 1
Display	Edit	text miscellaneous data2 del rookie 1

[Create new miscellaneous date](#)

[Return to curriculum list](#)

9.

Display curriculum

General

Title: Testing 1

[Edit](#)

Personal data

• Full name: Rookie1 Alvarez

Outcome *The outcome is the expected one.*

Notes

Use case 27 Manage his or her curricula: Create/Delete curriculum

Description

A user authenticated as rookie wishes to create and delete a curriculum; he fills a form and hits the "Save" button; he goes to edition form and hits "Delete" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 27.1

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Create new curriculum" link.
4. Fill the form with the following data and click on the "Save" button:

Create curriculum

General

Title: Curriculum test

Personal data

Full name: Rookie1 Alvarez

Statement: Statement test

Phone number: 123123123

GitHub profile: <https://github.com/yo>

LinkedIn profile: <https://www.linkedin.com/yo>

Save

Cancel

5. Click on the "Edit" link in the field set "General".
6. Click on the "Delete" button
7. Click on the "Delete" link of the first curriculum in the list.
8. Accept the confirmation message.

Expected

Expected results for each step:

4.

Display curriculum

General

Title: Curriculum test

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** Statement test
- **Phone number:** 123123123
- **GitHub profile:** <https://github.com/yo>
- **LinkedIn profile:** <https://www.linkedin.com/yo>

[Edit](#)

Position data

Nothing found to display. [Create new position date](#)

Education data

Nothing found to display. [Create new education date](#)

Miscellaneous data

Nothing found to display. [Create new miscellaneous date](#)

[Return to curriculum list](#)

6.


Curriculum list

One item found.

1

		<u>Title</u>	x
Display	Delete	Curriculum del Rookie 1	

[Create new curriculum](#)

	7.	
	8.	<h2>Curriculum list</h2> <p>Nothing found to display. Create new curriculum</p>
Outcome	<i>The outcome is the expected one.</i>	
Notes		

Test 27.2	
Description	<ol style="list-style-type: none"> 1. Log in as "rookie1/rookie1". 2. Go to "Main Menu > Curriculum list". 3. Click on "Create new curriculum" link. 4. Fill the form with empty/incorrect values and click on the "Save" button. See the note below. 5. Fill the form with correct values and click on the "Save" button. 6. Click on the "Edit" link in the field set "General". 7. Set the value of any field to an incorrect value and click on the "Save" button. 8. Click on the "Delete" button.
Expected	<i>Expected results for each step:</i>

4. *Output expected with empty values:*

Create curriculum

General
Title: <input type="text"/> Must not be blank
Personal data
Full name: <input type="text" value="Rookie1 Alvarez"/>
Statement: <input type="text"/> Must not be blank
Phone number: <input type="text"/> Must not be blank
GitHub profile: <input type="text" value="https://github.com/..."/> Must not be blank
LinkedIn profile: <input type="text" value="https://www.linkedin.com/..."/> Must not be blank
<input type="button" value="Save"/> <input type="button" value="Cancel"/>

With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").

5. *Should redirect to the Display curriculum view without any kind of error.*
8. *Should redirect to the Curriculum list view without any kind of error.*

Outcome	<i>The outcome is the expected one.</i>
Notes	<i>Full name must match with the full name of the actor principal. Github profile and linkedin profile must be URLs and they must match the following patterns respectively: "https://github.com/...", "https://www.linkedin.com/...". Also, when the phone number does not match an expected pattern, the system must show a confirmation message.</i>

Use case 28 Manage his or her curricula: Edit Personal data

Description

A user authenticated as rookie wishes to edit the personal data of one of his curricula; he displays the curriculum to be edited; he hits the edit button; he fills the form with the desired data; he hits the "Save" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 28.1

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Edit" link in the field set of Personal data.
5. Fill the form with the following data and click on the "Save" button:

Edit personal data

Personal data

Full name:	Rookie1 Alvarez
Statement:	Statement test
Phone number:	123123123
GitHub profile:	https://github.com/tu
LinkedIn profile:	https://www.linkedin.com/tu

Expected

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** Statement test
- **Phone number:** 123123123
- **GitHub profile:** <https://github.com/tu>
- **LinkedIn profile:** <https://www.linkedin.com/tu>

[Edit](#)

Position data

.....
2 items found, displaying all items.

Outcome

The outcome is the expected one.

Notes

Test 28.2

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Edit" link in the field set of Personal data.
5. Set the value of any field to an empty/incorrect value and then click on the "Save" button. See the note below for more information about incorrect values.
6. Click on "Cancel" button.

Expected

5. Output expected with the field "Statement" empty:

Edit personal data

Personal data

Full name: Rookie1 Alvarez

Statement:

Must not be blank

Phone number: 631047853

GitHub profile: <https://github.com/persc>

LinkedIn profile: <https://www.linkedin.cor>

Save

Cancel

With each one of the other empty/incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").

6.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- Full name: Rookie1 Alvarez
- Statement: statement personal data 1 del rookie 1
- Phone number: 631047853
- GitHub profile: <https://github.com/personal1>
- LinkedIn profile: <https://www.linkedin.com/personal1>

[Edit](#)

Position data

... 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100 ...

Outcome

The outcome is the expected one.

Notes

Full name must match with the full name of the actor principal. Github profile and linkedin profile must be URLs and they must match the following patterns respectively: "<https://github.com/>...",

"<https://www.linkedin.com/>...". Also, when the phone number does not match an expected pattern, the system must show a confirmation message.

Use case 29 Manage his or her curricula: Create/List/Display Position data


Description

A user authenticated as rookie wishes to add a position data in one of his curricula and display it; he displays the curriculum to be edited; he hits the "Create new position data" link; he fills the form with the desired data; he hits the "Save" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 29.1	
Description	<ol style="list-style-type: none">Log in as "rookie1/rookie1".Go to "Main Menu > Curriculum list".Click on "Display" link of the first curriculum in the list.Click on "Create new position data" link.Fill the form with the following data and click on the "Save" button: <p>The screenshot shows a modal dialog titled "Edit position data". Inside, there's a section labeled "Position data". It includes a "Title" field with "Testing title", a "Description" field containing "Testing description", and two date fields: "Start date" set to "12/12/1998" and "End date" set to "12/12/2005". At the bottom are "Save" and "Cancel" buttons.</p>Click on the "Display" link corresponding to the new position data created.Click on "Return to curriculum" link.

Expected

5.

[View](#)

Position data

3 items found, displaying all items.
1

	Title	Start date	End date	
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03
Display	Edit	Testing title	1998/12/12	2005/12/12

[Create new position data](#)

Education data

6.

Display position data

- **Title:** Testing title
- **Description:** Testing description
- **Start date:** 1998/12/12
- **End date:** 2005/12/12

[Return to curriculum](#)

7. *The same as the step 5.*

Outcome

The outcome is the expected one except the date format is not the same in the step 5 and the translations of dates in Spanish are incorrect.

Position data

3 items found, displaying all items.
1

	Title	Start date	End date	
Display	Edit	Position data 1 del rookie 1	2014-08-20	2014-10-20
Display	Edit	Position data 2 del rookie 1	2015-09-02	2016-01-03
Display	Edit	Testing title	1998-12-12	2005-12-12

[Create new position data](#)

Education data

Fecha inicio	×	Fecha fin	×
2014-08-20		2014-10-20	
2015-09-02		2016-01-03	

Notes

Test 29.2

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Create new position data" link.
5. Fill the form with empty/incorrect values and click on the "Save" button. See the note below.
6. Click on "Cancel" button.
7. Click on "Create new position data" link again.
8. Fill the form with empty/incorrect values and click on the "Save" button. See the note below.
9. Fill the form with correct values and click on the "Save" button.

Expected

5. Output expected with empty values:

Edit position data

Position data

Title:	<input type="text"/>	Must not be blank
Description:	<input type="text"/>	Must not be blank
Start date:	<input type="text"/> dd/mm/yyyy	Cannot be null
End date:	<input type="text"/> dd/mm/yyyy	

With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").

6.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

		<u>Title</u>	<u>Start date</u>	<u>End date</u>
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03

[Create new position data](#)

Education data

9. Should redirect to Display curriculum view without any kind of error and with the new position created in the Position data list.

Outcome

The outcome is the expected one except the date format is not the same in the step 6 and dates are not correctly internationalized.

Position data

2 items found, displaying all items.

1

		<u>Title</u>	<u>Start date</u>	<u>End date</u>
Display	Edit	Position data 1 del rookie 1	2014-08-20	2014-10-20
Display	Edit	Position data 2 del rookie 1	2015-09-02	2016-01-03

[Create new position data](#)

Education data

<u>Fecha inicio</u>	<u>Fecha fin</u>
2014-08-20	2014-10-20
2015-09-02	2016-01-03

Notes

"Start date" and "End date" must be past dates. "End date" is an optional field. "Start date" must be earlier than "End date".

Use case 30 Manage his or her curricula: Edit/Delete Position data


Description

A user authenticated as rookie wishes to edit a position data in one of his curricula and delete it; he displays the curriculum to be edited; he hits the "Edit" link of the position data he wishes to edit; he fills the form with the desired data; he hits the "Save" button; he hits the "Edit" link again; he hits the "Delete" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 30.1	
Description	<ol style="list-style-type: none">1. Log in as "rookie1/rookie1".2. Go to "Main Menu > Curriculum list".3. Click on "Display" link of the first curriculum in the list.4. Click on "Edit" link of the first Position data in the Position data list.5. Fill the form with the following data and click on the "Save" button: <p>The screenshot shows a modal dialog titled "Edit position data". Inside, there's a section labeled "Position data". It contains four input fields: "Title" with the value "Testing title", "Description" with the value "Testing description", "Start date" with the value "10/08/2012", and "End date" with the value "10/10/2017". At the bottom of the dialog are three buttons: "Save", "Delete", and "Cancel".</p>6. Click on "Edit" link of the first Position data in the Position data list again.7. Click on "Delete" button.

Expected

3.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

		<u>Title</u>	<u>Start date</u>	<u>End date</u>	X
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20	X
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03	

[Create new position data](#)

Education data

5.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

		Title	Start date	End date	X
Display	Edit	Testing title	2012/08/10	2017/10/10	X
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03	X

[Create new position data](#)

Education data

7.

Display curriculum

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

One item found.

1

		Title	Start date	End date	X
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03	X

[Create new position data](#)

Education data

Outcome

The outcome is the expected one except the date format is not the same in the lists

Notes


Position data

	Title	Start date	End date
Display	Edit Position data 2 del rookie 1	2015-09-02	2016-01-03

[Create new position data](#)

Test 30.2**Description**

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Edit" link of the first Position data in the Position data list.
5. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.
6. Click on "Cancel" button.
7. Click on "Edit" link of the first Position data in the Position data list again.
8. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.
9. Fill the form with correct values and click on the "Save" button.
10. Click on "Edit" link of the first Position data in the Position data list again.
11. Set the value of any field to an incorrect value and click on the "Save" button.
12. Click on the "Delete" button.

Expected	<p>6. Should redirect to the corresponding Display curriculum view without any kind of error.</p> <p>9. Should redirect to the corresponding Display curriculum view without any kind of error and with the position data edited in the list.</p> <p>12. Should redirect to the corresponding Display curriculum view without any kind of error and the position data deleted must not appear in the position data list.</p>						
Outcome	<p>The outcome is the expected one except the date format is not the same in the lists.</p>  <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="text-align: left; background-color: #ffff00;">Title</th> <th style="text-align: left; background-color: #ffff00;">Start date</th> <th style="text-align: left; background-color: #ffff00;">End date</th> </tr> </thead> <tbody> <tr> <td style="padding: 5px;">Position data 2 del rookie 1</td> <td style="padding: 5px; text-align: center;">2015-09-02</td> <td style="padding: 5px; text-align: center;">2016-01-03</td> </tr> </tbody> </table> <p>Create new position data</p>	Title	Start date	End date	Position data 2 del rookie 1	2015-09-02	2016-01-03
Title	Start date	End date					
Position data 2 del rookie 1	2015-09-02	2016-01-03					
Notes	<p>"Start date" and "End date" must be past dates. "End date" is an optional field. "Start date" must be earlier than "End date".</p>						

Use case 31 Manage his or her curricula: Create/List/Display Education data


Description

A user authenticated as rookie wishes to add an education data in one of his curricula and display it; he displays the curriculum to be edited; he hits the "Create new education data" link; he fills the form with the desired data; he hits the "Save" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 31.1	
Description	<ol style="list-style-type: none">1. Log in as "rookie1/rookie1".2. Go to "Main Menu > Curriculum list".3. Click on "Display" link of the first curriculum in the list.4. Click on "Create new education data" link.5. Fill the form with the following data and click on the "Save" button: <p>The screenshot shows a modal window titled "Edit education data". Inside, there's a section labeled "Education data" containing five input fields: "Degree" with value "Testing degree", "Institution" with value "Testing institution", "Mark" with value "5.0", "Start date" with value "10/08/2012", and "End date" with value "10/10/2017". At the bottom of the modal are two buttons: "Save" and "Cancel".</p>6. Click on the "Display" link corresponding to the new education data created.7. Click on "Return to curriculum" link.

Expected

5.

Education data

2 items found, displaying all items.

	Degree	Mark
Display	Ingeniería Informática del Software	6.2
Display	Testing degree	5.0

[Create new education data](#)

6.

Display education data

- **Degree:** Testing degree
- **Institution:** Testing institution
- **Mark:** 5.0
- **Start date:** 2012/08/10
- **End date:** 2017/10/10

[Return to curriculum](#)

7. The same as the step 5.

Outcome

The outcome is the expected one.

Notes

Test 31.2

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Create new education data" link.
5. Fill the form with empty/incorrect values and click on the "Save" button. See the note below.
6. Click on "Cancel" button.
7. Click on "Create new education data" link again.

8. Fill the form with empty/incorrect values and click on the "Save" button. See the note below.

9. Fill the form with correct values and click on the "Save" button.

Expected

5. Output expected with empty values:

Edit education data

Education data

Degree:	<input type="text"/>	Must not be blank
Institution:	<input type="text"/>	Must not be blank
Mark:	<input type="text" value="0.0"/>	
Start date:	<input type="text" value="dd/mm/yyyy"/>	Cannot be null
End date:	<input type="text" value="dd/mm/yyyy"/>	

With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").

6.

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

	<u>Title</u>	<u>Start date</u>	<u>End date</u>	
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03

[Create new position data](#)

Education data

One item found.

1

	<u>Degree</u>	<u>Mark</u>	
Display	Edit	Ingeniería Informática del Software	6.2

[Create new education data](#)

Miscellaneous data

9. Should redirect to Display curriculum view without any kind of error and with the new position created in the Education data list.

Outcome

The outcome is the expected one.

Notes

"Start date" and "End date" must be past dates. "End date" is an optional field. "Start date" must be earlier than "End date". Mark is a float number between 0 and 100.

Use case 32 Manage his or her curricula: Edit/Delete Education data

Description

A user authenticated as rookie wishes to edit an education data in one of his curricula and delete it; he displays the curriculum to be edited; he hits the "Edit" link of the education data he wishes to edit; he fills the form with the desired data; he hits the "Save" button; he hits the "Edit" link again; he hits the "Delete" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 32.1

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Edit" link of the first Education data in the Education data list.
5. Fill the form with the following data and click on the "Save" button:

The screenshot shows a modal dialog titled "Edit education data". Inside the dialog, there is a section labeled "Education data" containing five input fields:

- Degree: Testing degree
- Institution: Testing institution
- Mark: 5.0
- Start date: 10/08/2012
- End date: 10/10/2017

Below these fields are two buttons: "Save" and "Cancel".

6. Click on "Edit" link of the first Education data in the Education data list again.
7. Click on "Delete" button.

Expected

3.

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

	<u>Title</u>	<u>Start date</u>	<u>End date</u>
Display	Edit Position data 1 del rookie 1	2014/08/20	2014/10/20
Display	Edit Position data 2 del rookie 1	2015/09/02	2016/01/03

[Create new position data](#)

Education data

One item found.

1

	<u>Degree</u>	<u>Mark</u>
Display	Edit Ingeniería Informática del Software	6.2

[Create new education data](#)

Miscellaneous data

5.

General

Title: Curriculum del Rookie 1

[Edit](#)

Personal data

- **Full name:** Rookie1 Alvarez
- **Statement:** statement personal data 1 del rookie 1
- **Phone number:** 631047853
- **GitHub profile:** <https://github.com/personal1>
- **LinkedIn profile:** <https://www.linkedin.com/personal1>

[Edit](#)

Position data

2 items found, displaying all items.

1

		<u>Title</u>	<u>Start date</u>	<u>End date</u>	x
Display	Edit	Position data 1 del rookie 1	2014/08/20	2014/10/20	x
Display	Edit	Position data 2 del rookie 1	2015/09/02	2016/01/03	x

[Create new position data](#)

Education data

One item found.

1

		<u>Degree</u>	<u>Mark</u>	x
Display	Edit	Testing degree	5.0	x

[Create new education data](#)

	<p>7.</p> <div style="border: 1px solid #ccc; padding: 5px;"> <p>General</p> <p>Title: Curriculum del Rookie 1</p> <p>Edit</p> <p>Personal data</p> <ul style="list-style-type: none"> • Full name: Rookie1 Alvarez • Statement: statement personal data 1 del rookie 1 • Phone number: 631047853 • GitHub profile: https://github.com/personal1 • LinkedIn profile: https://www.linkedin.com/personal1 <p>Edit</p> <p>Position data</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;"> <p>2 items found, displaying all items.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="background-color: #ffffcc;"></th> <th style="background-color: #ffffcc;"></th> <th style="background-color: #ffffcc;">Title</th> <th style="background-color: #ffffcc;">×</th> <th style="background-color: #ffffcc;">Start date</th> <th style="background-color: #ffffcc;">×</th> <th style="background-color: #ffffcc;">End date</th> <th style="background-color: #ffffcc;">×</th> </tr> <tr> <td style="text-align: center;">Display</td> <td style="text-align: center;">Edit</td> <td>Position data 1 del rookie 1</td> <td></td> <td style="text-align: center;">2014/08/20</td> <td></td> <td style="text-align: center;">2014/10/20</td> <td></td> </tr> <tr> <td style="text-align: center;">Display</td> <td style="text-align: center;">Edit</td> <td>Position data 2 del rookie 1</td> <td></td> <td style="text-align: center;">2015/09/02</td> <td></td> <td style="text-align: center;">2016/01/03</td> <td></td> </tr> </table> <p>Create new position data</p> <p>Education data</p> <div style="border: 1px solid #ccc; padding: 5px; margin-top: 5px;"> <p>Nothing found to display. Create new education data</p> </div> </div> </div>			Title	×	Start date	×	End date	×	Display	Edit	Position data 1 del rookie 1		2014/08/20		2014/10/20		Display	Edit	Position data 2 del rookie 1		2015/09/02		2016/01/03	
		Title	×	Start date	×	End date	×																		
Display	Edit	Position data 1 del rookie 1		2014/08/20		2014/10/20																			
Display	Edit	Position data 2 del rookie 1		2015/09/02		2016/01/03																			
Outcome	<i>The outcome is the expected one.</i>																								
Notes																									

Test 32.2	<p>Description</p> <ol style="list-style-type: none"> 1. Log in as "rookie1/rookie1". 2. Go to "Main Menu > Curriculum list". 3. Click on "Display" link of the first curriculum in the list. 4. Click on "Edit" link of the first Education data in the Education data list. 5. Set the value of any field to an incorrect value and click on the "Save" button. See the note below. 6. Click on "Cancel" button. 7. Click on "Edit" link of the first Education data in the Education data list again.
------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

	<p>8. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.</p> <p>9. Fill the form with correct values and click on the "Save" button.</p> <p>10. Click on "Edit" link of the first Education data in the Education data list again.</p> <p>11. Set the value of any field to an incorrect value and click on the "Save" button.</p> <p>12. Click on the "Delete" button.</p>
Expected	<p>6. Should redirect to the corresponding Display curriculum view without any kind of error.</p> <p>9. Should redirect to the corresponding Display curriculum view without any kind of error and with the education data edited in the list.</p> <p>12. Should redirect to the corresponding Display curriculum view without any kind of error and the education data deleted must not appear in the education data list.</p>
Outcome	The outcome is the expected one.
Notes	"Start date" and "End date" must be past dates. "End date" is an optional field. "Start date" must be earlier than "End date". Mark is a float number between 0 and 100.

Use case 33 Manage his or her curricula: Create/List/Display Miscellaneous data

Description

A user authenticated as rookie wishes to add a miscellaneous data in one of his curricula and display it; he displays the curriculum to be edited; he hits the "Create new miscellaneous data" link; he fills the form with the desired data; he hits the "Save" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 33.1

Description



1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Create new miscellaneous data" link.
5. Fill the form with the following data and click on the "Save" button:

The screenshot shows a form titled "Edit miscellaneous data". At the top, there is a section labeled "Miscellaneous data" containing a text input field with the value "Testing test". Below this is a "Text" input field with a small "..." icon. A note says "Enter each URL separated by \"ENTER KEY\"." Underneath is a "URL" input field containing two URLs: "http://www.url1.com" and "http://www.url2.com". Below the URL field is an "Attachments" input field with a small "..." icon. At the bottom of the form are two buttons: "Save" and "Cancel".

6. Click on the "Display" link corresponding to the new miscellaneous data created.

	7. Click on "Return to curriculum" link.																
Expected	<p>5.</p> <div style="border: 1px solid #ccc; padding: 10px;"> <p>Miscellaneous data</p> <p>3 items found, displaying all items.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th></th> <th></th> <th style="text-align: center;">Text</th> <th style="text-align: right;">X</th> </tr> <tr> <td>Display</td> <td>Edit</td> <td>text miscellaneous data1 del rookie 1</td> <td style="text-align: right;">Delete</td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>text miscellaneous data2 del rookie 1</td> <td style="text-align: right;">Delete</td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>Testing test</td> <td style="text-align: right;">Delete</td> </tr> </table> <p>Create new miscellaneous data</p> </div> <p>6.</p> <h2>Display miscellaneous data</h2> <ul style="list-style-type: none"> • Text: Testing test • Attachments: <ul style="list-style-type: none"> ○ http://www.url1.com ○ http://www.url2.com <p>Return to curriculum</p>			Text	X	Display	Edit	text miscellaneous data1 del rookie 1	Delete	Display	Edit	text miscellaneous data2 del rookie 1	Delete	Display	Edit	Testing test	Delete
		Text	X														
Display	Edit	text miscellaneous data1 del rookie 1	Delete														
Display	Edit	text miscellaneous data2 del rookie 1	Delete														
Display	Edit	Testing test	Delete														
Outcome	The outcome is the expected one. <u>But in "create" view appear a "delete" button. (POSSIBLE BUG)</u>																
Notes																	

Test 33.2	
Description	<ol style="list-style-type: none"> 1. Log in as "rookie1/rookie1". 2. Go to "Main Menu > Curriculum list". 3. Click on "Display" link of the first curriculum in the list. 4. Click on "Create new miscellaneous data" link. 5. Fill the form with empty/incorrect values and click on the "Save" button. See the note below. 6. Click on "Cancel" button.

	<p>7. Click on "Create new miscellaneous data" link again.</p> <p>8. Fill the form with empty/incorrect values and click on the "Save" button. See the note below.</p> <p>9. Fill the form with correct values and click on the "Save" button.</p>
Expected	<p>5. Output expected with empty values:</p> <p>Edit miscellaneous data</p>  <p>With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").</p>
	<p>6.</p>  <p>9. Should redirect to Display curriculum view without any kind of error and with the new position created in the Miscellaneous data list.</p>
Outcome	The outcome is the expected one.
Notes	All the attachments introduced must be URLs.

Use case 34 Manage his or her curricula: Edit/Delete Miscellaneous data

Description

A user authenticated as rookie wishes to edit a miscellaneous data in one of his curricula and delete it; he displays the curriculum to be edited; he hits the "Edit" link of the miscellaneous data he wishes to edit; he fills the form with the desired data; he hits the "Save" button; he hits the "Edit" link again; he hits the "Delete" button.

Access

You must be authenticated as a Rookie. In order to get to the curriculum list, you must click on "Main Menu > Curriculum List".

Tests

Test 34.1

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Curriculum list".
3. Click on "Display" link of the first curriculum in the list.
4. Click on "Edit" link of the first Miscellaneous data in the Miscellaneous data list.
5. Fill the form with the following data and click on the "Save" button:

Edit miscellaneous data




Miscellaneous data

Text:

Enter each URL separated by "ENTER KEY".

Attachments:

Save Cancel

	<p>6. Click on "Edit" link of the first Miscellaneous data in the Miscellaneous data list again.</p> <p>7. Click on "Delete" button.</p>
Expected	<p>3.</p>  <p>5.</p>  <p>7.</p> 
Outcome	<i>The outcome is the expected one.</i>
Notes	

Test 34.2	
Description	<ol style="list-style-type: none"> 1. Log in as "rookie1/rookie1". 2. Go to "Main Menu > Curriculum list".

	<p>3. Click on "Display" link of the first curriculum in the list.</p> <p>4. Click on "Edit" link of the first Miscellaneous data in the Miscellaneous data list.</p> <p>5. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.</p> <p>6. Click on "Cancel" button.</p> <p>7. Click on "Edit" link of the first Miscellaneous data in the Miscellaneous data list again.</p> <p>8. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.</p> <p>9. Fill the form with correct values and click on the "Save" button.</p> <p>10. Click on "Edit" link of the first Miscellaneous data in the Miscellaneous data list again.</p> <p>11. Set the value of any field to an incorrect value and click on the "Save" button.</p> <p>12. Click on the "Delete" button.</p>
Expected	<p>6. Should redirect to the corresponding Display curriculum view without any kind of error.</p> <p>9. Should redirect to the corresponding Display curriculum view without any kind of error and with the miscellaneous data edited in the list.</p> <p>12. Should redirect to the corresponding Display curriculum view without any kind of error and the miscellaneous data deleted must not appear in the miscellaneous data list.</p>
Outcome	The outcome is the expected one.
Notes	All the attachments introduced must be URLs.

Use case 35 Manage his or her finder

Description

A user authenticated as rookie wishes to store a search for positions of the system; he or she fills in a form search criteria; finally, he or she hits the "Save" button and list the results.

Access

You must be authenticated as a Rookie. In order to get to the finder page, you must click "Main Menu > Finder of Positions".

Tests

Test 35.1

Description



1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Finder of Positions".
3. Click on "Clear" link.
4. Click on "Edit finder" link.
5. Before filling any field, click on "Cancel" button.
6. Click on "Edit finder" link again.
7. Fill the form with the following data and then click on "Save" button:

The screenshot shows a web page titled "Edit finder". At the top, there is a navigation bar with links for "APPLICATIONS", "CURRICULUM LIST", and "FINDER OF PO". Below the navigation bar, there are two language links: "en" and "es". The main content area is titled "Edit finder". It contains four input fields:

- "Keyword": A text input containing "56".
- "Deadline": A date input field showing "dd/mm/yyyy".
- "Maximum deadline": A date input field showing "08/11/2019".
- "Minimum salary": A text input field.

Below these fields are three buttons: "Save", "Clear", and "Cancel".

8. Click on "Edit finder" link again.

	<p>9. Click on "Clear" button.</p>																																																
Expected	<p><i>Expected results for each step:</i></p> <p>2.</p>  <p>The screenshot shows a web interface for a job search. At the top, there are navigation links: APPLICATIONS, CURRICULUM LIST, FINDER OF POSITIONS, and SEARCH POS. Below these are language links: en es. The main title is "Finder of positions". A section titled "Finder parameters" contains the message: "The number of results of the finder is limited to 10" followed by a bulleted list of search criteria: • Keyword: estoEsUnaPruebaParaQueNoMeDevuelvaNada • Deadline: 2020/10/05 • Maximum deadline: 2022/10/05 • Minimum salary: 965.24. Below this are "Edit finder" and "Clear" buttons. The main content area displays the message: "Nothing found to display." At the bottom, there is copyright information: Copyright © 2019 Acme-Rookies, Inc., Terms and conditions, and Data processing.</p>																																																
	<p>3.</p>  <p>The screenshot shows the same web interface as above, but now with search results. The "Finder parameters" section remains the same. Below it, the message "6 items found, displaying 1 to 5." is shown, followed by "[First/Prev] 1, 2 [Next/Last]". A table displays the following data:</p> <table border="1"> <thead> <tr> <th></th> <th>Company</th> <th>Ticker</th> <th>Title</th> <th>Deadline</th> <th>Profile</th> <th>Skills</th> <th>Technologies</th> </tr> </thead> <tbody> <tr> <td>Display position</td> <td>Company1</td> <td>ONEC-4562</td> <td>Position 1 - Company 1</td> <td>2019/12/05</td> <td>Economy</td> <td>Number</td> <td>Android</td> </tr> <tr> <td>Display position</td> <td>Company1</td> <td>ONEC-4752</td> <td>Position 2 - Company 1</td> <td>2019/12/05</td> <td>Math</td> <td>Number</td> <td>R</td> </tr> <tr> <td>Display position</td> <td>Company2</td> <td>TWOC-4146</td> <td>Position 6 - Company 2</td> <td>2019/11/05</td> <td>Junior</td> <td>Pyhton</td> <td>Eclipse</td> </tr> <tr> <td>Display position</td> <td>Company2</td> <td>TWOC-4786</td> <td>Position 7 - Company 2</td> <td>2019/11/05</td> <td>Senior</td> <td>Pyhton</td> <td>Eclipse</td> </tr> <tr> <td>Display position</td> <td>Company3</td> <td>FOUR-2556</td> <td>Position 8 - Company 3</td> <td>2019/11/08</td> <td>App</td> <td>Android</td> <td>Java</td> </tr> </tbody> </table>		Company	Ticker	Title	Deadline	Profile	Skills	Technologies	Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android	Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R	Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Pyhton	Eclipse	Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Pyhton	Eclipse	Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java
	Company	Ticker	Title	Deadline	Profile	Skills	Technologies																																										
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android																																										
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R																																										
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Pyhton	Eclipse																																										
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Pyhton	Eclipse																																										
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java																																										

4.

APPLICATIONS CURRICULUM LIST FINDER OF POSITIONS SEARCH

en | es

Edit finder

Keyword

Deadline dd/mm/yyyy

Maximum deadline dd/mm/yyyy

Minimum salary

[Save](#) [Clear](#) [Cancel](#)

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

5. The same as the step 3

7.

Finder of positions

Finder parameters

The number of results of the finder is limited to 10

- Keyword: 56
- Deadline:
- Maximum deadline: 2019/11/08
- Minimum salary:

[Edit finder](#) [Clear](#)

2 items found, displaying all items.

	Company	Ticker	Title	Deadline	x	Profile	Skills	Technologies
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08		App	Android	Java
Display position	Company3	THRE-2556	Position 9 - Company 3	2019/11/08		App	Android	Java

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

9. The same as the step 3

Outcome

The outcome is the expected one. But "cancel" button (step 5) shouldn't redirect to welcome page. (POSSIBLE BUG)

Notes

Test 35.2**Description**

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Finder of Positions".
3. Click on "Clear" link.
4. Fill the form with the following data and click on the "Save" button:

Edit finder

Keyword

Deadline

Maximum deadline

Minimum salary

5. Click on "Cancel" button.

Expected

Expected results for each step:

- 4.

Edit finder

Keyword

Deadline Invalid moment

Maximum deadline Invalid moment

Minimum salary Failed to convert property value of type java.lang.String to required type java.lang.Double for property minimumSalary; nested exception is java.lang.NumberFormatException: For input string: "a12"

5.

Finder of positions

Finder parameters

The number of results of the finder is limited to 10

- Keyword:
- Deadline:
- Maximum deadline:
- Minimum salary:

[Edit finder](#) [Clear](#)

6 items found, displaying 1 to 5.

[First/Prev] [1](#), [2](#) [Next/Last]

	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Pyhton	Eclipse
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Pyhton	Eclipse
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java

Outcome

The outcome is the expected one.

Notes

Test 35.3

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Finder of Positions".
3. Click on "Clear" link.

4. Go to the next page of the list:

Finder of positions

Finder parameters

The number of results of the finder is limited to 10

- Keyword:
- Deadline:
- Maximum deadline:
- Minimum salary:

[Edit finder](#) [Clear](#)

6 items found, displaying 1 to 5.

[First/Prev] 1, [2](#) [[Next](#)/[Last](#)]

	Company	Ticker
Display position	Company1	ONEC
Display position	Company1	ONEC

Expected

Expected results for each step:

3.

Finder of positions

Finder parameters

The number of results of the finder is limited to 10

- Keyword:
- Deadline:
- Maximum deadline:
- Minimum salary:

[Edit finder](#) [Clear](#)

6 items found, displaying 1 to 5.

[First/Prev] 1, [2](#) [[Next](#)/[Last](#)]

	Company	Ticker	Title	Deadline	Profile	Skills	Technologies
Display position	Company1	ONEC-4562	Position 1 - Company 1	2019/12/05	Economy	Number	Android
Display position	Company1	ONEC-4752	Position 2 - Company 1	2019/12/05	Math	Number	R
Display position	Company2	TWOC-4146	Position 6 - Company 2	2019/11/05	Junior	Python	Eclipse
Display position	Company2	TWOC-4786	Position 7 - Company 2	2019/11/05	Senior	Python	Eclipse
Display position	Company3	FOUR-2556	Position 8 - Company 3	2019/11/08	App	Android	Java

	<p>4.</p> <h2>Finder of positions</h2> <p>Finder parameters</p> <p>The number of results of the finder is limited to 10</p> <ul style="list-style-type: none"> • Keyword: • Deadline: • Maximum deadline: • Minimum salary: <p>Edit finder Clear</p> <p>6 items found, displaying 6 to 6. [First/Prev] 1, 2 [Next/Last]</p> <table border="1"> <thead> <tr> <th></th><th>Company</th><th>Ticker</th><th>Title</th><th>Deadline</th><th>Profile</th><th>Skills</th><th>Technologies</th></tr> </thead> <tbody> <tr> <td>Display position</td><td>Company3</td><td>THRE-2556</td><td>Position 9 - Company 3</td><td>2019/11/08</td><td>App</td><td>Android</td><td>Java</td></tr> </tbody> </table>		Company	Ticker	Title	Deadline	Profile	Skills	Technologies	Display position	Company3	THRE-2556	Position 9 - Company 3	2019/11/08	App	Android	Java
	Company	Ticker	Title	Deadline	Profile	Skills	Technologies										
Display position	Company3	THRE-2556	Position 9 - Company 3	2019/11/08	App	Android	Java										
Outcome	<i>The outcome is the expected one.</i>																
Notes																	

Test 35.4

Description

1. Log in as "rookie1/rookie1".
2. Go to "Main Menu > Finder of Positions".
3. Click on "Clear" link.
4. Click on "Edit finder" link.
5. Fill the form with the following data and click on the "Save" button:

Edit finder

Keyword

Deadline

Maximum deadline

Minimum salary

[Save](#)

[Clear](#)

[Cancel](#)

Expected

Edit finder

Keyword Insecure HTML

Deadline

Maximum deadline Maximum deadline cannot be earlier than Deadline.

Minimum salary Too small (min = 0)

Outcome

The outcome is the expected one.

Notes


Use case 36 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and delete them.

Description

An authenticated user wishes to create a new social profile; he or she fills in a form with valid social profile data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Create a new social profile" link.



Tests


Test 36.1

Description

You must log in as "rookie1/rookie1". The form must be filled in with the following data: Nick: 'masterx', Social Network: 'Tuenti' y Profile Link: 'http://www.tuenti/masterx.com'.

Expected

The system must return the social profiles list.



Outcome	<i>The outcome is the expected one.</i>
Notes	<i>The use case has been executed after populating the database.</i>

Use case 37 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.


Description

An authenticated user wishes to create a new social profile; he or she fills in a form with invalid social profile data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Create a new social profile" link.

Tests

Test 37.1	
Description	<i>You must log in as "rookie1/rookie1". The form mustn't be filled in with any data</i>
Expected	<i>The system must return the form with error messages.</i> 
Outcome	<i>The outcome is the expected one.</i>
Notes	<i>This use case must be testing after the previous test. The database hasn't been populated again.</i>

Use case 38 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.


Description

An authenticated user wishes to edit a social profile; he or she fills in a form with valid social profile data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Edit" link.

Tests

Test 38.1	
Description	You must log in as "rookie1/rookie1". You must to edit the first social profile from the list (Nick: 'nick2', Social Network: 'Instagram'). The form must be filled in with the following data: Nick: 'romario', Social Network: 'Intagram' y Profile Link: ' http://www.instagram/romario.com '.
Expected	The system must return the social profiles list. 
Outcome	The outcome is the expected one.
Notes	To perform this test the database hasn't been populated. This use case must be tested after the previous test.

Use case 39 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating, and deleting them.

Description

An authenticated user wishes to edit a social profile from the list; he or she fills in a form with invalid social profile data. Finally, he or she hits the 'Save' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Edit" link.

Tests

Test 39.1	
Description	<i>You must log in as "rookie1/rookie1". You must to edit the second social profile from the list (Nick: 'nick3', Social Network: 'Facebook'). The form must be filled in with the following data: Nick: 'nick3', Social Network: 'Facebook' y Profile Link: 'http://www.instagram/romario.com'. Notice that this profile link matches with profile link from the first social profile (Nick: 'romario', Social Network: 'Instagram')</i>
Expected	<i>The system must return the form with an error message: 'Link profile already exists in our database'.</i>
	 <p>A screenshot of a web application interface titled 'Edit Social Profile'. The form contains three input fields: 'Nick' with value 'nick3', 'Social Network' with value 'Facebook', and 'Profile Link' with value 'http://www.instagram/r'. Below the form are three buttons: 'Save', 'Delete', and 'Cancel'. A red error message 'Link profile already exists in our database.' is displayed below the form.</p>
Outcome	<i>The outcome is the expected one.</i>
Notes	<i>To perform this test the database hasn't been populated.</i>

Use case 40 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.


Description

An authenticated user wishes to delete a social profile. Finally, he or she hits the 'Delete' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rooki1 > "Profile" menu option > Display actor > "Social profiles" link > "Edit" link.

Tests

Test 40.1																
Description	<i>The user "rookie1/rookie1" desires to delete the third social profile from the list (Nick: 'masterx', Social Network: 'Tuenti'). Keep in mind that this social profile was created previously.</i>															
Expected	<i>The system must return the social profiles list.</i>  <p>2 items found, displaying all items. 1</p> <table border="1"><thead><tr><th></th><th></th><th>Nick</th><th>Social Network</th><th>Profile Link</th></tr></thead><tbody><tr><td>Edit</td><td>Display</td><td>romario</td><td>Instagram</td><td>Profile Link</td></tr><tr><td>Edit</td><td>Display</td><td>nick3</td><td>Facebook</td><td>Profile Link</td></tr></tbody></table> <p>Create a new social profile</p>			Nick	Social Network	Profile Link	Edit	Display	romario	Instagram	Profile Link	Edit	Display	nick3	Facebook	Profile Link
		Nick	Social Network	Profile Link												
Edit	Display	romario	Instagram	Profile Link												
Edit	Display	nick3	Facebook	Profile Link												
Outcome	<i>The outcome is the expected one.</i>															
Notes	<i>To perform this test the database hasn't been populated.</i>															

Use case 41 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.

Description

An authenticated user wishes to delete a social profile which belongs to another actor. Finally, he or she hits the 'Delete' button.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Edit" link.

Tests

Test 41.1	
Description	You must log in as "rookie1/rookie1" and access to social profiles list. Then, you must copy an "edit link" of any social profile to access form edition (".../socialProfile/administrator,auditor,company,provider,rookie/edit.do?socialProfileId=<socialProfileId>"). Later, you must log out and log in as "rookie2/rookie2". Finally, you must paste the link in the browser.
Expected	The system doesn't allow you to access to this form edition. So, you cannot delete the social profile whose owner is "rookie1".  <p>The screenshot shows the ACME ROOKIES homepage. At the top, there is a navigation bar with links: APPLICATIONS, CURRICULUM LIST, FINDER OF POSITIONS, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (ROOKIE). Below the navigation bar, there is a small image of a laptop and the text "ACME ROOKIES". Underneath the navigation bar, there is a banner with the text "Error" and "An error has occurred Return to the homepage". At the bottom of the page, there is a footer with copyright information: "Copyright © 2019 Acme-Rookies, Inc.", "Terms and conditions", and "Data processing".</p>
Outcome	The outcome is the expected one.
Notes	To perform this test the database hasn't been populated.

Use case 42 An actor who is authenticated must be able to manage his or her social profiles, which includes listing, showing, creating, updating and deleting them.

Description

An authenticated user wishes to display a social profile.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > "Profile" menu option > Display actor > "Social profiles" link > "Display" link.

Tests

Test 42.1	
Description	<i>You must log in as "rookie1/rookie1" and access to social profiles list. Then, you must click in "display link" whose social profile has as Nick "romario" and Social Network "Instagram".</i>
Expected	<i>The system displays the specific social profile.</i>
<h2>Display Social Profile</h2> <p>Nick: romario Social Network: Instagram Profile Link: Profile Link Return</p>	
Outcome	<i>The outcome is the expected one.</i>
Notes	<i>To perform this test the database hasn't been populated.</i>


Use case 43 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.

Description

An authenticated actor lists his or her messages and send a message; he or she fills in a form with valid message data. Finally, he or she hits the 'Send' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list > "Send a message" link.



Tests

Test 43.1

Description

You must log in as "admin1/admin1". The form must be filled in with the following data: Subject: 'Winter is coming', Body: 'The north remembers', Recipients: 'Provider1 Lobato' tags: 'STARK'.

Expected

The system must return message list.

Message List

Sent messages

2 items found, displaying all items.

1

		Sent moment	Subject	Tags
Display	Delete	2017/05/09 10:17	Thank you	problem
Display	Delete	2019/05/06 17:28	Winter is coming	STARK

Received messages

Nothing found to display.

[Send a message](#)

[Send a broadcast message](#)

[Send breach notification](#)

[Send rebranding notification](#)

Outcome

The outcome is the expected one.

Notes

This use case has been executed after populating the database.

Use case 44 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.


Description

An authenticated actor lists his or her messages and send a message; he or she fills in a form with invalid message data. Finally, he or she hits the 'Send' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list > "Send a message" link.

Tests

Test 44.1	
Description	You must log in as "admin1/admin1". The form must be filled in with the following data: Subject: '<script>Alert('Hacked');</script>', Body: "", Recipients: " tags: ".
Expected	The system must return form edition with error messages.  <p>The screenshot shows a 'Send message' form with the following fields and errors:</p> <ul style="list-style-type: none">Subject: <script>Alert('Hacked'); - Insecure HTMLBody: - Must not be blankRecipients: Provider1 Lobato, Provider2 Pavon, Provider3 Lobato, Provider4 Pavon - Must not be emptyTags: - <p>At the bottom are 'Send' and 'Cancel' buttons.</p>
Outcome	The outcome is the expected one.
Notes	This use case has been executed after former test. The database hasn't been populated again.

Use case 45 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.

Description

An authenticated actor lists his or her messages and delete a message. Finally, he or she hits the 'delete' link.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list.

Tests

Test 45.1																
Description	<i>You must log in as "admin1/admin1". Then, you must delete the first message of list (sent moment: '2017/05/09 10:17' and Subject: 'Thank you').</i>															
Expected	<i>The system must return messages list. The message stays in the list but it has been tagged as 'problem DELETED'.</i> <div style="border: 1px solid #ccc; padding: 10px;"><p>Message List</p><p>Sent messages</p><p>2 items found, displaying all items. 1</p><table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th></th><th></th><th>Sent moment</th><th>Subject</th><th>Tags</th></tr></thead><tbody><tr><td>Display</td><td>Delete</td><td>2017/05/09 10:17</td><td>Thank you</td><td>problem DELETED</td></tr><tr><td>Display</td><td>Delete</td><td>2019/05/06 17:28</td><td>Winter is coming</td><td>STARK</td></tr></tbody></table></div>			Sent moment	Subject	Tags	Display	Delete	2017/05/09 10:17	Thank you	problem DELETED	Display	Delete	2019/05/06 17:28	Winter is coming	STARK
		Sent moment	Subject	Tags												
Display	Delete	2017/05/09 10:17	Thank you	problem DELETED												
Display	Delete	2019/05/06 17:28	Winter is coming	STARK												
Outcome	<i>The outcome is the expected one.</i>															
Notes	<i>This use case has been executed after former test. The database hasn't been populated again.</i>															

Use case 46 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.

Description

An authenticated actor lists his or her messages and delete a message that has been tagged as DELETED previously. Finally, he or she hits the 'delete' link.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list.

Tests

Test 46.1											
Description	<p>You must log in as "admin1/admin1". Then, you must delete (again) the first message of list (sent moment: '2017/05/09 10:17' and Subject: 'Thank you'). Notice that this message has been tagged as DELETED in former test.</p>										
Expected	<p>The system must return messages list. The message doesn't stay in the list.</p> <div style="border: 1px solid #ccc; padding: 10px; margin-top: 10px;"><p>Message List</p><p>Sent messages</p><p>One item found. 1</p><table border="1" style="width: 100%; border-collapse: collapse;"><thead><tr><th style="background-color: #ffffcc;"></th><th style="background-color: #ffffcc;"></th><th style="background-color: #ffffcc;">Sent moment</th><th style="background-color: #ffffcc;">Subject</th><th style="background-color: #ffffcc;">Tags</th></tr></thead><tbody><tr><td style="text-align: center;">Display</td><td style="text-align: center;">Delete</td><td>2019/05/06 17:28</td><td>Winter is coming</td><td>STARK</td></tr></tbody></table></div>			Sent moment	Subject	Tags	Display	Delete	2019/05/06 17:28	Winter is coming	STARK
		Sent moment	Subject	Tags							
Display	Delete	2019/05/06 17:28	Winter is coming	STARK							
Outcome	The outcome is the expected one.										
Notes	<p><i>This use case has been executed after former test. The database hasn't been populated again.</i></p>										

Use case 47 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.

Description

An authenticated actor wishes to delete a message that doesn't belong him/her.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > Profile Menu Option > Message list.

Tests

Test 47.1	
Description	<i>You must log in as "rookie1/rookie1". Then, you must copy 'delete' link of the unique sent message (sent moment: '2017/05/09 10:17' and Subject: 'Thank you'). Later, you must log out and log in as 'admin1/admin1' and paste the link.</i>
Expected	<i>The system must show error page.</i>
	 <p>The screenshot shows the ACME ROOKIES homepage. At the top, there is a navigation bar with links: ADMINISTRATOR, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (ADMIN). Below the navigation bar, there are language links: en es. A large error message box is centered on the page, displaying the word "Error" and the text "An error has occurred Return to the homepage".</p>
Outcome	The outcome is the expected one.
Notes	<i>This use case has been executed after former test. The database hasn't been populated again.</i>

Use case 48 An actor who is authenticated must be able to manage his or her messages, which includes listing them grouped by tag, showing them, sending a message to an actor, deleting a message that he or she's got.

Description

An authenticated actor displays a message.

Access

Main Menu > Login Menu Option > Fill the form with rookie1/rookie1 > Profile Menu Option > Message list.

Tests

Test 48.1					
Description	<i>You must log in as "rookie1/rookie1". You must display the unique sent message</i>				
Expected	<i>The system must return the message.</i> <div style="border: 1px solid #ccc; padding: 10px; background-color: #f9f9f9;"><h3>Display message</h3><p>Sent moment: 2017/05/09 10:17</p><p>Subject: Thank you</p><p>Body: Thanks for your reply</p><p>Tags: notification</p><p>Sender: Rookie1 Alvarez</p><p>Recipients:</p><p>One item found. 1</p><table border="1" style="width: 100%;"><tr><td style="padding: 5px;">Name:</td><td style="padding: 5px;">Email:</td></tr><tr><td style="padding: 5px;">Rookie2 Munoz</td><td style="padding: 5px;">rookie2@gmail.com</td></tr></table><p>Return</p></div>	Name:	Email:	Rookie2 Munoz	rookie2@gmail.com
Name:	Email:				
Rookie2 Munoz	rookie2@gmail.com				
Outcome	The outcome is the expected one.				
Notes	<i>The database has been populated again.</i>				


Use case 49 An actor who is authenticated as an administrator must be able to broadcast a notification message to the actor of the system. The message must have tag “SYSTEM” by default.

Description

An administrator lists his or her messages and broadcast a notification message; he or she fills in a form with valid message data. Finally, he or she hits the 'Send' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list > "Send a broadcast message" link.



Tests

Test 49.1

Description	<i>You must log in as "admin1/admin1". The form must be filled in with the following data: Subject: 'Aviso', Body: 'Cafetera estropeada' y tags: 'SYSTEM'.</i>
Expected	<i>The system must return message list.</i>

Message List

Sent messages

2 items found, displaying all items.
1

		Sent moment	Subject	Tags
Display	Delete	2017/05/09 10:17	Thank you	problem
Display	Delete	2019/05/06 18:15	Aviso	SYSTEM

Outcome	<i>The system returns the error message "Cannot commit this operation"</i>
Notes	<i>This use case has been executed after populating the database.</i>

Use case 50 An actor who is authenticated as an administrator must be able to broadcast a notification message to the actor of the system. The message must have tag “SYSTEM” by default.

Description

An administrator lists his or her messages and broadcast a notification message; he or she fills in a form with invalid message data. Finally, he or she hits the 'Send' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list > "Send a broadcast message" link.

Tests

Test 50.1	
Description	You must log in as "admin1/admin1". The form must be filled in with the following data: Subject: 'Segundo aviso', Body: 'Servidor caido' y tags: "".
Expected	The system must return form edition with "cannot commit this operation" error message due to input of tags doesn't contain "SYSTEM" string. 
Outcome	The outcome is the expected one.
Notes	This use case has been executed after former test. The database hasn't been populated again.


Use case 51 An actor who is authenticated as an administrator must be able to launch a process that flags the actors of the system as spammers or not-spammers.

Description

An administrator lists actors of the system to launch the process. Finally, he or she hits the 'launch spammer process' button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Actor list.



Tests

Test 51.1	
Description	<i>The administrator whose username is "admin1" press "launch spammer process" button.</i>
Expected	<i>The system returns actors list. Now, the column label as "Spammer" contains the values "yes/no".</i>

Actor list

28 items found, displaying 1 to 5.

[First/Prev] 1, [2](#), [3](#), [4](#), [5](#), [6](#) [Next/Last]

	Full name	Email	Phone Number	Address	Spammer	Audit score
Display profile	Provider1 Lobato	provider1@gmail.com	63015521	Calle Provider 1	No	
Display profile	Provider2 Pavon	provider2@gmail.com	63015521	Calle Provider 2	No	
Display profile	Provider3 Lobato	provider3@gmail.com	63015521	Calle Provider 3	No	
Display profile	Provider4 Pavon	provider4@gmail.com	63015521	Calle Provider 4	No	
Display profile	Provider5 Lobato	provider5@gmail.com	63015521	Calle Provider 5	No	

[Launch spammers process](#)

[Launch audit score process](#)

Outcome

The outcome is the expected one.

Notes

This use case has been executed after populating the database.


Use case 52 Ban an actor with the spammer flag

Description

An administrator wants to ban users with the spammer flags; First, we are going to log in the system as a rookie1. Then, we have to send a message (Please follow Acceptance Test with Code 43) with spam words. Next, we log out the system and log in as an administrator, we launch spammer process (Please follow Acceptance Test with Code 51) in Actor List and ban the rookie1.

Access (to Ban actor, to send the message with spam word please go to Acceptance Test with Code 43 and to launch the spammer process please go to Acceptance Test with Code 51)

Main Menu > Login Option Menu > Fill the form with admin1/admin1 > Administrator Menu Option > Actor List



Tests

Test 52.1

Description

In the message send form, fill the values subject: 'test', body: 'sex viagra cialis', recipients: 'Provider1 Lobato', tags: 'test'.

Send message

Subject test

Body sex viagra cialis

Recipients Provider1 Lobato

Tags test

Send Cancel

When we are logged as an admin1, we launch the spammer process to the corresponding button. Once we do it, we have to go to 'Page 4' to search Rookie1 and display his/her profile.

ACME ROOKIES

ADMINISTRATOR SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (ADMIN)

Actor list

	Full name	Email	Phone Number	Address	Spammer	Audit score
Display profile	System Reina	admin2@gmail.com	63015521	Calle Admin 2	No	
Display profile	Company1 Garcia	company1@gmail.com	63015521	Calle Company 1	No	0.4
Display profile	Company2 Lobato	compan2@gmail.com	63015521	Calle Company 2	No	
Display profile	Company3 Perez	company3@gmail.com	63015521	Calle Company 3	No	0.55
Display profile	Rookie1 Alvarez	rookie1@gmail.com	63015521	Calle Rookie 1	Yes	

When we display the profile of rookie1, we have to click on Ban link.

	<p>Display actor</p> <hr/> <p>Personal Information</p> <p>Full name: Rookie1 Alvarez</p> <p>VAT number: 97%</p> <p>Email: rookie1@gmail.com</p>  <p>Photo:</p> <p>Phone Number: 63015521</p> <p>Address: Calle Rookie 1</p> <p>Spammer: true</p> <p>Ban ←</p>
Expected	<i>As a normal behaviour, the system return us to the same view.</i>
	<p>Display actor</p> <hr/> <p>Personal Information</p> <p>Full name: Rookie1 Alvarez</p> <p>VAT number: 97%</p> <p>Email: rookie1@gmail.com</p>  <p>Photo:</p> <p>Phone Number: 63015521</p> <p>Address: Calle Rookie 1</p> <p>Spammer: true</p> <p>Unban</p>
Outcome	The outcome is the expected one.
Notes	<i>Please, after test this user case, don't repopulate the database to test correctly the acceptance test which code is 54.</i>

Use case 53 Ban an actor with the spammer flag


Description

An administrator wants to ban users with the spammer flags; As an abnormal behaviour, we are going to ban an actor who doesn't have the spammer flag.

Access

Main Menu > Login Option Menu > Fill the form with admin1/admin1

Tests

Test 53.1	
Description	<p>When we are log in the system as an admin1, we are going to ban company1 that doesn't have spammer flag. To do this, we have to copy this link in our browser</p> <p>http://localhost:8080/Acme-Rookies/actor/administrator/ban.do?actorId=6935</p>
Expected	<p>The system return us to an error page.</p> 
Outcome	<p>The system commit the ban operation.</p>
Notes	

Use case 54 Unban an actor who was banned previously

Description

An administrator wants to unban a user banned previously.

Access

Main Menu > Login Option Menu > Fill the form with admin1/admin1 > Administrator Menu Option > Actor List (Same as Acceptance Test with code 52)

Tests

Test 54.1

Description In Acceptance Test which code 52 we have banned rookie1, now we are going to unban him. To do this, we have to follow the same steps in acceptance test which code 52 but instead of click on ban link, now on unban link (obviously because we have banned him previously).

Display actor

Personal Information

Full name: Rookie1 Alvarez
VAT number: 97%
Email: rookie1@gmail.com



Photo:

Phone Number: 63015521
Address: Calle Rookie 1
Spammer: true

[Unban](#) ←

Expected

The system return us to the same page.

Display actor

Personal Information

Full name: Rookie1 Alvarez
VAT number: 97%
Email: rookie1@gmail.com



Photo:

Phone Number: 63015521
Address: Calle Rookie 1
Spammer: true

[Ban](#)

Outcome	The outcome is the expected one.
Notes	

Use case 55 Unban an actor who was banned previously


Description

An administrator wants to unban a user banned previously. As an abnormal behaviour we are going to unban an actor which is not banned previously.

Access

Main Menu > Login Option Menu > Fill the form with admin1/admin1

Tests

Test 55.1	
Description	<p>For example, we try to unban rookie2 who is not spammer and was not banned previously. To do this, we have to copy this url in our browser after log in the system as an admin1.</p> <p><code>http://localhost:8080/Acme-Rookies/actor/administrator/unBan.do?actorId=6953</code></p>
Expected	<p>The system return us to an error page.</p>  <p>Error</p> <p>An error has occurred Return to the homepage</p> <p>Copyright © 2019 Acme-Rookies, Inc. Terms and conditions Data processing</p>
Outcome	The outcome is the expected one.
Notes	


Use case 56 Create user accounts for new auditors

Description


An administrator wants to create user accounts for auditors; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button".

Access

Main Menu > Login Option Menu > Fill the form with admin1/admin1 > Administrator Menu Option > Register auditor



Tests

Test 56.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the auditor has been registered in the system, and redirect us to the 'Welcome Page'.</p>  A screenshot of a web browser displaying the Acme Rookies website. The page features a header with a laptop icon and the text "ACME ROOKIES". Below the header is a navigation bar with links: ADMINISTRATOR, SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, PROFILE (ADMIN), and language links (en es). The main content area includes a "Welcome!" message, the title "Acme Rookie", and a brief description: "Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!". It also shows the current time as "Current time is 05/05/2019 18:31". At the bottom, there is copyright information: "Copyright © 2019 Acme-Rookies, Inc." followed by links to "Terms and conditions" and "Data processing".
Outcome	<p>The outcome is the expected one. I can fill the name field with the name "<script> alarm('Hola') </script>" with no errors back from the system.</p>
Notes	

Use case 57 Create user accounts for new auditors


Description

An administrator wants to create user accounts for auditors; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button". As abnormal behaviour, we fills the form with an expired credit card.

Access

Main Menu > Login Option Menu > Fill the form with admin1/admin1 > Administrator Menu Option > Register auditor (Same as the previous test)

Tests

Test 57.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '18', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As an abnormal behaviour, if we filled the form with the previous values, the system return us to the same page with the error 'Expired credit card'.</p> 
Outcome	The outcome is the expected one.
Notes	

Use case 58 Browse the list of providers and navigate to their items

Description

An unauthenticated actor wants to browse the list of providers and navigate to their items. First, he/she list the providers of the system, display the profile of one provider, then, click on Items link and finally, display one item.

Access

Main Menu > Provider List > Display Profile of one provider > Click on Items link in the profile > Display one item of the list

ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR
en | es

1 ↑

Actor list

7 items found, displaying 1 to 5.
[First/Prev] 1, 2 [Next/Last]

	Full name	Email	Phone Number	Address	Audit score
Display profile	Provider1 Lobato	provider1@gmail.com	63015521	Calle Provider 1	
Display profile	Provider2 Pavon	provider2@gmail.com	63015521	Calle Provider 2	
Display profile	Provider3 Lobato	provider3@gmail.com	63015521	Calle Provider 3	
Display profile	Provider4 Pavon	provider4@gmail.com	63015521	Calle Provider 4	
Display profile	Provider5 Lobato	provider5@gmail.com	63015521	Calle Provider 5	

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

Display actor

ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR
en | es

Items list

3 items found, displaying all items.
1

	Name	Provider
Display item	Item1	Provider1
Display item	Item2	Provider1
Display item	Item3	Provider1

Copyright © 2019 Acme-Rookies, Inc.
[Terms and conditions](#)
[Data processing](#)

Tests

Test 58.1

Description

We are going to list the different providers of the system. Then, we will display the profile of 'Provider1' and navigate to their items. Finally, we will display the 'Item 1'.

Expected

If we follow the steps explaining in 'Access', when we click on 'Provider List' at menu we will see something like this:

	Full name	Email	Phone Number	Address	Audit score
Display profile	Provider1 Lobato	provider1@gmail.com	63015521	Calle Provider 1	
Display profile	Provider2 Pavon	provider2@gmail.com	63015521	Calle Provider 2	
Display profile	Provider3 Lobato	provider3@gmail.com	63015521	Calle Provider 3	
Display profile	Provider4 Pavon	provider4@gmail.com	63015521	Calle Provider 4	
Display profile	Provider5 Lobato	provider5@gmail.com	63015521	Calle Provider 5	

Previously, we explained to access to the items, in this case, for example we will list the items of the 'Provider 1'

	Name	Provider
Display item	Item1	Provider1
Display item	Item2	Provider1
Display item	Item3	Provider1

Finally, we are going to display the first item called 'Item 1'

Name: Item1
Description: descripción real
Link: <https://www.machinerookies.com/development/machinerookies-e1e4f317076602.jpg>
Pictures:

Outcome	The outcome is the expected one.
Notes	

Use case 59 Browse the list of items and navigate to their providers

Description

An unauthenticated actor wants to browse the list of items and navigate to their providers. First, he/she list the items of the system, then, click on provider link.

Access

Main Menu > Items List > Click on the provider's link for one of the items in the list



ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR

[en](#) | [es](#)

Welcome! 

Acme Rookie

Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!

Current time is 08/05/2019 11:42

Copyright © 2019 Acme-Rookies, Inc.

[Terms and conditions](#)

[Data processing](#)



ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR


[en](#) | [es](#)

Items list

13 items found, displaying 1 to 5.

[First/Prev] [1](#), [2](#), [3](#) [Next/Last]

	Name	Provider
Display item	Item1	Provider1
Display item	Item2	Provider1
Display item	Item3	Provider1
Display item	Item4	Provider2
Display item	Item5	Provider2



Tests

Test 59.1

Description

We will list the different elements of the system. Then, we will navigate to your suppliers through the link in the last column of the table.




ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR
[en](#) | [es](#)

Items list

13 items found, displaying 1 to 5.
[First/Prev] 1, 2, 3 [Next/Last]

	Name	Provider
Display item	Item1	Provider1
Display item	Item2	Provider1
Display item	Item3	Provider1
Display item	Item4	Provider2
Display item	Item5	Provider2



Expected

We check that the link redirects us to the provider of the chosen item:



ACME ROOKIES

SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST LOGIN REGISTER ACTOR
[en](#) | [es](#)

Display actor

Personal Information

Full name: Provider1 Lobato
VAT number: 97%
Email: provider1@gmail.com



Outcome

The outcome is the expected one.

Notes

Use case 60 Register as a provider


Description

An unauthenticated user wishes to register to the system as a provider; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button".

Access

Main Menu > Register Actor Menu Option > Register Provider

Tests

Test 60.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: marcos@us.es, phone: '632541235', address: 'Calle 1', Make: 'Make1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As a normal behaviour, if we filled the form with the previous values, the provider has been registered in the system, and redirect us to the 'Welcome Page'.</p>  <p>The screenshot shows the Acme Rookies website. At the top, there is a navigation bar with links: SEARCH POSITIONS, ITEMS LIST, POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, LOGIN, and REGISTER ACTOR. Below the navigation bar, there are language links: en es. The main content area features a laptop icon and the text "ACME ROOKIES". Below this, a "Welcome!" message is displayed, followed by "Acme Rookie" and "Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!". A timestamp "Current time is 05/05/2019 13:18" is shown. At the bottom, there is copyright information: "Copyright © 2019 Acme-Rookies, Inc." and links to "Terms and conditions" and "Data processing".</p>
Outcome	The outcome is the expected one.

I can fill the name field with the name “<script> alarm('Hola') </script>” with no errors back from the system.

Notes

Use case 61 Register as a provider

Description

An unauthenticated user wishes to register to the system as a provider; he or she fills in a form with personal data, credit card data and user account data; finally he or she hits the 'Save' button". As abnormal behaviour, we are going to fill the form like the previous test except the password and confirm password that not going to match.

Access

Main Menu > Register Actor Menu Option > Register Provider

Tests

Test 61.1	
Description	<p>The form must be filled in with the following data: name: 'Marcos', surname: 'Alonso', VAT number: '45', photo: 'http://www.google.com', email: 'marcos@us.es', phone: '632541235', address: 'Calle 1', Make: 'Make1', holder: 'Deacon Wright', make: 'Visa', number: '4909416416371070', expiration month: '06', expiration year: '22', CVV code: '456', username: 'marcos', password: 'marcos' and confirm password: 'marcos1'. Once you filled the form, please agree 'Terms and conditions' and 'Data Processes' checkbox and click on 'Save' button.</p>
Expected	<p>As abnormal behaviour, if we filled the form with the previous values, the system redirect us to the same form with the code error 'Does not match with password'</p>  <p>The screenshot shows a registration form titled 'User Account Information'. It has fields for 'Username *' (containing 'marcos'), 'Password *' (empty), and 'Confirm password *' (empty). A red error message 'Does not match with password' is displayed next to the 'Confirm password' field. Below the form are two checked checkboxes: 'I'm agree with Terms and conditions' and 'I'm agree with Data processes'. At the bottom are 'Save' and 'Cancel' buttons.</p>
Outcome	<p>The output is the expected one.</p>
Notes	

Use case 62 An actor who is authenticated as a provider must be able manage their items: creating, listing and displaying.

Description

A user authenticated as a provider can create new items and listing them. The auditor fills the form with data and save it.

Access

Main Menu > Login > Fill the form with provider1/provider1 > "Profile" menu option > Display actor > "Items" link

[Edit Personal Information](#) [Export data](#)

Provider Information

Make: Make del Provider 1

Items: [Items](#) 

Credit Card Information


Holder: holder22

Tests




Test 62.1

Description

Once we are in items list, click on "create item":



And finally, the actor will have to send the empty form:


	 <p>Edit an item</p> <p>Name <input type="text"/></p> <p>Description <input type="text"/></p> <p>Link <input type="text"/></p> <p>Separate the urls from the images by "ENTER KEY"</p> <p>Pictures <input type="text"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
Expected	<p><i>It should show the following view:</i></p>  <p>Edit an item</p> <p>Name <input type="text"/> Must not be blank</p> <p>Description <input type="text"/> Must not be blank</p> <p>Link <input type="text"/> Must not be blank</p> <p>Separate the urls from the images by "ENTER KEY"</p> <p>Pictures <input type="text"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
	<p><i>In case you do not complete the "Link" with a URL you should see the following error message:</i></p>  <p>Edit an item</p> <p>Name <input type="text"/></p> <p>Description <input type="text"/></p> <p>Link <input type="text"/> Invalid URL</p> <p>Separate the urls from the images by "ENTER KEY"</p> <p>Pictures <input type="text"/></p> <p><input type="button" value="Save"/> <input type="button" value="Cancel"/></p>
	<p><i>In case you do not complete the "picture" following the instructions you should see the following error message:</i></p>

	<h2>Edit an item</h2> <p>Name <input type="text"/> Name</p> <p>Description <input type="text"/> Description</p> <p>Link <input type="text"/> https://www.link.com</p> <p>Separate the urls from the images by "ENTER KEY"</p> <p>Pictures <input type="text"/> Picture</p> <p><input type="button"/> Save <input type="button"/> Cancel</p> <p>Invalid URL pictures</p>
Outcome	<i>The output is the expected one.</i>
Notes	

Test 62.2

Description

Once we are in items list, click on "display item":



ACME ROOKIES

YOUR SPONSORSHIPS SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (PROVIDER)

en | es

Items list

3 items found, displaying all items.

	Name	Provider
Display item	Item1	Provider1
Display item	Item2	Provider1
Display item	Item3	Provider1

Create item

Expected

We must check that when accessing the item's display, the "Link" is a link and we can navigate to it. We also have to check that the image appears as an image and not as a chain of characters or as a link:

Display an item

Name: Item1

Description: descripcion item1

Link: <https://www.madmen-onlinemarketing.de/wp-content/uploads/jan-madmen-onlinemarketing-e1525337078609.jpg>

Pictures:



[Back](#)

Outcome

The field "link" is not navigable. Other outputs are okay.

Notes

Use case 63 An actor who is authenticated as a provider must be able manage their items: editing and deleting.

Description

A user authenticated as a provider can edit and delete his or her items.

Access

Main Menu > Login > Fill the form with provider1/provider1 > "Profile" menu option > Display actor > "Items" link > Edit link > Delete button

Provider Information

Make: Make del Provider 1

Items: [Items](#) 

Credit Card Information

Holder: holder22

ACME ROOKIES

YOURS SPONSORSHIPS SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (PROVIDER)

Items list

		Name	Provider
Display Item	Edit	Item1	Provider1
Display Item	Edit	Item2	Provider1
Display Item	Edit	Item3	Provider1

Create item


Edit an item

Name descripción item1

Description

Link

Separate the urls from the images by "ENTER KEY"

Pictures 
<https://www.madmen-onlinemarketing.de/w> 

Save Delete Cancel

Tests

Test 63.1

Description

Once we are in items list, click on edit item that we are created in the previous test.

Add to "Pictures" to this link:


<https://tinyjpg.com/images/social/website.jpg> and save the form.

Once it is saved, click on edit link another once. Finally click on delete button.

Expected

When we save the form after change the pictures the system must return to the items list.

When we delete the item, the system must return items list without the item.



The screenshot shows a web application interface for managing items. At the top, there's a navigation bar with links: YOUR SPONSORSHIPS, SEARCH POSITIONS, ITEMS LIST (which is highlighted in blue), POSITIONS AVAILABLE, COMPANY LIST, PROVIDER LIST, and PROFILE (PROVIDER). Below the navigation is a language selector with 'en | es'. The main content area is titled 'Items list' and displays a message: '2 items found, displaying all items.' followed by a table with two rows. The table has columns for 'Display item', 'Edit', 'Name', and 'Provider'. The first row contains 'Display item' (link), 'Edit' (link), 'Item1', and 'Provider1'. The second row contains 'Display item' (link), 'Edit' (link), 'Item3', and 'Provider1'. Below the table is a link to 'Create item'. At the bottom of the page, there's a copyright notice: 'Copyright © 2019 Acme-Rookies, Inc.' and links to 'Terms and conditions' and 'Data processing'.

		Name	Provider
Display item	Edit	Item1	Provider1
Display item	Edit	Item3	Provider1

Outcome The outcome is the expected one.

Notes

Use case 64 An actor who is authenticated as an auditor must be able manage their audits: creating, listing and displaying.

Description

A user authenticated as an auditor can create new audits and listing them. The auditor fills the form with data and save it. He or she only list his or her audits and display them.

Access

Main Menu > Login > Fill the form with auditor1/auditor1 > "Positions available" in the menu >Display position link > Audit

Remember that auditor only can audit final positions and a position only can be audited once by the same auditor.

Once the audit it's created the position is automatically assigned to the auditor.

Tests

Test 64.1

Description

Once we are in positions list, click on display position "Position2-Company1"

Position list

6 items found, displaying 1 to 5.

[First/Prev] 1, 2 [Next/Last]

	Company	Ticker	Title
Display position	Company1	ONEC-4562	Position 1 - Company 1
Display position	Company1	ONEC-4752	Position 2 - Company 1
Display position	Company2	TWOC-4146	Position 6 - Company 2
Display position	Company2	TWOC-4786	Position 7 - Company 2
Display position	Company3	FOUR-2556	Position 8 - Company 3

Later, click on AUDIT link.

Display position

Audit

Company: [One Commercial Name](#)
Ticker: ONEC-4752
Title: Position 2 - Company 1
Description: Esta es position2 del company1
Deadline: 2019/12/05
Profile: Math

	<p><i>Fill the form with the following data: text "creating new audit" score "5". And save the form.</i></p> <p><i>Finally, click on display link in the audit list to display the audit created.</i></p>																												
Expected	<p><i>The system must return audit list where the new audit it's shown. The row of the new audit must show display, edit and make final link.</i></p> <p>Audits list</p> <table border="1"> <thead> <tr> <th colspan="4">Audits list</th> </tr> <tr> <th colspan="4">2 items found, displaying all items.</th> </tr> <tr> <th colspan="4">1</th> </tr> <tr> <th></th> <th></th> <th>Auditor</th> <th>Position</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td></td> <td>Auditor1 Garcia</td> <td>Position 1 - Company 1</td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>Make final</td> <td>Auditor1 Garcia</td> </tr> <tr> <td></td> <td></td> <td></td> <td>Position 2 - Company 1</td> </tr> </tbody> </table> <p><i>And when we click on display link the system must return the new audit created.</i></p> <p>Display an audit</p> <p>This audit is in draft mode</p> <p>Auditor: Auditor1 Garcia</p> <p>Position : Position 2 - Company 1</p> <p>Written moment: 2019/05/07 19:06</p> <p>Text: creating new audit</p> <p>Score: 5</p> <p>Back</p>	Audits list				2 items found, displaying all items.				1						Auditor	Position	Display		Auditor1 Garcia	Position 1 - Company 1	Display	Edit	Make final	Auditor1 Garcia				Position 2 - Company 1
Audits list																													
2 items found, displaying all items.																													
1																													
		Auditor	Position																										
Display		Auditor1 Garcia	Position 1 - Company 1																										
Display	Edit	Make final	Auditor1 Garcia																										
			Position 2 - Company 1																										
Outcome	<i>The output is the expected one.</i>																												
Notes																													

Test 64.2

Description	Introduce this URL: http://localhost/Acme-Rookies/audit/auditor/create.do?positionId=7027 where 7027 is the id of the position which we audit in the previous test.
Expected	<i>The system must return error view.</i>

	<p>AUDIT LIST SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST</p> <p>en es</p> <h2>Error</h2> <p>An error has occurred Return to the homepage</p> <hr/> <p>Copyright © 2019 Acme-Rookies, Inc.</p>
Outcome	<i>The output is the expected one.</i>
Notes	

Use case 65 An actor who is authenticated as an auditor must be able manage their audits: editing and deleting.

Description

A user authenticated as an auditor can edit and delete his or her audits. Note that user only can edit or delete if the audit is in draft mode.

Access

Main Menu > Login > Fill the form with auditor1/auditor1 > Audit list > Edit link >Delete button



Audits list

2 items found, displaying all items.
1

Display	Edit	View final	Auditor
			Auditor1 Garcia

Edit an audit

A screenshot of a modal dialog box titled 'creating new audit'. It contains fields for 'Text' (with placeholder 'Text') and 'Score' (set to 5). Below the fields are three buttons: 'Save', 'Delete', and 'Cancel'. A large black arrow points from the 'Edit' link in the audits list table to this modal dialog.

Tests

Test 65.1	
Description	<p>Once we are in audit list, click on edit audit that we are created in the previous test.</p> <p>Change score by 10 and save the form.</p> <p>Once it is saved, click on edit link another once. Finally click on delete button.</p>
Expected	<p>When we save the form after change the score the system must return to the audits list.</p> <p>When we delete the audit, the system must return audit list without the audit.</p>

Audits list

One item found.

1

	Auditor	Position
Display	Auditor1 Garcia	Position 1 - Company 1

Outcome *The output is the expected one.*

Notes


Use case 66 An actor who is authenticated as an auditor must be able manage their audits: make final.

Description

A user authenticated as an auditor can make final their audits.

Access

Main Menu > Login > Fill the form with auditor3/auditor3 > Audit list > Make final link



Audits list

2 items found, displaying all items.
1

Tests

Test 66.1										
Description	Once we are in audit list, click on make final link to the audit on the position6-company2.									
Expected	The system must return audits list in which the audit make final only has display link. Audits list 2 items found, displaying all items. 1 <table border="1"><tr><td>Display</td><td>Auditor</td><td>Position</td></tr><tr><td>Display</td><td>Auditor3 Garcia</td><td>Position 1 - Company 1</td></tr><tr><td>Display</td><td>Auditor3 Garcia</td><td>Position 6 - Company 2</td></tr></table>	Display	Auditor	Position	Display	Auditor3 Garcia	Position 1 - Company 1	Display	Auditor3 Garcia	Position 6 - Company 2
Display	Auditor	Position								
Display	Auditor3 Garcia	Position 1 - Company 1								
Display	Auditor3 Garcia	Position 6 - Company 2								
Outcome	The output is the expected one.									

Notes

Test 66.2										
Description	<p>Introduce this URL http://localhost/Acme-Rookies/audit/auditor/makeFinal.do?auditId=7092. Where 7092 is the id to the audit in draft mode (audit6) to another user.</p>									
Expected	<p>The system must return audits list showing an error "Cannot make final"</p> <p>Audits list</p> <p>2 items found, displaying all items.</p> <table border="1"><thead><tr><th></th><th></th><th>Auditor</th></tr></thead><tbody><tr><td>Display</td><td></td><td>Auditor3 C</td></tr><tr><td>Display</td><td></td><td>Auditor3 C</td></tr></tbody></table> <p>Can not make final</p>			Auditor	Display		Auditor3 C	Display		Auditor3 C
		Auditor								
Display		Auditor3 C								
Display		Auditor3 C								
Outcome	The output is the expected one.									
Notes										


Use case 67 An actor who is authenticated as an administrator must be able to run a procedure to notify the existing users of the rebranding. The system must guarantee that the process is run only once.

Description

An administrator lists their messages and hits "Send rebranding notification" link.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Profile Menu Option > Message list.



Tests

Test 67.1

Description

You don't enter any data in a form edition. Simply you must click in "Send rebranding notification" link. Before click the link, you must copy the link. It's necessary to the next test.

	<h2>Message List</h2> <p>Sent messages</p> <table border="1"> <thead> <tr> <th colspan="5">One item found. 1</th> </tr> <tr> <th></th><th></th><th>Sent moment</th><th>Subject</th><th>Tags</th></tr> </thead> <tbody> <tr> <td>Display</td><td>Delete</td><td>2017/05/09 10:17</td><td>Thank you</td><td>problem</td></tr> </tbody> </table> <p>Received messages</p> <p>Nothing found to display.</p> <p>Send a message Send a broadcast message Send breach notification Send rebranding notification</p>	One item found. 1							Sent moment	Subject	Tags	Display	Delete	2017/05/09 10:17	Thank you	problem					
One item found. 1																					
		Sent moment	Subject	Tags																	
Display	Delete	2017/05/09 10:17	Thank you	problem																	
Expected	<p><i>The system must return the home page. If you list the messages again, you can check that "Send rebranding notification" link is hidden.</i></p>  <p>ADMINISTRATOR SEARCH POSITIONS ITEMS LIST POSITIONS AVAILABLE COMPANY LIST PROVIDER LIST PROFILE (ADMIN) en es</p> <p>Welcome!</p> <p>Acme Rookie</p> <p>Welcome to Acme Rookie! We're IT rookie's favourite job marketplace!</p> <p>Current time is 07/05/2019 13:19</p>																				
	<h2>Message List</h2> <p>Sent messages</p> <table border="1"> <thead> <tr> <th colspan="5">2 items found, displaying all items. 1</th> </tr> <tr> <th></th> <th></th> <th>Sent moment</th> <th>Subject</th> <th>Tags</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>Delete</td> <td>2017/05/09 10:17</td> <td>Thank you</td> <td>problem</td> </tr> <tr> <td>Display</td> <td>Delete</td> <td>2019/05/07 13:19</td> <td>Rebranding notification / Notificación de renovación de imagen</td> <td>SYSTEM</td> </tr> </tbody> </table> <p>Received messages</p> <p>Nothing found to display.</p> <p>Send a message Send a broadcast message Send breach notification</p>	2 items found, displaying all items. 1							Sent moment	Subject	Tags	Display	Delete	2017/05/09 10:17	Thank you	problem	Display	Delete	2019/05/07 13:19	Rebranding notification / Notificación de renovación de imagen	SYSTEM
2 items found, displaying all items. 1																					
		Sent moment	Subject	Tags																	
Display	Delete	2017/05/09 10:17	Thank you	problem																	
Display	Delete	2019/05/07 13:19	Rebranding notification / Notificación de renovación de imagen	SYSTEM																	
Outcome	<p><i>The output is the expected one.</i></p>																				
Notes	<p><i>To perform this use case the database has been populated.</i></p>																				

Use case 68 An actor who is authenticated as an administrator must be able to run a procedure to notify the existing users of the rebranding. The system must guarantee that the process is run only once.


Description

An administrator tries to send the rebranding notification message again.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1.

Tests

Test 68.1	
Description	<i>You must login as "admin1/admin1". Then, you must try to send rebranding notification message again. As "Send rebranding notification" link is hidden, you must enter in the browser manually the link. This is reason why we request you copying the link in the former test.</i>
Expected	<i>The system must return the error page due to the notification we sent previously.</i>
	
Outcome	<i>The output is the expected one.</i>
Notes	<i>To perform this use case the database hasn't been populated. This use case has been executed after the former test.</i>


Use case 69 An actor who is authenticated as an administrator must be able to launch a process to compute an audit score for every company.

Description

An administrator lists the actors of the system and hits "Launch audit score process" button.

Access

Main Menu > Login Menu Option > Fill the form with admin1/admin1 > Administrator Menu Option > Actors list.



Tests

Test 69.1																																											
Descriptio n	The administrator press "Launch audit score process" button.																																										
Expected	The system must return actors list. No every actor has an audit score, only companies. The companies are listed in the page 4.																																										
Page 1																																											
<p>Actor list</p> <p>28 items found, displaying 1 to 5. [First] [Prev] 1, 2, 3, 4, 5, 6 [Next] [Last]</p> <table border="1"><thead><tr><th></th><th>Full name</th><th>Email</th><th>Phone Number</th><th>Address</th><th>Spammer</th><th>Audit score</th></tr></thead><tbody><tr><td>Display profile</td><td>Provider1 Lobato</td><td>provider1@gmail.com</td><td>63015521</td><td>Calle Provider 1</td><td></td><td></td></tr><tr><td>Display profile</td><td>Provider2 Pavon</td><td>provider2@gmail.com</td><td>63015521</td><td>Calle Provider 2</td><td></td><td></td></tr><tr><td>Display profile</td><td>Provider3 Lobato</td><td>provider3@gmail.com</td><td>63015521</td><td>Calle Provider 3</td><td></td><td></td></tr><tr><td>Display profile</td><td>Provider4 Pavon</td><td>provider4@gmail.com</td><td>63015521</td><td>Calle Provider 4</td><td></td><td></td></tr><tr><td>Display profile</td><td>Provider5 Lobato</td><td>provider5@gmail.com</td><td>63015521</td><td>Calle Provider 5</td><td></td><td></td></tr></tbody></table> <p>Launch spammers process Launch audit score process</p>			Full name	Email	Phone Number	Address	Spammer	Audit score	Display profile	Provider1 Lobato	provider1@gmail.com	63015521	Calle Provider 1			Display profile	Provider2 Pavon	provider2@gmail.com	63015521	Calle Provider 2			Display profile	Provider3 Lobato	provider3@gmail.com	63015521	Calle Provider 3			Display profile	Provider4 Pavon	provider4@gmail.com	63015521	Calle Provider 4			Display profile	Provider5 Lobato	provider5@gmail.com	63015521	Calle Provider 5		
	Full name	Email	Phone Number	Address	Spammer	Audit score																																					
Display profile	Provider1 Lobato	provider1@gmail.com	63015521	Calle Provider 1																																							
Display profile	Provider2 Pavon	provider2@gmail.com	63015521	Calle Provider 2																																							
Display profile	Provider3 Lobato	provider3@gmail.com	63015521	Calle Provider 3																																							
Display profile	Provider4 Pavon	provider4@gmail.com	63015521	Calle Provider 4																																							
Display profile	Provider5 Lobato	provider5@gmail.com	63015521	Calle Provider 5																																							
Page 4																																											

Actor list

28 items found, displaying 16 to 20.

[First/Prev] [1](#), [2](#), [3](#), [4](#), [5](#), [6](#) [Next/Last]

	Full name	Email	Phone Number	Address	Spammer	Audit score
	System Reina	admin2@gmail.com	63015521	Calle Admin 2		
Display profile	Company1 Garcia	company1@gmail.com	63015521	Calle Company 1		0.4
Display profile	Company2 Lobato	company2@gmail.com	63015521	Calle Company 2		0.9
Display profile	Company3 Perez	company3@gmail.com	63015521	Calle Company 3		0.55
Display profile	Rookie1 Alvarez	rookie1@gmail.com	63015521	Calle Rookie 1		

[Launch spammers process](#)

[Launch audit score process](#)

Outcome

Output is the expected one.

Notes

To perform this use case the database has been populated.

Use case 70 Manage his or her sponsorships: Edit/Display

Description

A user authenticated as provider wishes to edit one of his sponsorships and display it; he selects one of his sponsorships to edit; he fills a form and hits the "Save" button.

Access

You must be authenticated as a Provider. In order to get to the sponsorship list, you must click on "Main Menu > Your Sponsorships".

Tests

Test 70.1

Description

1. Log in as "provider1/provider1".
2. Go to "Main Menu > Your Sponsorships".
3. Click on "Edit" link of the first sponsorship in the list.
4. Fill the form with the following data and click on the "Save" button:

Edit a sponsorship

General fields

Banner:
Target page:

Credit card

Holder:

Make:

Number:

Expiration month:

Expiration year:

CVV Code:

5. Click on the "Edit sponsorship" link.
6. Set the "Holder" field with "Provider One" and click on "Save" button.

	<p>7. Click on "Return to list" link.</p> <p>8. Click on "Display link" of the first sponsorship in the list.</p>												
Expected	<p>2.</p> <h2>Sponsorships list</h2> <div style="border: 1px solid #ccc; padding: 5px;"> <p>2 items found, displaying all items.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="background-color: #ffffcc;"></th> <th style="background-color: #ffffcc;"></th> <th style="background-color: #ffffcc;">Position</th> <th style="background-color: #ffffcc;">x</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>Edit</td> <td>Position 1 - Company 1</td> <td></td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>Position 2 - Company 1</td> <td></td> </tr> </tbody> </table> </div> <p>4.</p> <h2>Display a dashboard</h2> <div style="border: 1px solid #ccc; padding: 10px;"> <p>General fields</p> <p>Referenced position: Position 1 - Company 1</p> <p>Target page: https://www.google.com/</p> <p>Banner: </p> <p>Credit card</p> <p>Holder: Holder test</p> <p>Make: MCARD</p> <p>Number: ****4444</p> <p>Expiration month: 08</p> <p>Expiration year: 21</p> <p>Return to list Edit sponsorship</p> </div>			Position	x	Display	Edit	Position 1 - Company 1		Display	Edit	Position 2 - Company 1	
		Position	x										
Display	Edit	Position 1 - Company 1											
Display	Edit	Position 2 - Company 1											

6.

Display a dashboard

General fields

Referenced position: Position 1 - Company 1

Target page: <https://www.google.com/>



Banner:

Credit card

Holder: Provider One

Make: MCARD

Number: ****4444

Expiration month: 08

Expiration year: 21

[Return to list](#) [Edit sponsorship](#)

7. *The same as the step 2.*

8. *The same as the step 6.*


Outcome *The output is the expected one*

Notes

Test 70.2

Description

1. Log in as "provider1/provider1".
2. Go to "Main Menu > Your Sponsorships".
3. Click on "Edit" link of the first sponsorship in the list.
4. Set any field of the form with an empty/incorrect value and click on the "Save" button. See the note below.
5. Click on "Cancel" button.

	<p>6. Click on "Edit" link of the first sponsorship in the list again.</p> <p>7. Set any field of the form with an empty/incorrect value and click on the "Save" button. See the note below.</p> <p>8. Fill the form with correct values and click on the "Save" button.</p>
Expected	<p>4. Output expected with empty value in the "Banner" field:</p>  <p>The screenshot shows a web form titled "Edit a sponsorship". It has two sections: "General fields" and "Credit card". In the "General fields" section, there is a field for "Banner" which is empty, and an error message "Must not be blank" is displayed in red. There is also a field for "Target page" containing "http://www.targetpage.c". In the "Credit card" section, there are fields for "Holder" (holder29), "Make" (VISA), "Number" (4931301939300792), "Expiration month" (08), "Expiration year" (21), and "CVV Code" (724). At the bottom of the form are three buttons: "Save", "Delete", and "Cancel".</p> <p>With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").</p> <p>5. Should redirect to Your Sponsorship list view without any kind of error.</p> <p>8. Should redirect to Display view of the sponsorship edited without any kind of error.</p>
Outcome	The output is the expected one
Notes	"Banner" and "Target page" must be URLs. "Number" must be a valid credit card number. "Expiration month" must be between 1 and 12. "Expiration year" must have only 2 digits. "CVV Code" must be between 100 and 999.

Use case 71 Manage his or her sponsorship: Create/Delete Sponsorship

Description

A user authenticated as provider wishes to create a sponsorship and delete it; he selects one of the position that he wants to sponsor; he fills a form and hits the "Save" button; he edit the sponsorship created; he hits the "Delete" button.

Access

You must be authenticated as a Provider. In order to get to the sponsorship list, you must click on "Main Menu > Your Sponsorships".

In order to get to the position list, you must click on "Main Menu > Positions available".

Tests

Test 71.1	
Description	<ol style="list-style-type: none">1. Log in as "provider1/provider1".2. Go to "Main Menu > Positions available".3. Click on "Display" link of the first position in the list.

4. Click on "Create new Sponsorship" link:

Display position

Create new Sponsorship

Company: [One Commercial Name](#)
Ticker: ONEC-4562
Title: Position 1 - Company 1
Description: Esta es position1 del company1
Deadline: 2019/12/05
Profile: Economy
Skills: Number
Technologies: Android
Salary: 3,124.87 € (97% VAT Inc.)

Audits

2 items found, displaying all items.

1

	Auditor	Written moment	x
Display	Auditor1 Garcia	2019/01/01 10:10	
Display	Auditor3 Garcia	2019/01/01 10:10	



5. Fill the form with the following data and click on the "Save" button:

Edit a sponsorship

General fields

Banner: https://www.w3schools.com/w3css/img_lights.jpg
Target page: <https://www.google.com/>

Credit card

Holder: holder22
Make: MCARD
Number: 4507131688273419
Expiration month: 04
Expiration year: 21
CVV Code: 180

[Save](#)

[Cancel](#)

	<p>6. Click on "Edit sponsorship" link.</p> <p>7. Click on "Delete" button.</p>												
Expected	<p>5.</p> <h2>Display sponsorship</h2> <p>General fields</p> <p>Referenced position: Position 1 - Company 1</p> <p>Target page: https://www.google.com/</p>  <p>Banner:</p> <p>Credit card</p> <p>Holder: holder22</p> <p>Make: MCARD</p> <p>Number: ****3419</p> <p>Expiration month: 04</p> <p>Expiration year: 21</p> <p>Return to list Edit sponsorship</p>												
	<p>7.</p> <h2>Sponsorships list</h2> <p>2 items found, displaying all items.</p> <table border="1"> <thead> <tr> <th></th> <th></th> <th>Position</th> <th>X</th> </tr> </thead> <tbody> <tr> <td>Display</td> <td>Edit</td> <td>Position 1 - Company 1</td> <td></td> </tr> <tr> <td>Display</td> <td>Edit</td> <td>Position 2 - Company 1</td> <td></td> </tr> </tbody> </table>			Position	X	Display	Edit	Position 1 - Company 1		Display	Edit	Position 2 - Company 1	
		Position	X										
Display	Edit	Position 1 - Company 1											
Display	Edit	Position 2 - Company 1											
Outcome	<p>The output is the expected one.</p>												
Notes	<p>When you create a new sponsorship, the credit card fields must be filled by default. You can change their values as you want.</p>												

Test 71.2**Description**

1. Log in as "provider1/provider1".
2. Go to "Main Menu > Positions available".
3. Click on "Display" link of the first position in the list.
4. Click on "Create new Sponsorship" link.
5. Fill the form with empty/incorrect values and click on "Save" button. See the note below.
6. Click on "Cancel" button.
7. Go to "Main Menu > Positions available" again.
8. Click on "Display" link of the first position in the list.
9. Click on "Create new Sponsorship" link.
10. Fill the form with empty/incorrect values and click on "Save" button. See the note below.
11. Fill the form with correct values and click on "Save" button. See the note below.
12. Click on "Edit sponsorship" link.
13. Set the value of any field to an incorrect value and click on the "Save" button. See the note below.
14. Click on the "Delete" button.

Expected**5. Output expected with empty values:****Edit sponsorship**

General fields

Banner: Must not be blank
Target page: Must not be blank

Credit card

Holder: Must not be blank
Make: Must not be blank
Number: Does not match pattern
Must not be blank
Expiration month: Out of range (1-12)
Must not be blank
Expiration year: Does not match pattern
Must not be blank
CVV Code: Failed to convert property value of type java.lang.String to required type int for property creditCard.cvvCode; nested exception is java.lang.NumberFormatException: For input string: ""

With each one of the other incorrect values, the system must show a descriptive error message (not generic errors like "Cannot commit operation" but specific ones like "Invalid URL").

6. Should redirect to Sponsorship list without any kind of error.
11. Should redirect to the display view of the sponsorship created without any kind of error.
14. Should redirect to the corresponding Sponsorship list view without any kind of error and the sponsorship deleted must not appear in the list.

Outcome

The output is the expected one.

Notes

"Banner" and "Target page" must be URLs. "Number" must be a valid credit card number. "Expiration month" must be between 1 and 12. "Expiration year" must have only 2 digits. "CVV Code" must be between 100 and 999.

