Nama : Ferza Reyaldi NIM : 09021281924060

Kelas : 4 REG A

TUGAS OVERLOADING DAN OVERRIDING

Overloading

- Nomor 1

```
package overloading;
public class Pegawai {
    private int gajiPokok;
   private int tunjangan;
   private int bonus;
   private int lembur;
    Pegawai(){
        gajiPokok = 0;
        tunjangan = 0;
        bonus = 0;
        lembur = 0;
    }
    Pegawai(int gajiPokok, int tunjangan, int bonus, int lembur){
        this.gajiPokok = gajiPokok;
        this.tunjangan = tunjangan;
        this.bonus = bonus;
       this.lembur = lembur;
    }
    public void setGajiPokok(int gajiPokok) {
       this.gajiPokok = gajiPokok;
    }
   public void setTunjangan(int tunjangan) {
        this.tunjangan = tunjangan;
    }
    public void setBonus(int bonus) {
       this.bonus = bonus;
    public void setLembur(int lembur) {
        this.lembur = lembur;
    }
    public int getGajiPokok() {
        return gajiPokok;
```

```
}
    public int getTunjangan() {
        return tunjangan;
    }
    public int getBonus() {
        return bonus;
    public int getLembur() {
        return lembur;
    public int hitungGaji(int gajiPokok, int tunjangan){
        return gajiPokok + tunjangan;
    }
    public int hitungGaji(int gajiPokok, int tunjangan, int bonus){
        return gajiPokok + tunjangan + bonus;
    }
    public int hitungGaji(int gajiPokok, int tunjangan, int bonus, int le
mbur){
        return gajiPokok + tunjangan + bonus + lembur;
}
class PegawaiDriver {
    public static void main(String[] args) {
        Pegawai pegawai = new Pegawai(1000000, 500000, 200000, 100000);
        System.out.println(pegawai.getGajiPokok());
        System.out.println(pegawai.hitungGaji(pegawai.getGajiPokok(), peg
awai.getTunjangan()));
        System.out.println(pegawai.hitungGaji(pegawai.getGajiPokok(), peg
awai.getTunjangan(), pegawai.getBonus()));
        System.out.println(pegawai.hitungGaji(pegawai.getGajiPokok(), peg
awai.getTunjangan(), pegawai.getBonus(), pegawai.getLembur()));
}
 PROBLEMS OUTPUT TERMI
            AL DEBUG CONSOLE
                                                 Copyright (C) Microsoft Corporation. All rights reserved.
 Try the new cross-platform PowerShell https://aka.ms/pscore6
 PS D:\Documents\Universitas Sriwijaya\Semester 4 (24)\OOP\Practice\polymorphism\polymorphism
```

Nomor 2

```
package overloading;
public class Individu {
   private String nama;
   private String warnaKulit;
   private int tinggiBadan;
   private int beratBadan;
   Individu(){
       nama = "";
       warnaKulit = "";
       tinggiBadan = 0;
       beratBadan = 0;
   }
   public void setIdentitas(String nama){
       this.nama = nama;
   }
   public void setIdentitas(String nama, String warnaKulit){
       this.nama = nama;
       this.warnaKulit = warnaKulit;
   }
   public void setIdentitas(String nama, String warnaKulit, int tinggiBa
dan){
       this.nama = nama;
       this.warnaKulit = warnaKulit;
       this.tinggiBadan = tinggiBadan;
   }
   public void setIdentitas(String nama, String warnaKulit, int tinggiBa
dan, int beratBadan){
       this.nama = nama;
       this.warnaKulit = warnaKulit;
       this.tinggiBadan = tinggiBadan;
       this.beratBadan = beratBadan;
   }
   public void cetakIdentitas(){
        System.out.println("Nama: " + nama + "\nWarna Kulit: " + warnaKul
it + "\nTinggi Badan: " + tinggiBadan + "\nBerat Badan: " + beratBadan);
   }
}
class IndividuDriver{
   public static void main(String[] args) {
```

```
Individu asep = new Individu();
                                        asep.setIdentitas("Asep");
                                        asep.cetakIdentitas();
                                        Individu ujang = new Individu();
                                        ujang.setIdentitas("Ujang", "Hitam");
                                        ujang.cetakIdentitas();
                                        Individu andri = new Individu();
                                        andri.setIdentitas("Andri", "Putih", 157);
                                        andri.cetakIdentitas();
                                        Individu ayu = new Individu();
                                        ayu.setIdentitas("Ayu", "Kuning Langsat", 165, 53);
                                        ayu.cetakIdentitas();
                    }
}
                                                                                                                                                                                                                                       1: Java Process Console V + 🖽 🏥 ^ X
    PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE
    Windows PowerShell
Copyright (C) Microsoft Corporation. All rights reserved.
     Try the new cross-platform PowerShell https://aka.ms/pscore6
   Try the new cross-platform PowerShell https://aka.ms/pscore6

PS D:\Documents\Universitas Sriwijaya\Semester 4 (24)\OOP\Practice\polymorphism\polymorphism\particles\Documents\Universitas Sriwijaya\Semester 4 (24)\OOP\Practice\polymorphism\polymorphism\particles\Documents\Universitas Sriwijaya\Semester 4 (24)\OOP\Practice\polymorphism\polymorphism\particles\Documents\Universitas \particles\Documents\Universitas \particles\Documents\Universitas \particles\Documents\Universitas \particles\Documents\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\Univers\U
```

Overriding

- Penggajian-1

```
package overriding_no1;

public class Pegawai {
    private int gajiPokok;
    private int tunjangan;
    private int bonus;
    private int lembur;

Pegawai(){
        gajiPokok = 0;
        tunjangan = 0;
        bonus = 0;
        lembur = 0;
    }
}
```

```
Pegawai(int gajiPokok, int tunjangan, int bonus, int lembur){
        this.gajiPokok = gajiPokok;
       this.tunjangan = tunjangan;
       this.bonus = bonus;
       this.lembur = lembur;
    }
   public void setGajiPokok(int gajiPokok) {
       this.gajiPokok = gajiPokok;
    }
   public void setTunjangan(int tunjangan) {
       this.tunjangan = tunjangan;
    }
   public void setBonus(int bonus) {
       this.bonus = bonus;
   }
   public void setLembur(int lembur) {
       this.lembur = lembur;
   }
   public int getGajiPokok() {
        return gajiPokok;
   public int getTunjangan() {
       return tunjangan;
   }
   public int getBonus() {
       return bonus;
   public int getLembur() {
       return lembur;
   }
   public int hitungGaji(){
       return 200000;
   }
}
class Analis extends Pegawai {
   @Override
   public int hitungGaji(){
       return getGajiPokok() + getTunjangan();
```

```
}
class Designer extends Pegawai {
     @Override
     public int hitungGaji(){
           return getGajiPokok() + getTunjangan() + getBonus();
      }
}
class Programmer extends Pegawai {
     @Override
     public int hitungGaji(){
           return getGajiPokok() + getTunjangan() + getBonus() + getLembur()
      }
}
class PegawaiDriver{
     public static void main(String[] args) {
           Analis analis = new Analis();
           analis.setGajiPokok(2000000);
           analis.setTunjangan(500000);
           System.out.println(analis.hitungGaji());
           Designer designer = new Designer();
           designer.setGajiPokok(3000000);
           designer.setTunjangan(500000);
           designer.setBonus(500000);
           System.out.println(designer.hitungGaji());
           Programmer programmer = new Programmer();
           programmer.setGajiPokok(4000000);
           programmer.setTunjangan(500000);
           programmer.setBonus(500000);
           programmer.setLembur(200000);
           System.out.println(programmer.hitungGaji());
      }
}
 PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE
                                                                    1: Java Process Console > + 🗓 🛍 ^ ×
 Copyright (C) Microsoft Corporation. All rights reserved.
 Try the new cross-platform PowerShell https://aka.ms/pscore6
 PS D:\Documents\Universitas Sriwijaya\Semester 4 (24)\OOP\Practice\polymorphism\polymorphism> & 'c:\Users\USER\.vscode\extensions\vscjava.vscode-java.31.0\scripts\launcher.bat' 'C:\Program Files\Java\jdk-13.0.2\bin\java.exe' '-Dfile.encoding=UTF-8' '-cp' 'C:\Users\USER\AppData\Roaming\Code\User\workorage\abf6ad57595cc2802a5dbde24e7dc1a9\redhat.java\jdt_ws\polymorphism_68c6ae9d\bin' 'overriding_no1.PegawaiDriver'
```

Penggajian-2

```
package overriding_no2;
public class Pegawai {
   private String nama;
   private String nip;
   private String alamat;
    Pegawai(){
       nama = " ";
       nip = " ";
        alamat = " ";
    }
    Pegawai(String nama, String nip, String alamat){
        this.nama = nama;
       this.nip = nip;
       this.alamat = alamat;
    }
    public void setNama(String nama) {
       this.nama = nama;
    public void setNip(String nip) {
       this.nip = nip;
    }
   public void setAlamat(String alamat) {
       this.alamat = alamat;
    public String getNama() {
       return nama;
    public String getNip() {
        return nip;
    public String getAlamat() {
       return alamat;
    }
    public int getGaji(){
       return 2000000;
    }
```

```
class Dosen extends Pegawai{
    private int jumlahSKS;
    private final int tarifSKS = 50000;
   Dosen(){
        super();
    }
   Dosen(String nama, String nip, String alamat){
        super(nama, nip, alamat);
    }
    public void setJumlahSKS(int jumlahSKS) {
       this.jumlahSKS = jumlahSKS;
    }
   @Override
    public int getGaji() {
        return jumlahSKS * tarifSKS;
    }
}
class Staff extends Pegawai{
    private int jumlahKehadiran;
    private final int tarifKehadiran = 30000;
    Staff(){
        super();
    }
   Staff(String nama, String nip, String alamat){
        super(nama, nip, alamat);
    }
    public void setJumlahKehadiran(int jumlahKehadiran) {
        this.jumlahKehadiran = jumlahKehadiran;
    }
   @Override
    public int getGaji() {
        return jumlahKehadiran * tarifKehadiran;
    }
}
class PegawaiDriver{
    public static void main(String[] args) {
        Dosen andi = new Dosen();
```

```
andi.setJumlahSKS(20);
        System.out.println(andi.getGaji());
        Dosen budi = new Dosen();
        budi.setJumlahSKS(21);
        System.out.println(budi.getGaji());
        Staff citra = new Staff();
        citra.setJumlahKehadiran(30);
        System.out.println(citra.getGaji());
        Staff danu = new Staff();
        danu.setJumlahKehadiran(21);
        System.out.println(danu.getGaji());
    }
}
                                                  1: Java Process Console > + 🗓 🛍 ^ ×
 PROBLEMS OUTPUT TERMINAL DEBUG CONSOLE
 Copyright (C) Microsoft Corporation. All rights reserved.
 Try the new cross-platform PowerShell https://aka.ms/pscore6
```