Referencias de los estudios incluidos

Las 234 publicaciones incluidas en la revisión, por código. El código es el que usan las fichas de evidencia (por ejemplo, [0169]); debajo de cada referencia se indican las preguntas a las que aporta. Los textos completos pueden consultarse por DOI o PubMed a través de su institución.

0001 Yen MT, Cockerham K, Saeed P, Leibowitz S, Mudumbai RC, Schittkowski MP, et al. THRIVE: A Phase 3, Randomized, Double-Masked, Placebo-Controlled Study of Veligrotug for Active Thyroid Eye Disease. Ophthalmology. 2026;133(9):1085-1096. doi:10.1016/j.ophtha.2026.04.022. PMID: 42223386.
P05, P06, P10, P12, P14

0003 Zhang H, Chew SP, Xia D, Wang H, Zhang Y, Zhu L, et al. Quantitative evaluation of synthetic MRI for assessing disease activity in thyroid eye disease. European radiology experimental. 2026;10(1). doi:10.1186/s41747-026-00807-x. PMID: 42766069.
P05, P17, P19

0004 Briceño CA, Idowu OO, Khong JJ, Kuenzel T, Tran AQ, Brittain C, et al. Efficacy and Safety of Satralizumab for Thyroid Eye Disease: Week 24 Results from the Phase 3 SatraGO-1 and SatraGO-2 Randomized Trials. Ophthalmology. 2026. doi:10.1016/j.ophtha.2026.08.039. PMID: 42705581.
P05, P06, P10, P12

0005 Higashida T, Tagami M, Kinari G, Haruna Y, Ishikawa E, Abumanhal M, et al. Safety profile of intravenous methylprednisolone therapy for thyroid eye disease: a multicenter retrospective study. Japanese journal of ophthalmology. 2026. doi:10.1007/s10384-026-01413-5. PMID: 42690508.
P12, P10

0006 Jing G, Wu X, Huang Z, Tang J, Ao Y, Yang X, et al. Machine Learning-Based Cytokine Endotyping of Thyroid Eye Disease. Investigative ophthalmology & visual science. 2026;67(10):67. doi:10.1167/iovs.67.10.67. PMID: 42657997.
P05, P06

0007 Xie J, Shao J, Wang C, Shi X, Miao Q, Yip CC, et al. Visual cueing and adaptive learning for teaching thyroid eye disease diagnostic assessment to ophthalmology residents. Frontiers in medicine. 2026;13:1934529. doi:10.3389/fmed.2026.1934529. PMID: 42657306.
P05

0008 Kozaki A, Takahashi Y, Tajiri Y, Wang Z, Hayashida T, Kumar A, et al. Reduction in extraocular muscle and orbital fat volumes after teprotumumab treatment in Japanese patients with thyroid eye disease: an exploratory magnetic resonance imaging analysis from the OPTIC-J trial. Japanese journal of ophthalmology. 2026;70(5):1089-1098. doi:10.1007/s10384-026-01372-x. PMID: 42593603.
P05, P06, P10, P14

0009 Khan AR, Sultana S, Rashid R, Afzal F, Kadir SMU. Medium-dose intravenous methylprednisolone pulse therapy for thyroid-associated orbitopathy. International journal of ophthalmology. 2026;19(8):1556-1562. doi:10.18240/ijo.2026.08.14. PMID: 42523582.
P02, P05, P06, P10, P12, P14

0010 Mawn LA, Shriver EM, Tamhankar M, Yuan Y, Xi A, Ayala-Haedo J, et al. Patients with Thyroid Eye Disease Initiating Teprotumumab: A Real-World Cohort Study Using the Linked IRIS-Komodo Database. Clinical ophthalmology (Auckland, N.Z.). 2026;20:602582. doi:10.2147/OPTH.S602582. PMID: 42518709.
P05, P06, P10, P12, P14

0012 Van Swol J, Spinello J, Bimali M, Davis A, Burriss J, Flowers A, et al. Audiometric changes during teprotumumab therapy for thyroid eye disease: a prospective pilot study. Endocrine. 2026;91(1). doi:10.1007/s12020-026-04697-2. PMID: 42455407.
P12, P14

0013 Wang S, Lei H, Xu G, Fan Y, Lai Y, Shi J, et al. Extended endoscopic transnasal orbital decompression for dysthyroid optic neuropathy: efficacy and prognostic factors. BMC ophthalmology. 2026;26(1). doi:10.1186/s12886-026-05106-y. PMID: 42410589.
P05, P06, P11, P12, P14

0014 Rao T, Wang Y, Li X, Zhou J, You D, Wu W, et al. Investigating the Correlation Between Choroidal Alteration and Visual Function Metrics in Dysthyroid Optic Neuropathy. Translational vision science & technology. 2026;15(6):38. doi:10.1167/tvst.15.6.38. PMID: 42370633.
P04, P05, P06

0015 Yang C, Shen Y, Song J, Chen Y, Zeng C, Wei R. Clinically accessible eye-tracking in thyroid-associated ophthalmopathy: exploratory classification modeling and gaze allocation to disease-related periocular images. BMC ophthalmology. 2026;26(1). doi:10.1186/s12886-026-05055-6. PMID: 42332638.
P04, P05, P06

0016 Ko J, Surl D, Lee MJ, Lee JK, Son J, Kim N, et al. A Korean Clinical Practice Framework for Thyroid Eye Disease: Integrating International Recommendations with Survey-Informed Consensus. Endocrinology and metabolism (Seoul, Korea). 2026;41(3):367-382. doi:10.3803/EnM.2026.2920. PMID: 42281219.
P02, P03, P04, P05, P06, P08, P09, P10, P11, P12, P13, P14, P16, P17, P19

0017 Carter K, Khan Z, Mahamud B, Hussein F, Abdullah A, Simon G, et al. Thyroid Eye Disease, Glycemic Control, and the Role of a One-Stop Clinic Approach: A Retrospective Audit Study. Cureus. 2026;18(4):e107831. doi:10.7759/cureus.107831. PMID: 42211636.
P12, P18, P19, P17, P14

0019 Yang X, Liu J, Guo Q, Xu Y, Zhao H, Shao J, et al. Serum free fatty acid profiles as novel biomarkers for disease activity in Graves' orbitopathy. Journal of endocrinological investigation. 2026;49(9):2235-2244. doi:10.1007/s40618-026-02913-4. PMID: 42171675.
P05

0020 Collin C, Perney P, Jeanjean L, Raingeard I, Julier I, Gilly O. Assessment of smoking status and management of smoking cessation in moderate to severe Graves' orbitopathy. A retrospective study of 78 patients. Annales d'endocrinologie. 2026;87(4):102578. doi:10.1016/j.ando.2026.102578. PMID: 42167443.
P02, P05, P06, P08, P10, P17, P18, P19

0021 Lu M, Wang L, Wang Z, Song Z. Clinical predictors of tocilizumab response in moderate-to-severe thyroid eye disease: a large single-center retrospective cohort study. Frontiers in endocrinology. 2026;17:1823718. doi:10.3389/fendo.2026.1823718. PMID: 42125230.
P10, P12, P14

0022 Rocchi C, Telo S, Chevalier N, Tieulie N, Mondot L, Themelin A, et al. Benefits of thermal imaging in orbital inflammation disorders. Journal of ophthalmic inflammation and infection. 2026;16(1). doi:10.1186/s12348-026-00577-y. PMID: 42120678.
P04, P05, P06, P14

0024 Zhai L, Zeng Y, Chen Y, Yin Y, Liu H, Dai L, et al. MRI-based automated segmentation and multiparametric quantification for assessing orbital soft tissue involvement in thyroid eye disease. European radiology. 2026;36(9):7266-7277. doi:10.1007/s00330-026-12599-0. PMID: 42089968.
P05, P06

0026 Ren Z, Jin Q, Gan P, Xiong C, Liao H. Multi-dimensional CT feature screening, construction, and validation of a clinical diagnostic model for thyroid eye disease. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2026;54(5):104534. doi:10.1016/j.jcms.2026.104534. PMID: 41895192.
P04

0027 Lumyongsatien M, Vejsitthangkul K, Treebuppachatsakul T, Sintuwong S, Nimitwongsakul O, Pongpirul K. Selenium Supplementation in Graves' Orbitopathy: Effects on Blood Concentrations and Clinical Outcomes. Clinical ophthalmology (Auckland, N.Z.). 2026;20:569805. doi:10.2147/OPTH.S569805. PMID: 41891094.
P05, P06, P08, P09, P10, P12, P14

0029 Builes-Montaño CE, Román-González A, Arenas-Quintero HM, Aristizábal-Henao N, Cabarcas-Solano MDS, Camargo González J, et al. Pharmacologic Therapies for Active Moderate-to-Severe TED: A Comprehensive Systematic Review. Clinical medicine insights. Endocrinology and diabetes. 2026;19:11795514261426446. doi:10.1177/11795514261426446. PMID: 41783234.
P06, P10, P11, P12, P13, P14

0031 Gigliotti BJ, Chauhan D, Ma J, Ochoa-Maya M, Patel H. Epidemiology and Risk Factors of Hyperglycemic Events and Complications Among Patients With Graves' Disease or Thyroid Eye Disease in the United States. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2026;32(7):1044-1051. doi:10.1016/j.eprac.2026.02.010. PMID: 41713693.
P12, P14, P19

0033 Callet M, Farah E, Stolowy N, Robelin L, Bouché C, Launay P, et al. Contrast sensitivity and quality of life after orbital decompression for dysthyroid optic neuropathy. Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie. 2026;264(7):2171-2178. doi:10.1007/s00417-026-07133-3. PMID: 41670699.
P05, P06, P13, P14

0034 Wang Y, Zhou W, Cui Y, Dai J, Cheng Y, Wen Q, et al. Quantitative Chemical Exchange Saturation Transfer MRI for Diagnosing Thyroid-Associated Ophthalmopathy Activity: A Prospective Feasibility Study. Korean journal of radiology. 2026;27(2):161-173. doi:10.3348/kjr.2025.1101. PMID: 41592551.
P05

0035 Al-Ghazzawi K, Oeverhaus M, Rama A, Kiewert C, Bechrakis N, Chen Y, et al. Pediatric Graves' orbitopathy: TRAb and FT-3 are also prognostic factors in children-A tertiary center study. Thyroid research. 2026;19(1):5. doi:10.1186/s13044-026-00286-7. PMID: 41572350.
P02, P04, P05, P06, P10, P13, P19

0036 Malik A, Hunt PJ, Lu T, Kossler A, Richani K, Shinder R, et al. Teprotumumab associated menstrual changes. Orbit (Amsterdam, Netherlands). 2026;45(3):383-388. doi:10.1080/01676830.2025.2609906. PMID: 41528831.
P12, P14, P16

0037 Li H, Huo Y, Wu B, Zhang N, Zhao Y, Cao Y, et al. Reliability of extraocular muscle biomechanics in the evaluation of disease activity in thyroid eye disease. Journal of endocrinological investigation. 2026;49(4):787-795. doi:10.1007/s40618-025-02784-1. PMID: 41484410.
P05

0038 Wolf J, Lorenz K, Othman AE, Beck A, Michel HM, Grauhan L, et al. Secukinumab in Moderate-to-Severe Graves Orbitopathy: A Randomized, Double-Blind, Placebo-Controlled, Multicenter Study. The Journal of clinical endocrinology and metabolism. 2026;111(5):1248-1257. doi:10.1210/clinem/dgaf655. PMID: 41362233.
P05, P06, P10, P12, P14

0040 Nakaji E, Nakamura Y, Horie I, Yano H, Nishikido S, Nakaji K, et al. Impacts of physical, metabolic, and immunological factors on the exophthalmometry values of a contemporary Japanese population with/without Graves' disease. Endocrine journal. 2026;73(3):449-459. doi:10.1507/endocrj.EJ25-0334. PMID: 41297932.
P02, P04, P05, P08

0041 Park J, Yoon JS, Choung H, Lew H. Triglycerides as a predictor of activity and severity in thyroid eye disease: a multicentre study. The British journal of ophthalmology. 2026;110(6):721-728. doi:10.1136/bjo-2025-327637. PMID: 41224520.
P02, P05, P08

0042 Hong A, Shoji MK, Villatoro GA, Radha-Saseendrakumar B, Baxter SL, Dolman PJ, et al. Intersurgeon Variability in Proptosis Reduction After Orbital Decompression for Thyroid Eye Disease: A Multicenter Analysis. Ophthalmic plastic and reconstructive surgery. 2026;42(3):318-324. doi:10.1097/IOP.0000000000003090. PMID: 41082925.
P13

0052 Juri-Mandić J, Baretić M, Kusačić-Kuna S, Šklebar LK, Mandić K, Geber A, et al. AWARENESS OF THE EUROPEAN GROUP ON GRAVES' ORBITOPATHY (EUGOGO) GUIDELINES AND THEIR PRACTICAL USAGE IN CROATIA: AN EUGOGO PILOT STUDY. Acta clinica Croatica. 2025;64(2):333-342. doi:10.20471/acc.2025.64.02.17. PMID: 41943716.
P08, P17, P18, P19

0053 Zhou Y, Jia F, Zhao X, Ma X, Chang T, Yao S, et al. Multimodal MRI radiomics-clinical fusion model predicts intravenous glucocorticoid response in thyroid eye disease. Frontiers in endocrinology. 2025;16:1726947. doi:10.3389/fendo.2025.1726947. PMID: 41641033.
P10, P14

0054 Lee GM, Lee MJ, Kim N, Choung H, Lee H, Cho WK, et al. Photographic evaluation of clinical activity score in thyroid eye disease. PloS one. 2025;20(12):e0337597. doi:10.1371/journal.pone.0337597. PMID: 41385498.
P02, P05, P08

0056 Hu R, Tang S, Liu X, Liu Z, Cui Z, Chen J, et al. Predicting dysthyroid optic neuropathy in moderate-to-severe thyroid eye disease: a clinically applicable nomogram. European thyroid journal. 2025;14(6). doi:10.1530/ETJ-25-0226. PMID: 41358622.
P01, P02, P03, P04, P05, P06, P07, P19

0057 Patera B, Zaffaroni A, Louka S, Gallo D, Piantanida E, Tanda ML. Graves' orbitopathy following Alemtuzumab treatment for multiple sclerosis: a systematic review and real-world insights. Thyroid research. 2025;18(1):58. doi:10.1186/s13044-025-00276-1. PMID: 41345962.
P01, P04, P05, P06, P08, P10, P11, P12, P14

0058 Wang Y, Song Q, Zhang Z, Wu H, Su M, Sun X. Integrating novel OCT-based choroidal imaging: A multimodal nomogram for predicting intravenous glucocorticoid response in thyroid-associated ophthalmopathy. Photodiagnosis and photodynamic therapy. 2025;56:105282. doi:10.1016/j.pdpdt.2025.105282. PMID: 41207491.
P05, P10, P14

0060 Sun R, Li Y, Sun J, Zhang S, Wang Y, Song X, et al. Comparison of transconjunctival and transnasal approaches for orbital decompression: a randomized controlled trial. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2025;53(11):1921-1927. doi:10.1016/j.jcms.2025.05.008. PMID: 41109705.
P06, P10, P12, P13

0061 Surl D, Ko J, Yang J, Yoon JS. A Nationwide Survey by the Korean Society of Ophthalmic Plastic and Reconstructive Surgery (KSOPRS) on the Management of Thyroid Eye Disease in South Korea. Korean journal of ophthalmology : KJO. 2025;39(6):532-541. doi:10.3341/kjo.2025.0108. PMID: 41069052.
P02, P05, P06, P07, P08, P09, P10, P11, P13, P14, P17, P18, P19

0062 Zhang H, Sun J, Li Y, Zhu L, Shan Z, Lu W, et al. IGF-1R Inhibitor IBI311 for the Treatment of Active Thyroid Eye Disease in Chinese Patients: The RESTORE-1 Randomized Clinical Trial. JAMA ophthalmology. 2025;143(11):964-971. doi:10.1001/jamaophthalmol.2025.3350. PMID: 41066129.
P06, P10, P12, P14

0063 Zhao X, Li Y, Lu Y, Liu M, Li Z. A novel nomogram based on orbital MRI parameters for early prediction of dysthyroid optic neuropathy in thyroid-associated ophthalmopathy. BMC ophthalmology. 2025;25(1):536. doi:10.1186/s12886-025-04375-3. PMID: 41039313.
P03, P04, P05

0064 Shin K, Yoon JS, Kim J, Park J, Park HY, Kim N, et al. AI-based assessment of Clinical Activity Score and detection of active thyroid eye disease using facial images: validation of Glandy CAS. BMJ open ophthalmology. 2025;10(1). doi:10.1136/bmjophth-2025-002264. PMID: 40967678.
P05

0065 Potvin ARGG, de Win MML, Bisschop PH, Tanck MWT, Loontjens R, de Graaf P, et al. Diagnostic value of MRI and diffusion-weighted imaging in dysthyroid optic neuropathy: a cross-sectional study providing insights into predictive parameters and pathogenesis. Neuroradiology. 2025;67(9):2563-2572. doi:10.1007/s00234-025-03695-x. PMID: 40960511.
P03, P04, P05, P19

0067 Vekinis JS, Clarke K, Lee V, Moledina M, Khan SR, Naik M, et al. Low risk of thyroid eye disease (TED) following radioiodine (RAI) therapy in a multidisciplinary setting: a retrospective cohort study. Thyroid research. 2025;18(1):41. doi:10.1186/s13044-025-00259-2. PMID: 40804643.
P02, P04, P05, P06, P07, P08, P10, P12, P13, P14, P16, P17, P19

0068 Moledina M, Lee V, Alnahrawy A, Fydanaki O, George N, Hubby N, et al. Predictive demographic and clinical features for the development of dysthyroid optic neuropathy in a multi-ethnic TED population: a retrospective cohort study. Thyroid research. 2025;18(1):37. doi:10.1186/s13044-025-00249-4. PMID: 40691639.
P02, P03, P04, P05, P06, P08, P11, P12, P14, P15, P19

0069 Barnett MJL, Lam J, Jara-Tantoco MN, Casipit C, Eidbo S, Anastasopoulou C. Teprotumumab and sensorineural hearing loss: a propensity score-matched retrospective cohort study. Endocrine connections. 2025;14(7). doi:10.1530/EC-25-0293. PMID: 40680730.
P12

0070 Kumar SV, Kumar V, Mishra SK, Sati A, Kumar NV. Efficacy and safety of botulinum toxin as a non-surgical option for upper eyelid retraction in active thyroid-associated ophthalmopathy: a prospective interventional study. International ophthalmology. 2025;45(1):293. doi:10.1007/s10792-025-03658-4. PMID: 40663254.
P06, P10, P12, P14

0071 Zhang M, Zhang X, Huang Q, Liang L, Long J. Apparent diffusion coefficient: a predictor of the efficacy of glucocorticoid therapy in active moderate-severe thyroid eye disease: a retrospective cohort study. BMC endocrine disorders. 2025;25(1):177. doi:10.1186/s12902-025-01981-6. PMID: 40660145.
P10, P14, P05

0072 Kheok SW, Hu G, Lee MH, Wong CP, Zheng K, Htoon HM, et al. Orbital CT deep learning models in thyroid eye disease rival medical specialists' performance in optic neuropathy prediction in a quaternary referral center and revealed impact of the bony walls. Orbit (Amsterdam, Netherlands). 2025;44(6):799-807. doi:10.1080/01676830.2025.2521868. PMID: 40591440.
P03, P04, P07

0073 Villagelin D, Cooper DS, Burch HB. Regional Differences in the Management of Thyroid Eye Disease: Results from an International Clinical Practice Survey of Endocrinologists. Thyroid : official journal of the American Thyroid Association. 2025;35(6):676-683. doi:10.1089/thy.2024.0759. PMID: 40432588.
P02, P07, P08, P10, P12, P17, P18, P19

0074 Lo JE, Freitag SK, Liu CY, Barbesino G, Ma KS. Long-term Cardiovascular, Renal, and Safety Outcomes of Teprotumumab versus Systemic Glucocorticoids in Thyroid Eye Disease: A Target Trial Emulation. Ophthalmology. 2025;132(10):1142-1151. doi:10.1016/j.ophtha.2025.05.012. PMID: 40398692.
P12

0076 Lustig-Barzelay Y, Yagoda D, Zunz E, Hamed-Azzam S, Avisar I, Kehat-Ophir S, et al. Time to improvement following teprotumumab treatment of thyroid eye disease: real world experience. Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie. 2025;263(8):2349-2358. doi:10.1007/s00417-025-06855-0. PMID: 40366381.
P05, P06, P10, P11, P12, P14, P17, P19

0077 Atkinson M, Agrawal M, Muralidhara K, Abraham P, Vaidya B, Okosieme OE. British Thyroid Association Survey of Graves' Disease Management in the UK. Clinical endocrinology. 2025;103(3):376-384. doi:10.1111/cen.15266. PMID: 40342179.
P08, P12

0078 Barnett MJ, Casipit C, Lam J, Rivadeneira A. Statins and Thyroid Eye Disease: A Propensity Score-Matched Retrospective Cohort Analysis. Cureus. 2025;17(4):e83243. doi:10.7759/cureus.83243. PMID: 40309510.
P08, P06, P07

0079 Wang L, Sun Y, Zhang M, He H, Wang J, Xu H, et al. Negative association between serum calcium and glucocorticoid-induced hypertension in thyroid-associated ophthalmopathy patients treated with methylprednisolone. Frontiers in endocrinology. 2025;16:1548953. doi:10.3389/fendo.2025.1548953. PMID: 40290310.
P12

0080 Virdee S, Moledina M, Lee V. "Real-Life" Utility of the Graves' Ophthalmopathy-Quality of Life in a Multidisciplinary Thyroid Eye Disease Service. Ophthalmic plastic and reconstructive surgery. 2025;41(6):688-700. doi:10.1097/IOP.0000000000002950. PMID: 40237557.
P05, P06, P10, P11, P13, P14, P17, P19

0082 Ahn HY, Lee MJ, Jung KY, Kim HJ, Jung EH, Chung CW, et al. Selenium vs Control for Graves Ophthalmopathy in a Selenium-Sufficient Area: A Randomized Clinical Trial. JAMA ophthalmology. 2025;143(4):287-94. doi:10.1001/jamaophthalmol.2024.6337. PMID: 40014353.
P05, P06, P08, P09, P12, P14

0083 Akkus G, Ulaş B, Binokay H, Odabas F, Soysal RS, Özcan A, et al. Graves ophthalmopathy a neglected comorbidity of graves' disease; a detailed investigation and management of sixty-eight patients in a tertiary healthcare center. BMC endocrine disorders. 2025;25(1):46. doi:10.1186/s12902-025-01875-7. PMID: 39972308.
P02, P05, P08, P09, P14

0084 Huang W, Ou X, Lin S, Lin W, Chen G, Huang H, et al. Efficacy and Safety of Teprotumumab in Thyroid Eye Disease: A Systematic Review and Meta-Analysis. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2025;31(5):640-649. doi:10.1016/j.eprac.2025.01.012. PMID: 39952471.
P06, P10, P12

0085 Schovanek J, Radvansky M, Karhanova M, Bolacka M, Pekarova K, Dohnal R, et al. Long-Term Impact of Thyroid Eye Disease on Quality of Life: Insights From a Retrospective Cohort Study. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2025;31(5):607-613. doi:10.1016/j.eprac.2025.02.003. PMID: 39947623.
P05, P06, P08, P10, P13, P14, P19

0086 Huang Z, Xu M, Zhang W, Song X. Triamcinolone acetonide and botulinum toxin A for upper eyelid retraction in thyroid-associated ophthalmopathy. Scientific reports. 2025;15(1):5103. doi:10.1038/s41598-025-89063-4. PMID: 39934153.
P12, P13, P14

0087 Hiromatsu Y, Ishikawa E, Kozaki A, Takahashi Y, Tanabe M, Hayashi K, et al. A randomised, double-masked, placebo-controlled trial evaluating the efficacy and safety of teprotumumab for active thyroid eye disease in Japanese patients. The Lancet regional health. Western Pacific. 2025;55:101464. doi:10.1016/j.lanwpc.2025.101464. PMID: 39896230.
P05, P06, P10, P12, P14

0091 Li H, Wang Y, Zhou J, You D, Song L, Wang M, et al. Evaluation of fibroinflammatory activity in thyroid eye disease using [(18)F]AlF-NOTA-FAPI-04 PET/CT: A prospective study. European journal of nuclear medicine and molecular imaging. 2025;52(5):1890-1900. doi:10.1007/s00259-024-07015-y. PMID: 39671100.
P05

0093 Arnon R, Goldberg H, Ben-Simon GJ, Priel A, Zloto O, Landau-Prat D, et al. Alpha-1 antagonist treatment for eyelid retraction in patients with thyroid eye disease-a prospective pilot study. Eye (London, England). 2025;39(1):175-178. doi:10.1038/s41433-024-03403-8. PMID: 39428445.
P06, P12, P13, P14

0094 Comi S, Cosentino G, Lanzolla G, Menconi F, Maglionico MN, Posarelli C, et al. Long-term outcome of Graves' orbitopathy following treatment with sirolimus. Journal of endocrinological investigation. 2025;48(3):607-618. doi:10.1007/s40618-024-02470-8. PMID: 39373962.
P05, P06, P10, P12, P14

0096 Smith TJ, Holt RJ, Fu Q, Qashqai A, Barretto N, Conrad E, et al. Assessment of Hearing Dysfunction in Patients With Graves' Disease and Thyroid Eye Disease Without or With Teprotumumab. The Journal of clinical endocrinology and metabolism. 2025;110(3):811-819. doi:10.1210/clinem/dgae560. PMID: 39138817.
P06, P12, P14, P16

0099 Anggraini C, Nusanti S, Tahapary DL, Khoe LC. Validation of Indonesian Graves' Ophthalmopathy Quality of Life Questionnaire and Its Association with Clinical Activity and Severity of Graves' Ophthalmopathy. Acta medica Indonesiana. 2024;56(4):461-468. PMID: 39865049.
P05, P06

0100 Tang CY, Huang Q, Liang L, Zhang MQ, Zheng XY, Long J. Application of apparent diffusion coefficient of extraocular muscles from diffusion tensor imaging scanning in the assessment of disease activity of thyroid eye disease. BMC endocrine disorders. 2024;24(1):276. doi:10.1186/s12902-024-01818-8. PMID: 39716188.
P05, P06

0101 Higgins RC, Lane CF, Goyal N. Otolaryngologist surgical preferences for orbital decompression in thyroid eye disease: A North American survey. Laryngoscope investigative otolaryngology. 2024;9(6):e70051. doi:10.1002/lio2.70051. PMID: 39655097.
P02, P05, P08, P10, P13, P17, P19

0103 Park J, Son Y, Kim J, Kim S, Choi HY. Prognostic factors for thyroid-stimulating immunoglobulin normalization in moderate-to-severe Graves' orbitopathy: a 36-month longitudinal study. BMC ophthalmology. 2024;24(1):361. doi:10.1186/s12886-024-03594-4. PMID: 39169342.
P05, P06, P10, P14

0105 Leite CA, Pereira TS, Chiang J, Moritz RB, Gonçalves ACP, Monteiro MLR. Quality of life in patients with Graves' orbitopathy submitted to orbital decompression: comparison between balanced and inferomedial techniques. Arquivos brasileiros de oftalmologia. 2024;87(5):e20230296. doi:10.5935/0004-2749.2023-0296. PMID: 39109703.
P06, P12, P13, P14, P19

0106 Wu HY, Luo B, Yuan G, Wang QX, Liu P, Zhao YL, et al. A Prediction Model for Detecting Dysthyroid Optic Neuropathy Based on Clinical Factors and Imaging Markers of the Optic Nerve and Cerebrospinal Fluid in the Optic Nerve Sheath. Current medical science. 2024;44(4):827-832. doi:10.1007/s11596-024-2890-2. PMID: 39096474.
P03, P04, P05

0107 Liang JQ, Tian P, Fan SX, Zhou C, Zhou SY, Wang M, et al. A multifactorial screening model based on the Graves ophthalmopathy quality of life scores in dysthyroid optic neuropathy. Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie. 2024;262(10):3345-3353. doi:10.1007/s00417-024-06556-0. PMID: 38910153.
P03, P04, P05, P06

0108 Stancu AM, Badiu C. Block-and-replace regimen versus titration of antithyroid drugs: a recent meta-analysis. Endokrynologia Polska. 2024;75(3):317-327. doi:10.5603/ep.99555. PMID: 38887116.
P08, P12, P14

0109 Huang J, Su A, Yang J, Zhuang W, Li Z Sr. Postmarketing Safety Concerns of Teprotumumab: A Real-World Pharmacovigilance Assessment. The Journal of clinical endocrinology and metabolism. 2024;110(1):159-165. doi:10.1210/clinem/dgae417. PMID: 38878281.
P12

0110 Lai KKH, Aljufairi FMAA, Sebastian JU, Wei Y, Jia R, Chan KKW, et al. Epidemiology of thyroid-stimulating immunoglobulin in recent-onset symptomatic thyroid eye disease. European thyroid journal. 2024;13(4). doi:10.1530/ETJ-23-0129. PMID: 38847819.
P02, P05, P06, P09, P10, P14

0111 Kahaly GJ, Subramanian PS, Conrad E, Holt RJ, Smith TJ. Long-Term Efficacy of Teprotumumab in Thyroid Eye Disease: Follow-Up Outcomes in Three Clinical Trials. Thyroid : official journal of the American Thyroid Association. 2024;34(7):880-889. doi:10.1089/thy.2023.0656. PMID: 38824618.
P05, P06, P10, P12, P13, P14

0113 Matoc I, Kasa K, Kasumović A, Prpić A, Vukojević A, Zrinšćak O, et al. One Incremental Stride for Doxycycline, One Substantial Advancement for Thyroid Eye Disease. Diagnostics (Basel, Switzerland). 2024;14(8). doi:10.3390/diagnostics14080791. PMID: 38667437.
P05, P06, P12, P14

0114 Chen J, Li C, Teng W, Shan Z, Jin J, Wei Y, et al. A Chinese survey of clinical practice on the management of thyroid eye disease. European thyroid journal. 2024;13(3). doi:10.1530/ETJ-23-0269. PMID: 38642583.
P04, P05, P06, P07, P08, P09, P10, P11, P12, P13, P14, P17, P18, P19

0115 Bhattacharjee K, Rehman O, Ichhpujani P, Venkatraman V. Central and peripheral contrast sensitivity in thyroid eye disease. Indian journal of ophthalmology. 2024;72(10):1466-1470. doi:10.4103/IJO.IJO_2593_23. PMID: 38622844.
P02, P03, P05, P06, P14

0118 Srisombut T, Arjkongharn N, Vongsa N, Kanacharoen A, Kemchoknatee P. Orbital CT scan parameters in dysthyroid optic neuropathy: a systematic review and meta-analysis. Eye (London, England). 2024;38(9):1734-1741. doi:10.1038/s41433-024-03011-6. PMID: 38472378.
P03, P04

0119 Potita P, Pruksakorn V, Srichomkwun P, Kingpetch K, Saonanon P. Selenium supplementation in inactive moderate to severe Graves' orbitopathy patients: a randomized controlled trial. Orbit (Amsterdam, Netherlands). 2024;43(3):329-336. doi:10.1080/01676830.2024.2315566. PMID: 38374579.
P08, P10, P06, P12, P14

0121 Ueland HO, Halsøy K, Rødahl E. Blepharotomy Versus Levator Recession With Adjustable Sutures for Correction of Upper Eyelid Retraction in Thyroid Eye Disease. Ophthalmic plastic and reconstructive surgery. 2024;40(5):516-522. doi:10.1097/IOP.0000000000002632. PMID: 38346435.
P05, P06, P12, P13, P14, P17

0122 Smith TJ, Cockerham K, Barretto N, Hirst A, Oliver L, Enstone A, et al. Bridging and Validation of the Specific Graves Ophthalmopathy Quality of Life Questionnaire With Health State Utility Values. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2024;30(5):470-475. doi:10.1016/j.eprac.2024.02.002. PMID: 38341128.
P05, P06, P10, P14

0123 Jiang X, Dong L, Luo L, Zhou D, Ling S, Li D. Artificial Intelligence-based quantitative evaluation of retinal vascular parameters in thyroid-associated ophthalmopathy. Endocrine. 2024;85(1):287-294. doi:10.1007/s12020-023-03561-x. PMID: 38315295.
P04, P05

0124 Ma L, Wang M, Zhang Z, Jiang X, Hou Z, Li D. Three-dimensional soft tissue reconstruction and volume measurement used for the diagnosis of dysthyroid optic neuropathy. Graefe's archive for clinical and experimental ophthalmology = Albrecht von Graefes Archiv fur klinische und experimentelle Ophthalmologie. 2024;262(6):1919-1924. doi:10.1007/s00417-023-06355-z. PMID: 38294512.
P03, P04, P05, P06

0125 Hu H, Zhou J, Jiang WH, Wu Q, Pu XY, Liu H, et al. Diagnosis of dysthyroid optic neuropathy: combined value of orbital MRI and intracranial visual pathway diffusion kurtosis imaging. European radiology. 2024;34(8):5401-5411. doi:10.1007/s00330-024-10615-9. PMID: 38276980.
P03, P04, P05, P06

0126 Smith TJ, Cavida D, Hsu K, Kim S, Fu Q, Barbesino G, et al. Glycemic Trends in Patients with Thyroid Eye Disease Treated with Teprotumumab in 3 Clinical Trials. Ophthalmology. 2024;131(7):815-826. doi:10.1016/j.ophtha.2024.01.023. PMID: 38253291.
P12, P14, P19

0127 Wang C, Qiao J, Liu S, Piao S, Zhou Y, Hu Y, et al. Selenium in the treatment of mild-to-moderate Graves' orbitopathy: a 5-year prospective controlled cohort study. Endocrine. 2024;84(3):1072-1080. doi:10.1007/s12020-023-03672-5. PMID: 38200401.
P05, P06, P08, P09, P10, P14

0128 Zhang H, Lu T, Liu Y, Jiang M, Wang Y, Song X, et al. Application of Quantitative MRI in Thyroid Eye Disease: Imaging Techniques and Clinical Practices. Journal of magnetic resonance imaging : JMRI. 2024;60(3):827-847. doi:10.1002/jmri.29114. PMID: 37974477.
P01, P03, P04, P05, P10, P13, P14

0129 Men CJ, Amarikwa L, Pham B, Sears C, Clauss K, Lee BW, et al. Teprotumumab for the Treatment of Recalcitrant Thyroid Eye Disease. Ophthalmic plastic and reconstructive surgery. 2024;40(3):276-285. doi:10.1097/IOP.0000000000002564. PMID: 37972960.
P05, P06, P10, P12, P14

0130 Al-Qadi M, Hussain A. Influence of orbital decompression on upper eyelid retraction in Graves' orbitopathy: a systematic review and meta-analysis. Orbit (Amsterdam, Netherlands). 2024;43(4):549-554. doi:10.1080/01676830.2023.2248621. PMID: 37611061.
P13, P16

0133 Wang D, Marous C, Celiker P, Deng W, Kristoferson E, Elsayed A, et al. The association of race with thyroid eye disease presentation and outcomes. Frontiers in ophthalmology. 2023;3:1309850. doi:10.3389/fopht.2023.1309850. PMID: 38983053.
P02, P03, P05, P06, P10, P14, P17

0136 Douglas RS, Couch S, Wester ST, Fowler BT, Liu CY, Subramanian PS, et al. Efficacy and Safety of Teprotumumab in Patients With Thyroid Eye Disease of Long Duration and Low Disease Activity. The Journal of clinical endocrinology and metabolism. 2023;109(1):25-35. doi:10.1210/clinem/dgad637. PMID: 37925673.
P05, P06, P10, P12, P14

0137 Manso J, Censi S, Clausi C, Piva I, Zhu YH, Mondin A, et al. Circulating miR-146a predicts glucocorticoid response in thyroid eye disease. European thyroid journal. 2023;12(5). doi:10.1530/ETJ-23-0083. PMID: 37606076.
P05, P06, P10, P12, P14

0139 Li Z, Luo Y, Huang Q, Chen Z, Song D, Pan D, et al. A Randomized Clinical Trial of Intravenous Methylprednisolone With 2 Protocols in Patients With Graves Orbitopathy. The Journal of clinical endocrinology and metabolism. 2023;109(1):36-45. doi:10.1210/clinem/dgad476. PMID: 37579198.
P05, P06, P10, P12, P14

0140 Toro-Tobon D, Rachmasari KN, Bradley EA, Wagner LH, Tooley AA, Stokken JK, et al. Medical Therapy in Patients with Moderate to Severe, Steroid-Resistant, Thyroid Eye Disease. Thyroid : official journal of the American Thyroid Association. 2023;33(10):1237-1244. doi:10.1089/thy.2023.0167. PMID: 37515425.
P05, P06, P10, P12, P13, P14, P17

0141 Fatani WA, Hamdan DM, Taher NO, Alsharef JF, Aldubi RM, Alwagdani AM, et al. Monoclonal antibodies for the treatment of Graves' ophthalmopathy: A systematic review and meta-analysis. Saudi journal of ophthalmology : official journal of the Saudi Ophthalmological Society. 2023;37(2):137-148. doi:10.4103/sjopt.sjopt_176_22. PMID: 37492211.
P05, P06, P10, P12

0142 Goel R, Shah S, Gupta S, Khullar T, Singh S, Chhabra M, et al. Alterations in retrobulbar haemodynamics in thyroid eye disease. Eye (London, England). 2023;37(17):3682-3690. doi:10.1038/s41433-023-02580-2. PMID: 37221361.
P04, P05, P06, P13, P14

0143 Lai KKH, Aljufairi FMAA, Li CL, Ngai AKY, Yeung CSK, Fong RHY, et al. Efficacy and Safety of 6-Weekly versus 12-Weekly Intravenous Methylprednisolone in Moderate-to-Severe Active Thyroid-Associated Ophthalmopathy. Journal of clinical medicine. 2023;12(9). doi:10.3390/jcm12093244. PMID: 37176682.
P05, P06, P10, P12, P14, P19

0144 Olejarz M, Szczepanek-Parulska E, Ostałowska-Klockiewicz A, Antosik P, Sawicka-Gutaj N, Helak-Łapaj C, et al. High IgG4 serum concentration is associated with active Graves orbitopathy. Frontiers in endocrinology. 2023;14:1083321. doi:10.3389/fendo.2023.1083321. PMID: 36936165.
P05, P06

0147 Santos LR, Vasconcelos Bessa I, Gaspar da Rocha A, Neves C, Freitas C, Soares P. Survey on selenium clinical supplementation in autoimmune thyroid disease. European thyroid journal. 2023;12(2). doi:10.1530/ETJ-22-0090. PMID: 36622057.
P06, P08, P09, P12, P14, P18

0149 Ho TC, Maamari RN, Kossler AL, Sears CM, Freitag SK, Reshef ER, et al. Outcomes of Patients With Thyroid Eye Disease Partially Treated With Teprotumumab. Ophthalmic plastic and reconstructive surgery. 2023;39(2):150-155. doi:10.1097/IOP.0000000000002267. PMID: 36095848.
P05, P06, P10, P12, P14, P17

0150 Smith, T.J., Cockerham, K., Lelli, G., Choudhary, C., Taylor, S., Barretto, N., et al. Utility Assessment of Moderate to Severe Thyroid Eye Disease Health States. JAMA Ophthalmol.. 2023;141(2):159-166. doi:10.1001/jamaophthalmol.2022.3225.
P06

0151 Burch HB, Perros P, Bednarczuk T, Cooper DS, Dolman PJ, Leung AM, et al. Management of Thyroid Eye Disease: A Consensus Statement by the American Thyroid Association and the European Thyroid Association. Thyroid : official journal of the American Thyroid Association. 2022;32(12):1439-1470. doi:10.1089/thy.2022.0251. PMID: 36480280.
P01, P02, P03, P04, P05, P06, P07, P08, P09, P10, P11, P12, P13, P14, P16, P17, P19

0155 Jin H, Yu X, Cao S, Wang M, Hu X, Ye J, et al. Selective deficits of S-cone in thyroid-associated ophthalmopathy patients without clinical signs of dysthyroid optic neuropathy. Frontiers in neuroscience. 2022;16:990425. doi:10.3389/fnins.2022.990425. PMID: 36213732.
P04, P06

0159 Kang S, Hamed Azzam S, Minakaran N, Ezra DG. Rituximab for thyroid-associated ophthalmopathy. The Cochrane database of systematic reviews. 2022;6(6):CD009226. doi:10.1002/14651858.CD009226.pub3. PMID: 35709102.
P05, P06, P10, P12, P14

0162 Douglas RS, Kossler AL, Abrams J, Briceño CA, Gay D, Harrison A, et al. Expert Consensus on the Use of Teprotumumab for the Management of Thyroid Eye Disease Using a Modified-Delphi Approach. Journal of neuro-ophthalmology : the official journal of the North American Neuro-Ophthalmology Society. 2022;42(3):334-339. doi:10.1097/WNO.0000000000001560. PMID: 35421877.
P10, P11, P12, P14, P16, P19

0163 Perros P, Basu A, Boelaert K, Dayan C, Vaidya B, Williams GR, et al. Postradioiodine Graves' management: The PRAGMA study. Clinical endocrinology. 2022;97(5):664-675. doi:10.1111/cen.14719. PMID: 35274331.
P05, P07, P08, P12, P14, P18

0164 Dave TV, Jonnadula GB, Lanka P, Natarajan R, Dave VP. Choroidal vascularity index in thyroid eye disease: comparison with controls and application in diagnosing non-inflammatory active disease. Orbit (Amsterdam, Netherlands). 2022;41(1):89-96. doi:10.1080/01676830.2021.2014893. PMID: 34979862.
P05

0165 Stan MN, Algeciras-Schimnich A, Murthy V, Thapa P, Araki N. Diagnostic Utility of a New Assay for Thyroid Stimulating Immunoglobulins in Graves' Disease and Thyroid Eye Disease. Thyroid : official journal of the American Thyroid Association. 2022;32(2):170-176. doi:10.1089/thy.2021.0299. PMID: 34714163.
P04, P05, P17

0166 Kyriakos G, Patsouras A, Voutyritsa E, Gravvanis C, Papadimitriou E, Farmaki P, et al. The Role of TPOAb in Thyroid-Associated Orbitopathy: A Systematic Review. Ocular immunology and inflammation. 2022;30(7):1740-1746. doi:10.1080/09273948.2021.1942498. PMID: 34214014.
P01, P05

0168 Campi I, Vannucchi G, Muller I, Lazzaroni E, Currò N, Dainese M, et al. Therapy With Different Dose Regimens of Rituximab in Patients With Active Moderate-To-Severe Graves' Orbitopathy. Frontiers in endocrinology. 2021;12:790246. doi:10.3389/fendo.2021.790246. PMID: 35145479.
P05, P06, P10, P11, P12, P13, P14

0169 Bartalena L, Kahaly GJ, Baldeschi L, Dayan CM, Eckstein A, Marcocci C, et al. The 2021 European Group on Graves' orbitopathy (EUGOGO) clinical practice guidelines for the medical management of Graves' orbitopathy. European journal of endocrinology. 2021;185(4):G43-G67. doi:10.1530/EJE-21-0479. PMID: 34297684.
P01, P02, P03, P04, P05, P06, P07, P08, P09, P10, P11, P12, P13, P14, P16, P17, P19

0170 Farag S, Feeney C, Lee V, Nagendran S, Jain R, Aziz A, et al. A 'Real Life' Service Evaluation Model for Multidisciplinary Thyroid Eye Services. Frontiers in endocrinology. 2021;12:669871. doi:10.3389/fendo.2021.669871. PMID: 34025584.
P02, P04, P05, P06, P07, P08, P10, P11, P12, P13, P14, P16, P17, P18, P19

0175 Kelada M, Avari P, Farag S, Akishar R, Jain R, Aziz A, et al. Association of Other Autoimmune Diseases With Thyroid Eye Disease. Frontiers in endocrinology. 2021;12:644200. doi:10.3389/fendo.2021.644200. PMID: 33746907.
P05, P10, P17

0177 Nilsson A, Tsoumani K, Planck T. Statins Decrease the Risk of Orbitopathy in Newly Diagnosed Patients with Graves Disease. The Journal of clinical endocrinology and metabolism. 2021;106(5):1325-1332. doi:10.1210/clinem/dgab070. PMID: 33560351.
P08

0178 Ye X, Zhao H, Liu J, Lu B, Shao J, Wang J. Efficacy and safety of tripterygium glycosides for active moderate to severe Graves' ophthalmopathy: a randomised, observer-masked, single-centre trial. European journal of endocrinology. 2021;184(2):277-287. doi:10.1530/EJE-20-0857. PMID: 33539318.
P05, P06, P10, P12, P14

0179 Pinas D, O B De Keizer R, Wubbels RJ, van den Bosch WA, Paridaens D. Results of surgical correction of upper eyelid retraction in Graves' Orbitopathy. Acta ophthalmologica. 2021;99(4):e608-e613. doi:10.1111/aos.14622. PMID: 32930505.
P12, P13

0181 Längericht J, Krämer I, Kahaly GJ. Glucocorticoids in Graves' orbitopathy: mechanisms of action and clinical application. Therapeutic advances in endocrinology and metabolism. 2020;11:2042018820958335. doi:10.1177/2042018820958335. PMID: 33403097.
P06, P10, P11, P12, P13, P14, P16, P17

0182 Pradhan A, Ganguly A, Naik MN, Nair AG, Desai S, Rath S. Thyroid eye disease survey: An anonymous web-based survey in the Indian subcontinent. Indian journal of ophthalmology. 2020;68(8):1609-1614. doi:10.4103/ijo.IJO_1918_19. PMID: 32709788.
P03, P04, P05, P10, P12, P13, P17, P18, P19

0183 Gorman CA, Garrity JA, Fatourechi V, Bahn RS, Petersen IA, Stafford SL, et al. A Prospective, Randomized, Double-blind, Placebo-controlled Study of Orbital Radiotherapy for Graves' Ophthalmopathy. Ophthalmology. 2020;127(4):S160-S171. doi:10.1016/j.ophtha.2020.01.031. PMID: 32200817.
P02, P05, P06, P10, P12, P13, P14, P19

0184 Douglas RS, Kahaly GJ, Patel A, Sile S, Thompson EHZ, Perdok R, et al. Teprotumumab for the Treatment of Active Thyroid Eye Disease. The New England journal of medicine. 2020;382(4):341-352. doi:10.1056/NEJMoa1910434. PMID: 31971679.
P05, P06, P10, P12, P14

0185 Lee V, Avari P, Williams B, Perros P, Dayan C. A survey of current practices by the British Oculoplastic Surgery Society (BOPSS) and recommendations for delivering a sustainable multidisciplinary approach to thyroid eye disease in the United Kingdom. Eye (London, England). 2020;34(9):1662-1671. doi:10.1038/s41433-019-0664-z. PMID: 31836832.
P01, P02, P03, P05, P06, P07, P08, P09, P10, P11, P12, P13, P14, P15, P16, P17, P18, P19

0187 Al-Heety, R.A., Al-Hadithi, H.S.. Circulating miRNA-21-5p role in the development of orbitopathy in Graves disease. Gene Rep.. 2020;20. doi:10.1016/j.genrep.2020.100793.
P04, P05

0189 Vannucchi G, Covelli D, Campi I, Currò N, Dazzi D, Rodari M, et al. Prevention of Orbitopathy by Oral or Intravenous Steroid Prophylaxis in Short Duration Graves' Disease Patients Undergoing Radioiodine Ablation: A Prospective Randomized Control Trial Study. Thyroid : official journal of the American Thyroid Association. 2019;29(12):1828-1833. doi:10.1089/thy.2019.0150. PMID: 31860407.
P02, P05, P08, P12, P14

0190 DeParis SW, Tian J, Rajaii F. Practice Patterns in Orbital Decompression Surgery Among American Society of Ophthalmic Plastic and Reconstructive Surgery Members. Ophthalmology and therapy. 2019;8(4):541-548. doi:10.1007/s40123-019-00206-z. PMID: 31422554.
P12, P13, P14, P17

0191 Potgieser PW, de Win MMML, Wiersinga WM, Mourits MP. Natural Course of Mild Graves Orbitopathy: Increase of Orbital Fat But Decrease of Muscle Volume With Increased Muscle Fatty Degeneration During a 4-Year Follow-Up. Ophthalmic plastic and reconstructive surgery. 2019;35(5):456-460. doi:10.1097/IOP.0000000000001319. PMID: 30882587.
P05, P06, P09, P14

0192 Negro R, Hegedüs L, Attanasio R, Papini E, Winther KH. A 2018 European Thyroid Association Survey on the Use of Selenium Supplementation in Graves' Hyperthyroidism and Graves' Orbitopathy. European thyroid journal. 2019;8(1):7-15. doi:10.1159/000494837. PMID: 30800636.
P08, P09, P10, P12, P14, P18

0194 Jamshidian-Tehrani M, Nabavi A, Kasaee A, Hasanpoor N, Elhami E, Sharif-Kashani S, et al. Color Doppler imaging in thyroid eye disease and its correlation to disease activity. Orbit (Amsterdam, Netherlands). 2019;38(6):440-445. doi:10.1080/01676830.2018.1556704. PMID: 30628510.
P05

0196 Stähr K, Eckstein A, Holtmann L, Schlüter A, Dendy M, Lang S, et al. A comparative analysis of piezosurgery and oscillating saw for balanced orbital decompression. Orbit (Amsterdam, Netherlands). 2019;38(6):433-439. doi:10.1080/01676830.2018.1552709. PMID: 30513237.
P06, P11, P12, P13, P14, P17

0197 Koren S, Shteinshnaider M, Or K, Cantrell D, Benbassat CA, Koren R. A 2017 SURVEY OF THE CLINICAL PRACTICE PATTERNS IN THE MANAGEMENT OF RELAPSING GRAVES DISEASE. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2019;25(1):55-61. doi:10.4158/EP-2018-0386. PMID: 30383500.
P08, P12

0199 Kahaly GJ, Bartalena L, Hegedüs L, Leenhardt L, Poppe K, Pearce SH. 2018 European Thyroid Association Guideline for the Management of Graves' Hyperthyroidism. European thyroid journal. 2018;7(4):167-186. doi:10.1159/000490384. PMID: 30283735.
P02, P03, P05, P07, P08, P09, P10, P11, P12, P13, P14, P16, P17

0201 Dietrich A, Taylor P, White P, Wilson V, Uddin J, Lee RWJ, et al. Establishing the usefulness of the GO-QOL in a UK hospital-treated population with thyroid eye disease in the CIRTED trial. Psychology, health & medicine. 2018;23:1341-1355. doi:10.1080/13548506.2018.1503693. PMID: 30092670.
P06, P14

0202 Perez-Moreiras JV, Gomez-Reino JJ, Maneiro JR, Perez-Pampin E, Romo Lopez A, Rodríguez Alvarez FM, et al. Efficacy of Tocilizumab in Patients With Moderate-to-Severe Corticosteroid-Resistant Graves Orbitopathy: A Randomized Clinical Trial. American journal of ophthalmology. 2018;195:181-190. doi:10.1016/j.ajo.2018.07.038. PMID: 30081019.
P05, P06, P10, P12, P14, P19

0205 Gold KG, Scofield S, Isaacson SR, Stewart MW, Kazim M. Orbital Radiotherapy Combined With Corticosteroid Treatment for Thyroid Eye Disease-Compressive Optic Neuropathy. Ophthalmic plastic and reconstructive surgery. 2018;34(2):172-177. doi:10.1097/IOP.0000000000001003. PMID: 29517594.
P02, P03, P04, P05, P06, P11, P12, P13, P14

0206 Bokman CL, Ugradar S, Rootman DB. Measurement of Medial Wall Bowing and Clinical Associations in Thyroid Eye Disease. Ophthalmic plastic and reconstructive surgery. 2018;34(6):557-559. doi:10.1097/IOP.0000000000001098. PMID: 29505466.
P03, P05, P06

0207 Mawn LA, Dolman PJ, Kazim M, Strianese D, Genol I, Chong KKL, et al. Soft Tissue Metrics in Thyroid Eye Disease: An International Thyroid Eye Disease Society Reliability Study. Ophthalmic plastic and reconstructive surgery. 2018;34(6):544-546. doi:10.1097/IOP.0000000000001080. PMID: 29465482.
P05

0208 Wang C, Ning Q, Jin K, Xie J, Ye J. Does rituximab improve clinical outcomes of patients with thyroid-associated ophthalmopathy? A systematic review and meta-analysis. BMC ophthalmology. 2018;18(1):46. doi:10.1186/s12886-018-0679-4. PMID: 29452583.
P10, P12, P14

0209 Sellari-Franceschini S, Rocchi R, Marinò M, Bajraktari A, Mazzi B, Fiacchini G, et al. Rehabilitative orbital decompression for Graves' orbitopathy: results of a randomized clinical trial. Journal of endocrinological investigation. 2018;41(9):1037-1042. doi:10.1007/s40618-018-0847-7. PMID: 29450866.
P06, P12, P13, P14, P16

0210 Rajendram R, Taylor PN, Wilson VJ, Harris N, Morris OC, Tomlinson M, et al. Combined immunosuppression and radiotherapy in thyroid eye disease (CIRTED): a multicentre, 2 × 2 factorial, double-blind, randomised controlled trial. The lancet. Diabetes & endocrinology. 2018;6(4):299-309. doi:10.1016/S2213-8587(18)30021-4. PMID: 29396245.
P05, P06, P10, P12, P14

0211 Wickwar S, McBain H, Edmunds MR, Ezra DG, Rose GE, Newman SP. Patients' expectations for the functional and psychosocial outcomes of orbital decompression surgery for thyroid eye disease: a qualitative study. Psychology, health & medicine. 2018;23(4):475-484. doi:10.1080/13548506.2017.1356930. PMID: 28738723.
P06, P12, P13, P16, P17

0212 Quinn AS, Dujardin LR, Knight B, Benzimra J, Quinn AG, Vaidya B. Changing trend in referral to secondary care specialist thyroid eye disease clinic following the Amsterdam declaration. International ophthalmology. 2018;38(1):301-306. doi:10.1007/s10792-017-0463-0. PMID: 28181061.
P02, P04, P05, P06, P07, P08, P09, P10, P11, P13, P14, P17, P18, P19

0213 Smith TJ, Kahaly GJ, Ezra DG, Fleming JC, Dailey RA, Tang RA, et al. Teprotumumab for Thyroid-Associated Ophthalmopathy. The New England journal of medicine. 2017;376(18):1748-1761. doi:10.1056/NEJMoa1614949. PMID: 28467880.
P05, P06, P10, P12, P14

0217 Seibel I, Hofmann VM, Sönmez H, Schönfeld S, Jumah MD, Lenarz M, et al. Medial and mediolateral orbital decompression in intractable Graves' Orbitopathy. Auris, nasus, larynx. 2017;44(4):428-434. doi:10.1016/j.anl.2016.08.007. PMID: 27609530.
P03, P04, P06, P11, P12, P13, P14, P16, P19

0218 Yu, M.G., Faltado, A., Acampado, L.R.. Efficacy of selenium supplementation on autoantibody titers in Graves' ophthalmopathy. Philipp. J. Intern. Med.. 2017;55(1).
P09, P08

0219 Ross DS, Burch HB, Cooper DS, Greenlee MC, Laurberg P, Maia AL, et al. 2016 American Thyroid Association Guidelines for Diagnosis and Management of Hyperthyroidism and Other Causes of Thyrotoxicosis. Thyroid : official journal of the American Thyroid Association. 2016;26(10):1343-1421. doi:10.1089/thy.2016.0229. PMID: 27521067.
P01, P02, P03, P04, P05, P06, P08, P09, P10, P12, P14, P15, P16, P19

0220 Ueda-Sakane Y, Kanamoto N, Fushimi Y, Tanaka-Mizuno S, Yasuno S, Miura M, et al. Overall safety and efficacy of high-dose and low-dose intravenous glucocorticoid therapy in patients with moderate-to-severe active Graves' ophthalmopathy. Endocrine journal. 2016;63(8):703-14. doi:10.1507/endocrj.EJ16-0038. PMID: 27263854.
P05, P06, P10, P12, P14

0221 Bartalena L, Baldeschi L, Boboridis K, Eckstein A, Kahaly GJ, Marcocci C, et al. The 2016 European Thyroid Association/European Group on Graves' Orbitopathy Guidelines for the Management of Graves' Orbitopathy. European thyroid journal. 2016;5(1):9-26. doi:10.1159/000443828. PMID: 27099835.
P02, P03, P05, P06, P07, P08, P09, P10, P11, P12, P13, P14, P16, P17, P19

0222 Wong CK, Lang BH, Lam CL. A systematic review of quality of thyroid-specific health-related quality-of-life instruments recommends ThyPRO for patients with benign thyroid diseases. Journal of clinical epidemiology. 2016;78:63-72. doi:10.1016/j.jclinepi.2016.03.006. PMID: 27020087.
P06

0223 Ma C, Xie J, Wang H, Li J, Chen S. Radioiodine therapy versus antithyroid medications for Graves' disease. The Cochrane database of systematic reviews. 2016;2(2):CD010094. doi:10.1002/14651858.CD010094.pub2. PMID: 26891370.
P05, P06, P08, P12, P14, P17

0225 Burch HB, Cooper DS. Management of Graves Disease: A Review. JAMA. 2015;314(23):2544-54. doi:10.1001/jama.2015.16535. PMID: 26670972.
P01, P06, P08, P10, P12, P14

0226 Xu SH, Li XJ, Chen GF, Zheng QX, Yang Y, Hu YX, et al. A questionnaire survey on the management of Graves' orbitopathy in China: A comparison with Europe and Latin-America. Chronic diseases and translational medicine. 2015;1(2):117-123. doi:10.1016/j.cdtm.2015.06.001. PMID: 29062996.
P02, P03, P04, P07, P08, P10, P12, P17, P19

0227 Potgieser PW, Wiersinga WM, Regensburg NI, Mourits MP. Some studies on the natural history of Graves' orbitopathy: increase in orbital fat is a rather late phenomenon. European journal of endocrinology. 2015;173(2):149-53. doi:10.1530/EJE-14-1140. PMID: 26142100.
P05, P06, P14

0228 Sisti E, Menconi F, Leo M, Profilo MA, Mautone T, Mazzi B, et al. Long-term outcome of Graves' orbitopathy following high-dose intravenous glucocorticoids and orbital radiotherapy. Journal of endocrinological investigation. 2015;38(6):661-8. doi:10.1007/s40618-015-0241-7. PMID: 25596664.
P05, P06, P08, P10, P11, P12, P14, P16

0229 Riedl M, Kolbe E, Kampmann E, Krämer I, Kahaly GJ. Prospectively recorded and MedDRA-coded safety data of intravenous methylprednisolone therapy in Graves' orbitopathy. Journal of endocrinological investigation. 2015;38(2):177-82. doi:10.1007/s40618-014-0227-x. PMID: 25576458.
P10, P12, P14

0230 Salvi M, Vannucchi G, Currò N, Campi I, Covelli D, Dazzi D, et al. Efficacy of B-cell targeted therapy with rituximab in patients with active moderate to severe Graves' orbitopathy: a randomized controlled study. The Journal of clinical endocrinology and metabolism. 2015;100(2):422-31. doi:10.1210/jc.2014-3014. PMID: 25494967.
P05, P06, P10, P12, P13, P14

0231 Mitchell AL, Goss L, Mathiopoulou L, Morris M, Vaidya B, Dickinson AJ, et al. Diagnosis of Graves' orbitopathy (DiaGO): results of a pilot study to assess the utility of an office tool for practicing endocrinologists. The Journal of clinical endocrinology and metabolism. 2015;100(3):E458-62. doi:10.1210/jc.2014-3146. PMID: 25485725.
P01, P02, P03, P04, P07, P08, P17, P19

0233 Savino G, Mandarà E, Gari M, Battendieri R, Corsello SM, Pontecorvi A. Intraorbital injection of rituximab versus high dose of systemic glucocorticoids in the treatment of thyroid-associated orbitopathy. Endocrine. 2015;48(1):241-7. doi:10.1007/s12020-014-0283-1. PMID: 24880619.
P05, P06, P10, P11, P12, P14

0236 Di Maria C, Allen J, Dickinson J, Neoh C, Perros P. Novel thermal imaging analysis technique for detecting inflammation in thyroid eye disease. The Journal of clinical endocrinology and metabolism. 2014;99(12):4600-6. doi:10.1210/jc.2014-1957. PMID: 25238202.
P05, P06

0238 Smith HB, Porteous C, Bunce C, Bonstein K, Hickey J, Dayan CM, et al. Description and evaluation of the first national patient and public involvement day for thyroid eye disease in the United Kingdom. Thyroid : official journal of the American Thyroid Association. 2014;24(9):1400-6. doi:10.1089/thy.2014.0200. PMID: 24936890.
P06, P07, P15, P16, P17, P19

0240 Kim KW, Byun JS, Lee JK. Surgical effects of various orbital decompression methods in thyroid-associated orbitopathy: computed tomography-based comparative analysis. Journal of cranio-maxillo-facial surgery : official publication of the European Association for Cranio-Maxillo-Facial Surgery. 2014;42(7):1286-91. doi:10.1016/j.jcms.2014.03.011. PMID: 24793198.
P13, P14

0242 Son BJ, Lee SY, Yoon JS. Evaluation of thyroid eye disease: quality-of-life questionnaire (TED-QOL) in Korean patients. Canadian journal of ophthalmology. Journal canadien d'ophtalmologie. 2014;49(2):167-73. doi:10.1016/j.jcjo.2013.12.007. PMID: 24767223.
P05, P06

0243 Zhu W, Ye L, Shen L, Jiao Q, Huang F, Han R, et al. A prospective, randomized trial of intravenous glucocorticoids therapy with different protocols for patients with graves' ophthalmopathy. The Journal of clinical endocrinology and metabolism. 2014;99(6):1999-2007. doi:10.1210/jc.2013-3919. PMID: 24606088.
P05, P06, P10, P12

0244 Shams PN, Ma R, Pickles T, Rootman J, Dolman PJ. Reduced risk of compressive optic neuropathy using orbital radiotherapy in patients with active thyroid eye disease. American journal of ophthalmology. 2014;157(6):1299-305. doi:10.1016/j.ajo.2014.02.044. PMID: 24582992.
P03, P04, P05, P06, P10, P11, P12, P13, P14

0245 Moleti M, Violi MA, Montanini D, Trombetta C, Di Bella B, Sturniolo G, et al. Radioiodine ablation of postsurgical thyroid remnants after treatment with recombinant human TSH (rhTSH) in patients with moderate-to-severe graves' orbitopathy (GO): a prospective, randomized, single-blind clinical trial. The Journal of clinical endocrinology and metabolism. 2014;99(5):1783-9. doi:10.1210/jc.2013-3093. PMID: 24432992.
P05, P06, P08, P10, P12, P14

0246 Dharmasena A, Keenan TD, Goldacre MJ. Orbital decompression for thyroid-associated orbitopathy in England: trends over time and geographical variation. Orbit (Amsterdam, Netherlands). 2014;33(2):109-14. doi:10.3109/01676830.2013.851707. PMID: 24295168.
P17

0248 Tvito-Green R, Reich E, Robenshtok E, Chodick G, Ron-Kella Y, Stiebel-Kalish H. Third-generation ELISA thyrotropin-receptor antibody levels as an adjuvant tool to guide management of patients with Graves orbitopathy. Endocrine practice : official journal of the American College of Endocrinology and the American Association of Clinical Endocrinologists. 2014;20(2):145-9. doi:10.4158/EP13164.OR. PMID: 24013991.
P02, P05, P07

0251 Beden Ü, Kaya S, Yeter V, Erkan D. Contrast sensitivity of thyroid associated ophthalmopathy patients without obvious optic neuropathy. TheScientificWorldJournal. 2013;2013:943789. doi:10.1155/2013/943789. PMID: 24453927.
P02, P05, P06

0252 Tortora F, Cirillo M, Ferrara M, Belfiore MP, Carella C, Caranci F, et al. Disease activity in Graves' ophthalmopathy: diagnosis with orbital MR imaging and correlation with clinical score. The neuroradiology journal. 2013;26(5):555-64. doi:10.1177/197140091302600509. PMID: 24199816.
P05

0254 Comerci M, Elefante A, Strianese D, Senese R, Bonavolontà P, Alfano B, et al. Semiautomatic regional segmentation to measure orbital fat volumes in thyroid-associated ophthalmopathy. A validation study. The neuroradiology journal. 2013;26(4):373-9. doi:10.1177/197140091302600402. PMID: 24007725.
P05

0256 Maia AL, Scheffel RS, Meyer EL, Mazeto GM, Carvalho GA, Graf H, et al. The Brazilian consensus for the diagnosis and treatment of hyperthyroidism: recommendations by the Thyroid Department of the Brazilian Society of Endocrinology and Metabolism. Arquivos brasileiros de endocrinologia e metabologia. 2013;57(3):205-32. doi:10.1590/s0004-27302013000300006. PMID: 23681266.
P01, P02, P03, P04, P05, P08, P09, P10, P11, P12, P16

0257 Achtsidis V, Tentolouris N, Theodoropoulou S, Panagiotidis D, Vaikoussis E, Saldana M, et al. Dry eye in Graves ophthalmopathy: correlation with corneal hypoesthesia. European journal of ophthalmology. 2013;23(4):473-9. doi:10.5301/ejo.5000259. PMID: 23483512.
P01, P02, P04, P05, P06

0258 Borumandi F, Hammer B, Noser H, Kamer L. Classification of orbital morphology for decompression surgery in Graves' orbitopathy: two-dimensional versus three-dimensional orbital parameters. The British journal of ophthalmology. 2013;97(5):659-62. doi:10.1136/bjophthalmol-2012-302825. PMID: 23428985.
P13

0260 Ponto KA, Merkesdal S, Hommel G, Pitz S, Pfeiffer N, Kahaly GJ. Public health relevance of Graves' orbitopathy. The Journal of clinical endocrinology and metabolism. 2013;98(1):145-52. doi:10.1210/jc.2012-3119. PMID: 23185037.
P05, P06, P17, P19

0261 Burch HB, Burman KD, Cooper DS. A 2011 survey of clinical practice patterns in the management of Graves' disease. The Journal of clinical endocrinology and metabolism. 2012;97(12):4549-58. doi:10.1210/jc.2012-2802. PMID: 23043191.
P02, P07, P08, P12, P18, P19

0262 Bartalena L, Krassas GE, Wiersinga W, Marcocci C, Salvi M, Daumerie C, et al. Efficacy and safety of three different cumulative doses of intravenous methylprednisolone for moderate to severe and active Graves' orbitopathy. The Journal of clinical endocrinology and metabolism. 2012;97(12):4454-63. doi:10.1210/jc.2012-2389. PMID: 23038682.
P05, P06, P10, P11, P12, P13, P14, P19

0265 Rajendram R, Bunce C, Lee RW, Morley AM. Orbital radiotherapy for adult thyroid eye disease. The Cochrane database of systematic reviews. 2012;2012(7):CD007114. doi:10.1002/14651858.CD007114.pub2. PMID: 22786503.
P05, P06, P09, P10, P12, P13, P17

0266 Mysliwiec J, Palyga I, Kosciuszko M, Kowalska A, Gorska M. Circulating CXCL9 and CXCL10 as markers of activity of Graves' orbitopathy during treatment with corticosteroids and teleradiotherapy. Hormone and metabolic research = Hormon- und Stoffwechselforschung = Hormones et metabolisme. 2012;44(13):957-61. doi:10.1055/s-0032-1316352. PMID: 22752955.
P05, P10, P14

0268 Laurberg P, Berman DC, Bülow Pedersen I, Andersen S, Carlé A. Incidence and clinical presentation of moderate to severe graves' orbitopathy in a Danish population before and after iodine fortification of salt. The Journal of clinical endocrinology and metabolism. 2012;97(7):2325-32. doi:10.1210/jc.2012-1275. PMID: 22518849.
P01, P02, P03, P05, P06, P08, P19

0270 Boboridis KG, Bunce C. Surgical orbital decompression for thyroid eye disease. The Cochrane database of systematic reviews(12): CD007630. 2011. doi:10.1002/14651858.CD007630.pub2. PMID: 22161415.
P06, P11, P12, P13, P14

0271 Rodríguez-González N, Pérez-Rico C, López-Para Giménez R, Arévalo-Serrano J, Del Amo García B, Calzada Domingo L, et al. [Short-tau inversion-recovery (STIR) sequence magnetic resonance imaging evaluation of orbital structures in Graves' orbitopathy]. Archivos de la Sociedad Espanola de Oftalmologia. 2011;86(11):351-7. doi:10.1016/j.oftal.2011.06.010. PMID: 22040641.
P05, P06

0272 Marcocci C, Kahaly GJ, Krassas GE, Bartalena L, Prummel M, Stahl M, et al. Selenium and the course of mild Graves' orbitopathy. The New England journal of medicine. 2011;364(20):1920-31. doi:10.1056/NEJMoa1012985. PMID: 21591944.
P05, P06, P08, P09, P12, P14

0274 Bahn, R.S., Burch, H.B., Cooper, D.S., Garber, J.R., Carol Greenlee, M., Klein, I., et al. Hyperthyroidism and other causes of thyrotoxicosis: Management guidelines of the american thyroid association and American association of clinical endocrinoloigists. Endocr. Pract.. 2011;17(3):456-520. doi:10.4158/EP.17.3.456.
P01, P02, P03, P05, P06, P08, P09, P10, P12, P14, P15, P16, P19

0275 Abraham-Nordling M, Wallin G, Träisk F, Berg G, Calissendorff J, Hallengren B, et al. Thyroid-associated ophthalmopathy; quality of life follow-up of patients randomized to treatment with antithyroid drugs or radioiodine. European journal of endocrinology. 2010;163(4):651-7. doi:10.1530/EJE-10-0475. PMID: 20660002.
P02, P05, P06, P07, P08, P12, P14, P19

0276 Silkiss RZ, Reier A, Coleman M, Lauer SA. Rituximab for thyroid eye disease. Ophthalmic plastic and reconstructive surgery. 2010;26(5):310-4. doi:10.1097/IOP.0b013e3181c4dfde. PMID: 20562667.
P02, P05, P06, P10, P12, P14

0277 Shih SR, Li HY, Hsiao YL, Chang TC. The application of temperature measurement of the eyes by digital infrared thermal imaging as a prognostic factor of methylprednisolone pulse therapy for Graves' ophthalmopathy. Acta ophthalmologica. 2010;88(5):e154-9. doi:10.1111/j.1755-3768.2010.01941.x. PMID: 20553230.
P05, P06, P10, P12, P14

0278 Lazarus JH, Bartalena L, Marcocci C, Kahaly GJ, Krassas G, Wiersinga WM. Glucocorticoid administration for Graves' hyperthyroidism treated by radioiodine. A questionnaire survey among members of the European Thyroid Association. Journal of endocrinological investigation. 2010;33(6):409-13. doi:10.1007/BF03346613. PMID: 20101098.
P02, P08, P12, P14

0279 De Hoog J, Stravers S, Kalmann R. Recession of the inferior rectus muscle in Graves' orbitopathy. Eye (London, England). 2010;24(6):1011-7. doi:10.1038/eye.2009.267. PMID: 19911020.
P05, P06, P12, P13, P14

0281 Douglas RS, Tsirbas A, Gordon M, Lee D, Khadavi N, Garneau HC, et al. Development of criteria for evaluating clinical response in thyroid eye disease using a modified Delphi technique. Archives of ophthalmology (Chicago, Ill. :. 2009;1960)127(9):1155-60. doi:10.1001/archophthalmol.2009.232. PMID: 19752424.
P05, P06

0282 Chatzistefanou KI, Kouris T, Iliakis E, Piaditis G, Tagaris G, Katsikeris N, et al. The ice pack test in the differential diagnosis of myasthenic diplopia. Ophthalmology. 2009;116(11):2236-43. doi:10.1016/j.ophtha.2009.04.039. PMID: 19744729.
P04

0283 Ponto KA, Pitz S, Pfeiffer N, Hommel G, Weber MM, Kahaly GJ. Quality of life and occupational disability in endocrine orbitopathy. Deutsches Arzteblatt international. 2009;106(17):283-9. doi:10.3238/arztebl.2009.0283. PMID: 19547630.
P05, P06, P19

0284 Elsayed YA, Abdul-Latif AM, Abu-Alhuda MF, Halim HA. Effect of near-total thyroidectomy on thyroid orbitopathy due to toxic goiter. World journal of surgery. 2009;33(4):758-66. doi:10.1007/s00268-008-9910-4. PMID: 19198936.
P05, P06, P08, P09, P12, P14

0285 Chan LL, Tan HE, Fook-Chong S, Teo TH, Lim LH, Seah LL. Graves ophthalmopathy: the bony orbit in optic neuropathy, its apical angular capacity, and impact on prediction of risk. AJNR. American journal of neuroradiology. 2009;30(3):597-602. doi:10.3174/ajnr.A1413. PMID: 19147718.
P03, P04, P05, P14

0286 Bordaberry M, Marques DL, Pereira-Lima JC, Marcon IM, Schmid H. Repeated peribulbar injections of triamcinolone acetonide: a successful and safe treatment for moderate to severe Graves' ophthalmopathy. Acta ophthalmologica. 2009;87(1):58-64. doi:10.1111/j.1755-3768.2008.01171.x. PMID: 18937809.
P05, P06, P07, P10, P11, P12, P13, P14, P19

0289 Daumerie Ch, Duprez T, Boschi A. Long-term multidisciplinary follow-up of unilateral thyroid-associated orbitopathy. European journal of internal medicine. 2008;19(7):531-6. doi:10.1016/j.ejim.2008.01.013. PMID: 19013383.
P02, P04, P05, P06, P11, P13, P14, P19

0291 Ramos HE, Diehl LA, Camacho CP, Perros P, Graf H. Management of Graves' orbitopathy in Latin America: an international questionnaire study compared with Europe. Clinical endocrinology. 2008;69(6):951-6. doi:10.1111/j.1365-2265.2008.03289.x. PMID: 18462263.
P02, P03, P04, P07, P08, P11, P12, P17, P19

0292 Stålberg P, Svensson A, Hessman O, Akerström G, Hellman P. Surgical treatment of Graves' disease: evidence-based approach. World journal of surgery. 2008;32(7):1269-77. doi:10.1007/s00268-008-9497-9. PMID: 18327526.
P08, P09, P10, P12, P14

0293 van Geest RJ, Sasim IV, Koppeschaar HP, Kalmann R, Stravers SN, Bijlsma WR, et al. Methylprednisolone pulse therapy for patients with moderately severe Graves' orbitopathy: a prospective, randomized, placebo-controlled study. European journal of endocrinology. 2008;158(2):229-37. doi:10.1530/EJE-07-0558. PMID: 18230831.
P05, P06, P10, P12, P13, P14

0294 Bradley EA, Gower EW, Bradley DJ, Meyer DR, Cahill KV, Custer PL, et al. Orbital radiation for graves ophthalmopathy: a report by the American Academy of Ophthalmology. Ophthalmology. 2008;115(2):398-409. doi:10.1016/j.ophtha.2007.10.028. PMID: 18082885.
P06, P09, P10, P12, P17, P19

0295 Estcourt S, Vaidya B, Quinn A, Shepherd M. The impact of thyroid eye disease upon patients' wellbeing: a qualitative analysis. Clinical endocrinology. 2008;68(4):635-9. doi:10.1111/j.1365-2265.2007.03087.x. PMID: 17973942.
P06, P08, P13, P15, P16, P17, P19

0296 Vaidya B, Williams GR, Abraham P, Pearce SH. Radioiodine treatment for benign thyroid disorders: results of a nationwide survey of UK endocrinologists. Clinical endocrinology. 2008;68(5):814-20. doi:10.1111/j.1365-2265.2007.03097.x. PMID: 17973939.
P08, P12

0298 Zoumalan CI, Cockerham KP, Turbin RE, Volpe NJ, Kazim M, Douglas RS, et al. Efficacy of corticosteroids and external beam radiation in the management of moderate to severe thyroid eye disease. Journal of neuro-ophthalmology : the official journal of the North American Neuro-Ophthalmology Society. 2007;27(3):205-14. doi:10.1097/WNO.0b013e31814a5ef8. PMID: 17895822.
P05, P06, P10, P11, P12, P14

0300 Menconi F, Marinò M, Pinchera A, Rocchi R, Mazzi B, Nardi M, et al. Effects of total thyroid ablation versus near-total thyroidectomy alone on mild to moderate Graves' orbitopathy treated with intravenous glucocorticoids. The Journal of clinical endocrinology and metabolism. 2007;92(5):1653-8. doi:10.1210/jc.2006-1800. PMID: 17299076.
P02, P05, P06, P08, P09, P10, P12, P14

0301 Stamato FJ, Maciel RM, Manso PG, Wolosker AM, Paiva ER, Lopes AC, et al. Colchicine in the treatment of the inflammatory phase of Graves' ophthalmopathy: a prospective and randomized trial with prednisone. Arquivos brasileiros de oftalmologia. 2006;69(6):811-6. doi:10.1590/s0004-27492006000600006. PMID: 17273672.
P05, P06, P08, P10, P12, P14

0303 Perros P, Baldeschi L, Boboridis K, Dickinson AJ, Hullo A, Kahaly GJ, et al. A questionnaire survey on the management of Graves' orbitopathy in Europe. European journal of endocrinology. 2006;155(2):207-11. doi:10.1530/eje.1.02201. PMID: 16868132.
P03, P04, P07, P08, P11, P12, P17, P18, P19

0304 Bradley EA, Sloan JA, Novotny PJ, Garrity JA, Woog JJ, West SK. Evaluation of the National Eye Institute visual function questionnaire in Graves' ophthalmopathy. Ophthalmology. 2006;113(8):1450-4. doi:10.1016/j.ophtha.2006.02.060. PMID: 16769116.
P05, P06

0305 Wakelkamp IM, Baldeschi L, Saeed P, Mourits MP, Prummel MF, Wiersinga WM. Surgical or medical decompression as a first-line treatment of optic neuropathy in Graves' ophthalmopathy? A randomized controlled trial. Clinical endocrinology. 2005;63(3):323-8. doi:10.1111/j.1365-2265.2005.02345.x. PMID: 16117821.
P03, P04, P05, P06, P11, P12, P13, P14

0306 Paridaens D, van den Bosch WA, van der Loos TL, Krenning EP, van Hagen PM. The effect of etanercept on Graves' ophthalmopathy: a pilot study. Eye (London, England). 2005;19(12):1286-9. doi:10.1038/sj.eye.6701768. PMID: 15550932.
P05, P06, P09, P10, P12, P14

0307 Dickinson AJ, Vaidya B, Miller M, Coulthard A, Perros P, Baister E, et al. Double-blind, placebo-controlled trial of octreotide long-acting repeatable (LAR) in thyroid-associated ophthalmopathy. The Journal of clinical endocrinology and metabolism. 2004;89(12):5910-5. doi:10.1210/jc.2004-0697. PMID: 15579735.
P05, P06, P10, P12, P14

0309 Ebner R, Devoto MH, Weil D, Bordaberry M, Mir C, Martinez H, et al. Treatment of thyroid associated ophthalmopathy with periocular injections of triamcinolone. The British journal of ophthalmology. 2004;88(11):1380-6. doi:10.1136/bjo.2004.046193. PMID: 15489477.
P05, P06, P10, P12, P14

0311 Heyd R, Seegenschmiedt MH, Strassmann G, Micke O, Makoski HB, Zamboglou N. Radiotherapy for Graves' orbitopathy: results of a national survey. Strahlentherapie und Onkologie : Organ der Deutschen Rontgengesellschaft ... [et al]. 2003;179(6):372-6. doi:10.1007/s00066-003-0911-9. PMID: 12789462.
P02, P07, P08, P10, P12, P17, P18, P19

0312 Ohtsuka K, Sato A, Kawaguchi S, Hashimoto M, Suzuki Y. Effect of steroid pulse therapy with and without orbital radiotherapy on Graves' ophthalmopathy. American journal of ophthalmology. 2003;135(3):285-90. doi:10.1016/s0002-9394(02)01970-0. PMID: 12614743.
P05, P10, P12, P14

0313 Terwee C, Wakelkamp I, Tan S, Dekker F, Prummel MF, Wiersinga W. Long-term effects of Graves' ophthalmopathy on health-related quality of life. European journal of endocrinology. 2002;146(6):751-7. doi:10.1530/eje.0.1460751. PMID: 12039694.
P05, P06, P08, P14

0314 Gorman CA. Radiotherapy for Graves' ophthalmopathy: results at one year. Thyroid : official journal of the American Thyroid Association. 2002;12(3):251-5. doi:10.1089/105072502753600232. PMID: 11952049.
P05, P06, P10, P12, P14, P19

0315 Dickinson AJ, Perros P. Controversies in the clinical evaluation of active thyroid-associated orbitopathy: use of a detailed protocol with comparative photographs for objective assessment. Clinical endocrinology. 2001;55(3):283-303. doi:10.1046/j.1365-2265.2001.01349.x. PMID: 11589671.
P01, P02, P03, P04, P05, P06, P07, P14, P19

0316 De Marco R, Ambrosio G, Ferrara G. Measuring contrast sensitivity in patients with Graves' ophthalmopathy complicated by ocular hypertension and suspect glaucoma or dysthyroid optic neuropathy. Documenta ophthalmologica. Advances in ophthalmology. 2000;101(2):165-77. doi:10.1023/a:1026557401041. PMID: 11200548.
P04, P06

0318 Kahaly GJ, Rösler HP, Pitz S, Hommel G. Low- versus high-dose radiotherapy for Graves' ophthalmopathy: a randomized, single blind trial. The Journal of clinical endocrinology and metabolism. 2000;85(1):102-8. doi:10.1210/jcem.85.1.6257. PMID: 10634372.
P05, P06, P10, P12, P13, P14

0319 Dietlein M, Dederichs B, Weigand A, Schicha H. Radioiodine therapy and thyroid-associated orbitopathy: risk factors and preventive effects of glucocorticoids. Experimental and clinical endocrinology & diabetes : official journal, German Society of Endocrinology [and] German Diabetes Association. 1999;107:S190-4. doi:10.1055/s-0029-1212183. PMID: 10614920.
P05, P08, P14, P16

0321 Gerding MN, van der Zant FM, van Royen EA, Koornneef L, Krenning EP, Wiersinga WM, et al. Octreotide-scintigraphy is a disease-activity parameter in Graves' ophthalmopathy. Clinical endocrinology. 1999;50(3):373-9. doi:10.1046/j.1365-2265.1999.00681.x. PMID: 10435064.
P05, P10

0322 Paridaens D, Hans K, van Buitenen S, Mourits MP. The incidence of diplopia following coronal and translid orbital decompression in Graves' orbitopathy. Eye (London, England). 1998;12:800-5. doi:10.1038/eye.1998.207. PMID: 10070513.
P05, P06, P11, P12, P13, P14

0323 Weetman AP, Wiersinga WM. Current management of thyroid-associated ophthalmopathy in Europe. Results of an international survey. Clinical endocrinology. 1998;49(1):21-8. doi:10.1046/j.1365-2265.1998.00487.x. PMID: 9797843.
P02, P03, P05, P07, P08, P10, P11, P12, P18, P19

0324 Bartalena L, Marcocci C, Tanda ML, Manetti L, Dell'Unto E, Bartolomei MP, et al. Cigarette smoking and treatment outcomes in Graves ophthalmopathy. Annals of internal medicine. 1998;129(8):632-5. doi:10.7326/0003-4819-129-8-199810150-00010. PMID: 9786811.
P05, P08, P10

0325 Ljunggren JG, Törring O, Wallin G, Taube A, Tallstedt L, Hamberger B, et al. Quality of life aspects and costs in treatment of Graves' hyperthyroidism with antithyroid drugs, surgery, or radioiodine: results from a prospective, randomized study. Thyroid : official journal of the American Thyroid Association. 1998;8(8):653-9. doi:10.1089/thy.1998.8.653. PMID: 9737359.
P06, P08, P12, P16, P17

0326 Abe Y, Sato H, Noguchi M, Mimura T, Sugino K, Ozaki O, et al. Effect of subtotal thyroidectomy on natural history of ophthalmopathy in Graves' disease. World journal of surgery. 1998;22(7):714-7. doi:10.1007/s002689900458. PMID: 9606287.
P05, P08, P12, P14

0327 Olver JM, Rose GE, Khaw PT, Collin JR. Correction of lower eyelid retraction in thyroid eye disease: a randomised controlled trial of retractor tenotomy with adjuvant antimetabolite versus scleral graft. The British journal of ophthalmology. 1998;82(2):174-80. doi:10.1136/bjo.82.2.174. PMID: 9613385.
P12, P13, P14

0328 Mourits MP, Prummel MF, Wiersinga WM, Koornneef L. Clinical activity score as a guide in the management of patients with Graves' ophthalmopathy. Clinical endocrinology. 1997;47(1):9-14. doi:10.1046/j.1365-2265.1997.2331047.x. PMID: 9302365.
P05, P10, P14, P12

0329 Gerding, M.N., Terwee, C.B., Dekker, F.W., Koornneef, L., Prummel, M.F., Wiersinga, W.M.. Quality of life in patients with Graves' ophthalmopathy is markedly decreased: Measurement by the medical outcomes study instrument. Thyroid. 1997;7(6):885-889. doi:10.1089/thy.1997.7.885.
P06, P05

0331 Suttorp-Schulten MS, Tijssen R, Mourits MP, Apkarian P. Contrast sensitivity function in Graves' ophthalmopathy and dysthyroid optic neuropathy. The British journal of ophthalmology. 1993;77(11):709-12. doi:10.1136/bjo.77.11.709. PMID: 8280684.
P02, P04, P06, P14

0334 Antonelli A, Saracino A, Alberti B, Canapicchi R, Cartei F, Lepri A, et al. High-dose intravenous immunoglobulin treatment in Graves' ophthalmopathy. Acta endocrinologica. 1992;126(1):13-23. doi:10.1530/acta.0.1260013. PMID: 1736548.
P05, P06, P10, P12, P14

0335 Kahaly G, Lieb W, Müller-Forell W, Mainberger M, Beyer J, Vollmar J, et al. Ciamexone in endocrine orbitopathy. A randomized double-blind, placebo-controlled study. Acta endocrinologica. 1990;122(1):13-21. doi:10.1530/acta.0.1220013. PMID: 2305603.
P05, P06, P10, P12, P14

0338 Kahaly G, Schrezenmeir J, Krause U, Schweikert B, Meuer S, Muller W, et al. Ciclosporin and prednisone v. prednisone in treatment of Graves' ophthalmopathy: a controlled, randomized and prospective study. European journal of clinical investigation. 1986;16(5):415-22. doi:10.1111/j.1365-2362.1986.tb01016.x. PMID: 3100309.
P05, P06, P10, P12, P14