

OLM Open Tools
OLM Blur
User Manual

OLM Digital, Inc.

Table of Contents

1.	Introduction	4
1.1.	Supported Environment	4
1.2.	Install	4
2.	Using OLM Blur	5
3.	OLM Blur parameters	5
4.	Other	6

Copyright, End User License Agreement

OLM Open Tools are licensed under the Apache License, Version 2.0.

Change Logs

2017/10/05 First Version
2017/11/02 Change License terms

Adobe, After Effects are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

Figure 3

©IIS-P/" Ponomichi " Production Committee

1. Introduction

OLM Blur is an After Effects plug-in that applies blur to not fully transparent pixels ($\alpha > 0$). Using OLM Color Key together, this plugin enables users to blur only boundary between specified colors.




Figure 1 (Left) Original Image, (Middle) After Gaussian Blur in Adobe After Effects (Right) After OLM Blur with OLM Color Key (Keeping effect)

1.1. Supported Environment

Please refer to OLM Open Tools [website](#) for a complete list of supported environment.

1.2. Install

The zip archive you can download from OLM OpenTools web site contains the files listed in Table 1. To install OLM Blur copy the plug-in file: OLMBlur.aex in A E plug-in directory (example: C:\Program Files\Adobe\Adobe After Effects 2023\Support Files\Plugin-ins\OLM)

Folder	File Name	Explanation
Plugins\64\[Version]	OLMBlur.aex	The plug-in files.
doc	OLMBlurUserManual.pdf	The user manual for OLM Blur

Table 1 : Content of the zip archive

After Effects plugins from OLM Open Tools use Visual C++ 2019 runtime. They require the installation of Visual C++ Redistributable that supports Visual C++2019. After Effects usually ships with a compatible version, but if the plugin does not work please install the [latest Visual C++ Redistributable](#) yourself.

2. Using OLM Blur

To apply the effect, use the menu: (Effects)→(OLM Plug-ins)→(OLM Blur)

3. OLM Blur parameters

OLM Blur parameters are as follows:




Figure 2 OLM Blur parameters

- **Blur Amount:** Determines the coverage of blur. Value go from 1.0 to 100.0. With big amount and smoothness the blur is applied in wider area.
- **Blur Smoothness:** Determines the smoothness of blur. Value go from 1.0 to 100.0. Big value of smoothness result in stronger blur.
- **Number of Repeat:** Determines the number of iteration of blur. Value go from 0 to 10. Larger the number of repetitions results in smoother result with less artifacts. The rendering cost also increases with the number of repeat.
- **Bias Direction:** Determines the bias direction of the result. Vertical or horizontal is selectable. Please see the Fig. 3 for the difference between two modes.




Figure 3 Blur bias Comparison between two bias direction modes;
Vertical and Horizontal

4. Other

If you have problem using the plug-in in any environment, if you find a bug, have a feature request, or for any kind of feedback feel free to contact us at the following mail address:
opentools@olm.co.jp