Home > My courses > PRJ301_VanTTN > General > Progress test 1

Question 1
Answer saved
Marked out of 1.00
⚑ Flag question

What Java API is used in your code to access data that is stored in RDBMS?
- ○ a. javax.query.*
- ● b. java.sql.* and javax.sql.*
- ○ c. java.sql.* and java.query.*
- ○ d. java.query.*

Clear my choice

Question 2
Answer saved
Marked out of 1.00
⚑ Flag question

Choose the right option about "servlet" in java
- ● a. All of the others
- ○ b. There is only a single instance of Servlet created on the Web server.
- ○ c. Servlets are Java classes that dynamically process HTTP requests and construct responses
- ○ d. The Web server creates multiple threads for the same Servlet instance to service multiple client's requests

Clear my choice

Question 3
Answer saved
Marked out of 1.00
⚑ Flag question

How does remain the Request Object's life longer?
- ● a. Using UrlRewrting combining sendRedirect method of Response Object
- ○ b. Using Request Dispatcher
- ○ c. None of the others
- ○ d. Using Attribute of Request Object

Clear my choice

Question 4
Answer saved
Marked out of 1.00
⚑ Flag question

Which definition is used to map dynamic database connection?
- ● a. Resource
- ○ b. Data-source
- ○ c. None of the others
- ○ d. Java Database Connection

Clear my choice

Question 5
Answer saved
Marked out of 1.00
⚑ Flag question

Consider the table structure:
Accounts(accid: int primary key, fullname: varchar(20), role: int foreign key, email: varchar(20)).
Roles(roleid: int, rolename: varchar(50))
What query can be used to get full name and role name of the account?

- ○ a. select * from Accounts , Roles
- ○ b. select fullname, rolename from Accounts, Roles
- ● c. select fullname, rolename from Accounts, Roles where role=roleid
- ○ d. None of the others

Clear my choice

Question 6
Answer saved
Marked out of 1.00
⚑ Flag question

consider the code:
<form action="/targetServlet">....</form>
Choose the right option.

- ○ a. The browser will assume that "targetServlet" resides in the same place the default page as index.jsp or index.html
- ● b. The browser will assume the the path at the root location for specified host (http://host:port).
- ○ c. The browser will assume that "targetServlet" resides in the WEB_INF folder
- ○ d. The browser will assume that "targetServlet" resides in the Lib folder

Clear my choice

Question 7
Answer saved
Marked out of 1.00
⚑ Flag question

Which mission of JSP Engine does?
- ○ a. None of the others
- ○ b. Parse JSP File, Generate Servlet Code, Compile Servlet, and Instantize Servlet
- ● c. Compile JSP into Java Class, Generate Mapping into Web Deployment Descriptor (web.xml), Generate Request and Response Object, Forward to Resource
- ○ d. Generate Servlet Code, Compile Servlet, Generate Mapping into Web Deployment Descriptor (web.xml), and Instantize Servlet

Clear my choice

≡ Quiz navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49					

Finish attempt ...

Time left **0:50:17**

Question 8

Answer saved

Marked out of 1.00

⚑ Flag question

What memory scope is used to store data that exists until the session is closed, session is time out, or server is crashed?

- ⦿ a.   Session scope
- ○ b.   Request scope
- ○ c.   Context scope
- ○ d.   page scope

   Clear my choice

Question 9

Answer saved

Marked out of 1.00

⚑ Flag question

Which method does container generate code with scriptlets and expression?

- ⦿ a.   _jspService
- ○ b.   service
- ○ c.   None of the others
- ○ d.   _jspForward

   Clear my choice

Question 10

Answer saved

Marked out of 1.00

⚑ Flag question

Given tld fragment
```
<tag>
  <name>test</name>
   <tag-class>sample.custag.Test</tag-class>
   <body-content>EMPTY</body-content>
   <attribute>
    <name>a</name>
    <required>false</required>
    <rtexprvalue>true</rtexprvalue>
   </attribute>
  </tag>
```
Which following tag is NOT correct when it is applied above configuration? Assume that the prefix of tag is test in used.

- ⦿ a.   None of the others
- ○ b.   <test:test>abc</test:test>
- ○ c.   <test:test a = "${2 + 2}/>
- ○ d.   <test:test a = "5"/>

   Clear my choice

Next page

Jump to...

FPT University HCM Campus

Contact: it.hcm@fpt.edu.vn

IT Support: 0914 291 596

Get the mobile app