

Question 31

Answer saved

Marked out of 1.00

Flag question

Which mechanism does forEach function of core taglib library of JSTL executes?

☐

a. Loop depends the container reading the size of collection

☒

b. Loop depends on event on tag when the collection's item is existed

☐

c. Loop depends the while control structure when collection's item is existed

☐

d. None of the others

Clear my choice

Question 32

Answer saved

Marked out of 1.00

Flag question

What memory scope is used to store data that exists until the session is closed, session is time out, or server is crashed?

☒

a. Session scope

☐

b. Request scope

☐

c. page scope

☐

d. Context scope

Clear my choice

Question 33

Answer saved

Marked out of 1.00

Flag question

Consider the code in the file "index.jsp"

```
...
<form method="post">
  <input type="text" name="txt1" value="" placeholder="input email" />
  <input type="password" name="txt2" value="" placeholder="input password"/>
  <input type="submit" name="btn" value="submit" />
</form>
.....
What statement is used to assign again the inputted value in the text control "txt1" after submitting?
```

☐

a. At the value property of the control "txt1", type: \${requestScope.txt1}

☒

b. At the value property of the control "txt1", type: \${param.txt1}

☐

c. All of the others

☐

d. At the value property of the control "txt1", type: <%= request.getParameter("txt1") %>

Clear my choice

Question 34

Answer saved

Marked out of 1.00

Flag question

Consider the code in the file "web.xml":

```
<web-app>
....
<filter>
  <filter-name>myfilter</filter-name>
  <filter-class>vantn.filter.myfilter</filter-class>
</filter>
<filter-mapping>
  <filter-name>myfilter</filter-name>
  <url-pattern>/servlet1</url-pattern>
</filter-mapping>
....
</web-app>
```

Choose the right statement.

[1] Intercept the requests and response that flow between a client and the servlet "servlet1".

[2] Supports dynamic modification of requests between a client and the servlet "servlet1"

[3] only apply the filter "myfilter" to all servlets in the web app exception the servlet "servlet1"

[4] can not apply the filter "myfilter" by using "web.xml"

☐

a. 3

☒

b. 1

☐

c. 2

☐

d. 4

Clear my choice

Question 35

Answer saved

Marked out of 1.00

Flag question

What statement is used to display data from the session scope in the page(.jsp)?

☐

a. <%= session.getAttribute(name) %>

☐

b. All of the others

☒

c. \${sessionScope.name}

☐

d. \${name}

Quiz navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49					

Finish attempt ...

Time left 0:18:23

Clear my choice

Question **36**

Answer saved
Marked out of
1.00

🚩 Flag
question

Consider some steps:

- [1] Check available DB connection
 - [2] Create SQL String using DML
 - [3] Connect DB using method that you are built
 - [4] Create Statement/PreparedStatement/CallableStatement
 - [5] Execute Query to get ResultSet
 - [6] Process the ResultSet
- Choose the right sequence to access the DB using JDBC API?

- ☒ a. 3,1,2,4,5,6
- ☐ b. 1,2,3,4,5,6
- ☐ c. 1,3,2,4,5,6
- ☐ d. 3,4,5,6,1,2

Clear my choice

Question **37**

Answer saved
Marked out of
1.00

🚩 Flag
question

What different points between Java Bean and Java class?

- ☐ a. Using <jsp:useBean /> to locate or instantiate the Bean.
- ☒ b. Java Bean class must be implemented from Serializable
- ☐ c. All of the others
- ☐ d. Java Bean class must have a public no-argument constructor

Clear my choice

Question **38**

Answer saved
Marked out of
1.00

🚩 Flag
question

Which mechanism does Struts 2 can be used some components in any projects or libraries?

- ☐ a. Using Action Context to contain information
- ☐ b. Using xml to configure
- ☐ c. None of the others
- ☒ d. Using JavaBeans

Clear my choice

Question **39**

Answer saved
Marked out of
1.00

🚩 Flag
question

What method commonly used for passing user input/ sending information to the server. These request parameters are passed in the body of the request?

- ☒ a. POST
- ☐ b. PASS
- ☐ c. GET
- ☐ d. SENT

Clear my choice

Question **40**

Answer saved
Marked out of
1.00

🚩 Flag
question

Consider the code in the filter

```
public void doFilter(ServletRequest request, ServletResponse response,
    FilterChain chain) throws IOException, ServletException {
    try {
        chain.doFilter(request, response);
        request.setAttribute("id", "SE12345");
    } catch (Throwable t) {}
}
```

And the code in the servlet1

```
...
String s= (String)request.getAttribute("id");
out.println("id:" +s);
....
```

Apply this filter to the servlet1

What is displayed in the browser?

- ☒ a. the null value is displayed in the browser
- ☐ b. the empty string is displayed in the browser.
- ☐ c. the text "SE12345" is displayed in the browser.
- ☐ d. None of the others

Clear my choice

Previous page

Next page



PREVIOUS ACTIVITY
supporting materials

NEXT ACTIVITY
Progress test 2



