

## Advanced Selectors Quiz

Total points 16

1. Assume that this code is linked together correctly.

1 point

```
1 p{
2   color: red;
3   padding:10px 5px;
4   background: black;
5 }
6 .fancy{
7   font-family: cursive;
8   background: red;
9   color: green;
10 }
11 .plain{
12   font-family: Times, serif;
13   color: black;
14 }
```

```
1 <p>Hi</p>
```

What color font is used to display "Hi"?

- ☒ red
- ☐ green
- ☐ black
- ☐ browser default

2. Assume that this code is linked together correctly.

1 point

```
1 p{
2   color: red;
3   padding:10px 5px;
4   background: black;
5 }
6 .fancy{
7   font-family: cursive;
8   background: red;
9   color: green;
10 }
11 .plain{
12   font-family: Times, serif;
13   color: black;
14 }
```

```
1 <p class = "plain fancy">Hi</p>
```

What color font is used to display "Hi"?

- ☐ red
- ☒ green
- ☐ black
- ☐ browser default

3. Assume that this code is linked together correctly.

1 point

```
1 p{
2   color: red;
3   padding:10px 5px;
4   background: black;
5 }
6 .fancy{
7   font-family: cursive;
8   background: red;
9   color: green;
10 }
11 .plain{
12   font-family: Times, serif;
13   color: black;
14 }
```

```
1 <p class = "fancy plain">Hi</p>
```

What color font is used to display "Hi"?

- ☐ red
- ☐ green

- ☒ black
- ☐ browser default

4. What is the correct HTML for referring to an external style sheet?

1 point

- ☐ 1 `<link rel="stylesheet" src="mystyle.css">`
- ☐ 1 `<link rel="stylesheet" url="mystyle.css">`
- ☒ 1 `<link rel="stylesheet" href="mystyle.css">`
- ☐ 1 `<style src="mystyle.css"></style>`

5. What is the correct HTML for referring to an external style sheet stored in a subfolder called css?

1 point

- ☐ 1 `<link rel="css/stylesheet" href="mystyle.css">`
- ☐ 1 `<link rel="css/stylesheet" href="css/mystyle.css">`
- ☐ 1 `<style src="css/mystyle.css">`
- ☒ 1 `<link rel="stylesheet" href="css/mystyle.css">`

6. The styling contained in the style tag has precedence over the style attribute.

1 point

- ☐ True
- ☒ False

7. Which CSS property controls the text size?

1 point

- ☐ font-height
- ☐ text-style
- ☐ text-size
- ☒ font-size

8. How do you display hyperlinks without an underline?

1 point

- ☒ a { text-decoration:none; }
- ☐ a {underline:none;}
- ☐ a {text-decoration:no-underline;}
- ☐ a {decoration:no-underline;}

9. In the following code snippet, what value is given for the right margin?

1 point

- ```
1 margin: 5px 10px 3px 8px;
```
- ☐ 5px
  - ☒ 10px
  - ☐ 3px
  - ☐ 8px

10. The # symbol specifies that the selector is a/an

1 point

- ☐ class
- ☐ tag

- ☐ first
- ☒ id

11. Which of the following would be used to create class called button which has a width of 750px, a height of 30px and the color of the text is black?

1 point

- ☐ #button { height: 30px; width: 750px; color: black; }
- ☒ .button { height: 30px; width: 750px; color: black; }
- ☐ #button { height: 30px; width: 750px; text: black; }
- ☐ .button { height: 30px; width: 750px; text: black; }

12. Which snippet of CSS is commonly used to center an element horizontally?

1 point

- ☐ site-align: center;
- ☒ margin: 0 auto;
- ☐ margin: center;
- ☐ margin: auto 0;

13. A default style sheet is used to:

1 point

- ☒ Eliminate differences in browser default styling.
- ☐ Insert the prefixes needed to support different browsers.

14. Which of the following is not a browser prefix?

1 point

- ☐ o
- ☒ edge
- ☐ moz
- ☐ webkit

15. Descendant selectors

1 point

```
1 nav a{
2   ....
3 }
```

are more general than child selectors

```
1 nav>a{
2   ....
3 }
```

- ☒ True
- ☐ False

16. How much width will this div occupy?

1 point

```
1 div{
2   width:100px;
3   padding: 10px;
4   margin: 5px;
5   border: 2px;
6 }
```

134

Coursera Honor Code [Learn more](#)

☒ I, **Nguyễn Đăng Lộc**, understand that submitting work that isn't my own may result in permanent failure of this course or deactivation of my Coursera account.

Submit

Save draft

