
ERD 1-N RELATIONSHIP HOMEWORK

Họ tên: Nguyễn Đăng Lộc – SE160199 Lớp: SE1616

Exercise 1.

ERD




DDL

```
CREATE TABLE Lecturers (
 LecturerID char(4) NOT NULL,
 FirstName varchar(10) NOT NULL,
 LastName varchar(30) NOT NULL,
 Email
             varchar(30) NOT NULL,
 Phone
             char(10) NOT NULL,
             varchar(10) NOT NULL,
 Subject
 PRIMARY KEY (LecturerID)
);
CREATE TABLE Seminars (
 ID
                      int IDENTITY NOT NULL,
 Schedule
                      varchar(20) NOT NULL,
 Type
                      varchar(10) NOT NULL,
 Topic
                      varchar(50) NOT NULL,
 Description
                      varchar(255) NULL,
 Room
                      char(4) NULL,
 OnlineLink
                      varchar(255) NULL,
 EstimatedAttendance int NULL,
 LecturerID
                      char(4) NULL,
 PRIMARY KEY (ID)
);
ALTER TABLE Seminars ADD CONSTRAINT FKSeminars246452
FOREIGN KEY (LecturerID) REFERENCES Lecturers (LecturerID)
ON UPDATE Cascade
ON DELETE Set null;
ALTER TABLE Seminars DROP CONSTRAINT FKSeminars246452;
DROP TABLE Lecturers:
DROP TABLE Seminars;
```

Exercise 02.

UML



DDL

```
CREATE TABLE Groups (
  GroupID char(3) NOT NULL,
  PRIMARY KEY (GroupID)
);
CREATE TABLE Leaders (
  ΙD
            int IDENTITY NOT NULL,
  GroupID
            char(3) NULL UNIQUE,
  Leader
            char(8) NULL UNIQUE,
  PRIMARY KEY (ID)
);
CREATE TABLE Students (
  StudentID char(8) NOT NULL,
  FirstName nvarchar(10) NOT NULL,
  LastName nvarchar(30) NOT NULL,
            char(10) NOT NULL,
  GroupID
            char(3) NULL,
  PRIMARY KEY (StudentID)
);
ALTER TABLE Students ADD CONSTRAINT FKStudents735599
FOREIGN KEY (GroupID) REFERENCES Groups (GroupID)
ON UPDATE Cascade
ON DELETE Set null;
ALTER TABLE Leaders ADD CONSTRAINT FKLeaders389919
FOREIGN KEY (GroupID) REFERENCES Groups (GroupID)
ON UPDATE Cascade
ON DELETE Set null;
```

```
ALTER TABLE Leaders ADD CONSTRAINT FKLeaders295155
FOREIGN KEY (StudentID) REFERENCES Students (StudentID)
ON UPDATE Cascade
ON DELETE Set null;

ALTER TABLE Students DROP CONSTRAINT FKStudents735599;
ALTER TABLE Leaders DROP CONSTRAINT FKLeaders389919;
ALTER TABLE Leaders DROP CONSTRAINT FKLeaders295155;
DROP TABLE Groups;
DROP TABLE Leaders;
DROP TABLE Students;
```

TABLE Leaders để lưu thông tin tổ trưởng, thông tin ai là tổ trưởng của mỗi học sinh sẽ được truy vấn qua lệnh:

```
SELECT s.*, 1.Leader AS [Lead by]
FROM Students s JOIN Groups g ON s.GroupID = g.GroupID
JOIN Leaders 1 ON 1.GroupID = g.GroupID
WHERE 1.GroupID = s.GroupID
```