

- Fetpype: An Open-Source Pipeline for Reproducible
- 2 Fetal Brain MRI Analysis
- Thomas Sanchez 1,2*, Gerard Martí-Juan 3*, David Meunier 4, Gemma
- ⁴ Piella ⁶ ³, Meritxell Bach Cuadra ⁶ ^{1,2}, and Guillaume Auzias ⁶ ⁴
- 5 1 CIBM Center for Biomedical Imaging, Switzerland 2 Department of Diagnostic and Interventional
- 6 Radiology, Lausanne University Hospital and University of Lausanne, Switzerland 3 BCN MedTech,
- Department of Engineering, Universitat Pompeu Fabra, Spain 4 Aix-Marseille Université, CNRS, Institut
- de Neurosciences de La Timone, France * These authors contributed equally.

DOI: 10.xxxxx/draft

Software

- Review 🗗
- Repository ☑
- Archive ♂

Editor: Open Journals ♂ Reviewers:

@openjournals

Submitted: 01 January 1970 **Published:** unpublished

License

Authors of papers retain copyright and release the work under a 20 Creative Commons Attribution 4.0 International License (CC BY 4.0)

23

24

25

26

28

29

30

31

32

33

35

36

37

38

39

40

41

Summary

Fetal brain Magnetic Resonance Imaging (MRI) is crucial for assessing neurodevelopment in utero. However, analyzing this data presents significant challenges due to fetal motion, low signal-to-noise ratio, and the need for complex multi-step processing, including motion correction, super-resolution reconstruction, and segmentation. While various specialized tools exist for individual steps, integrating them into robust, reproducible, and user-friendly workflows that go from raw image to volume and surface analysis is not straightforward. This lack of standardization hinders reproducibility across studies and limits the adoption of advanced analysis techniques for researchers and clinicians. To address these challenges, we introduce Fetpype, an open-source Python library designed to streamline and standardize the preprocessing and analysis of T2-weighted fetal brain MRI data as illustrated in (Figure 1).

Statement of need

Fetpype is a Python package integrating several established neuroimaging software principles and tools to create a cohesive and extensible framework, which we summarize in four points.

- 1. Data Standardization: Fetpype expects input data organized according to the Brain Imaging Data Structure (BIDS) standard (Gorgolewski et al., 2016), promoting interoperability and simplifying data management.
- Containerization: Individual processing tools are encapsulated within Docker or Singularity containers. This ensures reproducibility and reduces installation issues, providing a better experience for the end user.
- 3. Workflow Management: The Nipype library (Gorgolewski et al., 2011) is used to construct processing workflows: it provides a robust interface for combining different steps from different containers or packages, facilitating data caching and parallelization, and allowing pipelines to be easily shareable.
- 4. Configuration: Pipeline configuration is managed using simple YAML files and the Hydra library (Yadan, 2019), allowing users to easily select between different modules or parameters without directly modifying the code. The current implementation of Fetpype integrates modules for data preprocessing, super-resolution reconstruction (NeSVoR (Xu et al., 2023), SVRTK (Kuklisova-Murgasova et al., 2012; Uus et al., 2022), or NiftyMIC (Ebner et al., 2020)), segmentation (BOUNTI (Uus et al., 2023) or the developing human connectome project pipeline (Makropoulos et al., 2018)) and cortical surface extraction (using a custom implementation available at https://github.com/fetpype/surface_processing based on (Bazin & Pham, 2005, 2007; Ma et al., 2022)).



The objective underlying the conceptualization of Fetpype was to provide the fetal MRI community with a standardized, reproducible, and flexible open-source platform for preprocessing and analysis. We believe this tool can facilitate research and improve the comparability across studies. We also intend to foster collaboration across research teams by providing Fetpype as a central framework that facilitates the dissemination of new image processing methods for clinical applications. The pipeline is publicly available on GitHub (https://github.com/fetpype/fetpype), and its open-source nature and modular design facilitate community involvement: researchers can integrate their own tools by creating corresponding Nipype interfaces and container wrappers, following the package contribution guidelines.

In the future, we plan to supplement Fetpype with an automated reporting library containing automated quality control (Sanchez et al., 2024, 2025), subject-wise and population-wise biometry and volumetry (Esteban et al., 2017), as well as spectral analysis (Germanaud et al., 2012). We welcome contributions of authors desiring to integrate their method to Fetpype.




Figure 1: The different steps covered by Fetpype. Starting from several T2-weighted stacks of thick slices of the fetal brain (acquisition), Fetpype pre-processes data before feeding them to a super-resolution reconstruction algorithm that fuses them in a single high-resolution volume. This volume then underegoes segmentation, before moving to cortical surface extraction.

55 Acknowledgements

This work was funded by Era-net NEURON MULTIFACT project (TS: Swiss National Science Foundation grants 31NE30_203977, 215641; GA: French National Research Agency, Grant ANR-21-NEU2-0005; GMJ, GP: Ministry of Science, Innovation and Universities: MCIN/AEI/10.13039/501100011033/), and the SulcalGRIDS Project, (GA: French National Research Agency Grant ANR-19-CE45-0014). We acknowledge the CIBM Center for Biomedical Imaging, a Swiss research center of excellence founded and supported by CHUV, UNIL, EPFL, UNIGE and HUG. This research was also supported by grants from NVIDIA and utilized NVIDIA RTX6000 ADA GPUs.

4 References

- Bazin, P.-L., & Pham, D. L. (2005). Topology correction using fast marching methods and its
 application to brain segmentation. *International Conference on Medical Image Computing* and Computer-Assisted Intervention, 484–491.
- Bazin, P.-L., & Pham, D. L. (2007). Topology correction of segmented medical images using



- a fast marching algorithm. Computer Methods and Programs in Biomedicine, 88(2), 182–190.
- Ebner, M., Wang, G., Li, W., Aertsen, M., Patel, P. A., Aughwane, R., Melbourne, A., Doel, T.,
 Dymarkowski, S., De Coppi, P., & others. (2020). An automated framework for localization,
 segmentation and super-resolution reconstruction of fetal brain MRI. *NeuroImage*, 206,
 116324.
- Esteban, O., Birman, D., Schaer, M., Koyejo, O. O., Poldrack, R. A., & Gorgolewski, K. J. (2017). MRIQC: Advancing the automatic prediction of image quality in MRI from unseen sites. *PloS One*, *12*(9), e0184661.
- Germanaud, D., Lefèvre, J., Toro, R., Fischer, C., Dubois, J., Hertz-Pannier, L., & Mangin,
 J.-F. (2012). Larger is twistier: Spectral analysis of gyrification (SPANGY) applied to adult
 brain size polymorphism. NeuroImage, 63(3), 1257–1272.
- Gorgolewski, K. J., Auer, T., Calhoun, V. D., Craddock, R. C., Das, S., Duff, E. P., Flandin, G., Ghosh, S. S., Glatard, T., Halchenko, Y. O., & others. (2016). The brain imaging data structure, a format for organizing and describing outputs of neuroimaging experiments. Scientific Data, 3(1), 1–9.
- Gorgolewski, K. J., Burns, C. D., Madison, C., Clark, D., Halchenko, Y. O., Waskom, M. L.,
 & Ghosh, S. S. (2011). Nipype: A flexible, lightweight and extensible neuroimaging data
 processing framework in python. Frontiers in Neuroinformatics, 5, 13.
- Kuklisova-Murgasova, M., Quaghebeur, G., Rutherford, M. A., Hajnal, J. V., & Schnabel, J.
 A. (2012). Reconstruction of fetal brain MRI with intensity matching and complete outlier removal. *Medical Image Analysis*, 16(8), 1550–1564.
- Ma, Q., Li, L., Robinson, E. C., Kainz, B., Rueckert, D., & Alansary, A. (2022). CortexODE:
 Learning cortical surface reconstruction by neural ODEs. *IEEE Transactions on Medical Imaging*, 42(2), 430–443.
- Makropoulos, A., Robinson, E. C., Schuh, A., Wright, R., Fitzgibbon, S., Bozek, J., Counsell, S. J., Steinweg, J., Vecchiato, K., Passerat-Palmbach, J., & others. (2018). The developing human connectome project: A minimal processing pipeline for neonatal cortical surface reconstruction. *Neuroimage*, 173, 88–112.
- Sanchez, T., Esteban, O., Gomez, Y., Pron, A., Koob, M., Dunet, V., Girard, N., Jakab, A., Eixarch, E., Auzias, G., & others. (2024). FetMRQC: A robust quality control system for multi-centric fetal brain MRI. *Medical Image Analysis*, *97*, 103282.
- Sanchez, T., Zalevskyi, V., Mihailov, A., Martí-Juan, G., Eixarch, E., Jakab, A., Dunet, V., Koob, M., Auzias, G., & Cuadra, M. B. (2025). Automatic quality control in multi-centric fetal brain MRI super-resolution reconstruction. *arXiv Preprint arXiv:2503.10156*.
- Uus, A. U., Grigorescu, I., Poppel, M. P. van, Steinweg, J. K., Roberts, T. A., Rutherford, M.
 A., Hajnal, J. V., Lloyd, D. F., Pushparajah, K., & Deprez, M. (2022). Automated 3D
 reconstruction of the fetal thorax in the standard atlas space from motion-corrupted MRI
 stacks for 21–36 weeks GA range. *Medical Image Analysis*, 80, 102484.
- Uus, A. U., Kyriakopoulou, V., Makropoulos, A., Fukami-Gartner, A., Cromb, D., Davidson,
 A., Cordero-Grande, L., Price, A. N., Grigorescu, I., Williams, L. Z., & others. (2023).
 BOUNTI: Brain vOlumetry and aUtomated parcellation for 3D feTal MRI. bioRxiv.
- Xu, J., Lala, S., Gagoski, B., Abaci Turk, E., Grant, P. E., Golland, P., & Adalsteinsson, E.
 (2023). NeSVoR: Implicit neural representation for slice-to-volume reconstruction in MRI.
 IEEE Transactions on Medical Imaging.
- Yadan, O. (2019). *Hydra a framework for elegantly configuring complex applications*. Github. https://github.com/facebookresearch/hydra