```
1  /usr/bin/python /Users/LT/Documents/Uni/MA/increOCSVM/evaluation_2.py
2  pima: nu=0.1, gamma=3
3  data size: 768
4  break_count: 748
5  train_size: 65.0
6  Confusion matrix:
7  [[236  32]
8   [444  56]]
9  precision: 0.636363636364, recall: 0.112, f1-score: 0.190476190476
10 --------
11 Confusion matrix:
12 Prediction  -1   1
13 Target
14 -1       238  30
15 1        447  53
16 precision: 0.638554216867, recall: 0.106, f1-score: 0.181818181818
17 ---------
18 Confusion matrix:
19 Prediction  -1   1
20 Target
21 -1       238  30
22 1        444  56
23 precision: 0.651162790698, recall: 0.112, f1-score: 0.191126279863
24
25 *** PROFILER RESULTS ***
26 incremental_ocsvm (/Users/LT/Documents/Uni/MA/increOCSVM/evaluation_2.py:132
   )
27 function called 1 times
28
29       20917 function calls in 0.621 seconds
30
31    Ordered by: cumulative time, internal time, call count
32    List reduced from 135 to 40 due to restriction <40>
33
34    ncalls  tottime  percall  cumtime  percall filename:lineno(function)
35        1    0.000    0.000    0.621    0.621 evaluation_2.py:132(incremental_ocsvm)
36        1    0.555    0.555    0.613    0.613 ocsvm.py:98(increment)
37     2772    0.017    0.000    0.017    0.000 {min}
38     2741    0.014    0.000    0.014    0.000 {method 'dot' of 'numpy.ndarray' objects}
39        2    0.000    0.000    0.009    0.005 ocsvm.py:58(gram)
40        2    0.000    0.000    0.009    0.005 pairwise.py:1164(pairwise_kernels)
41        2    0.000    0.000    0.009    0.005 pairwise.py:949(_parallel_pairwise)
42        2    0.004    0.002    0.009    0.005 pairwise.py:740(rbf_kernel)
43        1    0.000    0.000    0.008    0.008 ocsvm.py:35(fit)
44        1    0.000    0.000    0.008    0.008 ocsvm.py:62(alpha)
45        1    0.000    0.000    0.007    0.007 coneprog.py:4159(qp)
46        1    0.001    0.001    0.007    0.007 coneprog.py:1441(coneqp)
47      271    0.004    0.000    0.006    0.000 numeric.py:966(outer)
48        2    0.002    0.001    0.005    0.003 pairwise.py:136(euclidean_distances)
49     2738    0.004    0.000    0.004    0.000 {numpy.core.multiarray.where}
50      355    0.001    0.000    0.003    0.000 numeric.py:136(ones)
51        2    0.000    0.000    0.003    0.001 extmath.py:171(safe_sparse_dot)
52        2    0.003    0.001    0.003    0.001 {numpy.core._dotblas.dot}
53       12    0.000    0.000    0.003    0.000 coneprog.py:1984(kktsolver)
54       12    0.000    0.000    0.003    0.000 misc.py:1389(factor)
55     1046    0.002    0.000    0.002    0.000 {numpy.core.multiarray.empty}
56      776    0.001    0.000    0.001    0.000 {method 'remove' of 'list' objects}
57      355    0.001    0.000    0.001    0.000 {numpy.core.multiarray.copyto}
58       12    0.001    0.000    0.001    0.000 {cvxopt.base.syrk}
```

```
59    2134   0.001   0.000   0.001   0.000 {range}
60     546   0.000   0.000   0.001   0.000 numeric.py:392(asarray)
61      22   0.000   0.000   0.001   0.000 coneprog.py:2333(f4)
62     532   0.001   0.000   0.001   0.000 {numpy.core.multiarray.zeros}
63      22   0.000   0.000   0.001   0.000 coneprog.py:2291(f4_no_ir)
64     565   0.001   0.000   0.001   0.000 {numpy.core.multiarray.array}
65      23   0.000   0.000   0.001   0.000 misc.py:1489(solve)
66       1   0.001   0.001   0.001   0.001 misc.py:20(<module>)
67      24   0.000   0.000   0.000   0.000 {cvxopt.lapack.potrf}
68     140   0.000   0.000   0.000   0.000 {cvxopt.base.gemv}
69     543   0.000   0.000   0.000   0.000 {method 'ravel' of 'numpy.ndarray' objects}
70      11   0.000   0.000   0.000   0.000 misc.py:422(update_scaling)
71    1488   0.000   0.000   0.000   0.000 {len}
72    2004   0.000   0.000   0.000   0.000 {method 'append' of 'list' objects}
73       4   0.000   0.000   0.000   0.000 pairwise.py:57(check_pairwise_arrays)
74       1   0.000   0.000   0.000   0.000 ocsvm.py:45(rho)
75
76
77
78    *** PROFILER RESULTS ***
79    cvxopt_ocsvm (/Users/LT/Documents/Uni/MA/increOCSVM/evaluation_2.py:128)
80    function called 1 times
81
82       2362 function calls in 0.693 seconds
83
84    Ordered by: cumulative time, internal time, call count
85    List reduced from 117 to 40 due to restriction <40>
86
87    ncalls  tottime  percall  cumtime  percall filename:lineno(function)
88       1   0.000   0.000   0.693   0.693 evaluation_2.py:128(cvxopt_ocsvm)
89       1   0.002   0.002   0.693   0.693 ocsvm.py:35(fit)
90       1   0.032   0.032   0.690   0.690 ocsvm.py:62(alpha)
91       1   0.001   0.001   0.642   0.642 coneprog.py:4159(qp)
92       1   0.003   0.003   0.640   0.640 coneprog.py:1441(coneqp)
93      12   0.000   0.000   0.581   0.048 coneprog.py:1984(kktsolver)
94      12   0.017   0.001   0.581   0.048 misc.py:1389(factor)
95      12   0.253   0.021   0.253   0.021 {cvxopt.base.syrk}
96      12   0.246   0.021   0.246   0.021 {cvxopt.base.gemm}
97      24   0.059   0.002   0.059   0.002 {cvxopt.lapack.potrf}
98     140   0.040   0.000   0.040   0.000 {cvxopt.base.gemv}
99      23   0.001   0.000   0.034   0.001 misc.py:1489(solve)
100     22   0.000   0.000   0.034   0.002 coneprog.py:2333(f4)
101     22   0.000   0.000   0.033   0.002 coneprog.py:2291(f4_no_ir)
102     24   0.000   0.000   0.014   0.001 coneprog.py:1900(fG)
103     24   0.000   0.000   0.014   0.001 misc.py:801(sgemv)
104      2   0.000   0.000   0.010   0.005 ocsvm.py:58(gram)
105      2   0.000   0.000   0.010   0.005 pairwise.py:1164(pairwise_kernels)
106      2   0.000   0.000   0.010   0.005 pairwise.py:949(_parallel_pairwise)
107      2   0.005   0.002   0.010   0.005 pairwise.py:740(rbf_kernel)
108     46   0.007   0.000   0.007   0.000 {cvxopt.blas.trsv}
109      2   0.003   0.002   0.005   0.003 pairwise.py:136(euclidean_distances)
110     12   0.005   0.000   0.005   0.000 {cvxopt.blas.trsm}
111      2   0.000   0.000   0.004   0.002 shape_base.py:179(vstack)
112      2   0.004   0.002   0.004   0.002 {numpy.core.multiarray.concatenate}
113      2   0.002   0.001   0.002   0.001 twodim_base.py:221(diag)
114     12   0.000   0.000   0.002   0.000 coneprog.py:1847(fP)
115     12   0.002   0.000   0.002   0.000 {cvxopt.base.symv}
116     11   0.002   0.000   0.002   0.000 misc.py:422(update_scaling)
117      2   0.000   0.000   0.002   0.001 extmath.py:171(safe_sparse_dot)
```

118	2	0.002	0.001	0.002	0.001 {numpy.core._dotblas.dot}
119	1	0.000	0.000	0.001	0.001 ocsvm.py:45(rho)
120	83	0.001	0.000	0.001	0.000 {range}
121	203	0.001	0.000	0.001	0.000 {cvxopt.blas.axpy}
122	66	0.000	0.000	0.000	0.000 {cvxopt.misc_solvers.scale2}
123	4	0.000	0.000	0.000	0.000 pairwise.py:57(check_pairwise_arrays)
124	28	0.000	0.000	0.000	0.000 {numpy.core.multiarray.array}
125	6	0.000	0.000	0.000	0.000 validation.py:268(check_array)
126	67	0.000	0.000	0.000	0.000 {cvxopt.misc_solvers.scale}
127	4	0.000	0.000	0.000	0.000 {numpy.core.multiarray.zeros}
128					
129					
130					
131					*** PROFILER RESULTS ***
132					sklearn_ocsvm (/Users/LT/Documents/Uni/MA/increOCSVM/evaluation_2.py:125)
133					function called 1 times
134					
135					57 function calls in 0.003 seconds
136					
137					Ordered by: cumulative time, internal time, call count
138					
139	ncalls	tottime	percall	cumtime	percall filename:lineno(function)
140	1	0.000	0.000	0.003	0.003 evaluation_2.py:125(sklearn_ocsvm)
141	1	0.000	0.000	0.003	0.003 classes.py:941(fit)
142	1	0.000	0.000	0.003	0.003 base.py:99(fit)
143	1	0.000	0.000	0.003	0.003 base.py:211(_dense_fit)
144	1	0.003	0.003	0.003	0.003 {sklearn.svm.libsvm.fit}
145	1	0.000	0.000	0.000	0.000 validation.py:268(check_array)
146	1	0.000	0.000	0.000	0.000 validation.py:43(_assert_all_finite)
147	1	0.000	0.000	0.000	0.000 _methods.py:23(_sum)
148	1	0.000	0.000	0.000	0.000 {method 'sum' of 'numpy.ndarray' objects}
149	1	0.000	0.000	0.000	0.000 {method 'reduce' of 'numpy.ufunc' objects}
150	1	0.000	0.000	0.000	0.000 validation.py:126(_shape_repr)
151	1	0.000	0.000	0.000	0.000 {method 'randint' of 'mtrand.RandomState' objects}
152	1	0.000	0.000	0.000	0.000 numeric.py:136(ones)
153	5	0.000	0.000	0.000	0.000 {numpy.core.multiarray.array}
154	1	0.000	0.000	0.000	0.000 shape_base.py:60(atleast_2d)
155	1	0.000	0.000	0.000	0.000 base.py:193(_validate_targets)
156	1	0.000	0.000	0.000	0.000 getlimits.py:244(__init__)
157	1	0.000	0.000	0.000	0.000 {method 'join' of 'str' objects}
158	2	0.000	0.000	0.000	0.000 {numpy.core.multiarray.empty}
159	2	0.000	0.000	0.000	0.000 numeric.py:392(asarray)
160	1	0.000	0.000	0.000	0.000 {numpy.core.multiarray.copyto}
161	1	0.000	0.000	0.000	0.000 validation.py:105(_num_samples)
162	2	0.000	0.000	0.000	0.000 numeric.py:462(asanyarray)
163	3	0.000	0.000	0.000	0.000 validation.py:153(<genexpr>)
164	1	0.000	0.000	0.000	0.000 {sklearn.svm.libsvm.set_verbosity_wrap}
165	2	0.000	0.000	0.000	0.000 base.py:702(isspmatrix)
166	3	0.000	0.000	0.000	0.000 {hasattr}
167	1	0.000	0.000	0.000	0.000 {method 'copy' of 'numpy.ndarray' objects}
168	3	0.000	0.000	0.000	0.000 {isinstance}
169	1	0.000	0.000	0.000	0.000 getlimits.py:269(max)
170	1	0.000	0.000	0.000	0.000 validation.py:503(check_random_state)
171	1	0.000	0.000	0.000	0.000 base.py:203(_warn_from_fit_status)
172	1	0.000	0.000	0.000	0.000 {method 'index' of 'list' objects}
173	6	0.000	0.000	0.000	0.000 {len}
174	2	0.000	0.000	0.000	0.000 {callable}
175	1	0.000	0.000	0.000	0.000 {method 'append' of 'list' objects}

```
176     1  0.000  0.000  0.000  0.000 {method 'disable' of '_lsprof.Profiler' objects}
177     0  0.000         0.000         profile:0(profiler)
178
179
180
181  Process finished with exit code 0
182
```