Orchid ID: http://orcid.org/0000-0002-2497-3005
Google scholar: https://scholar.google.de/citations?user=JbQQ8PwAAAAJ&hl=en

*Denotes student /postdoc papers
synthesis papers as a lead author

Stevens, N., Bond, W., **Feurdean, A.,** Lehmann, C.E.R. 2022. Grassy Ecosystems in the Anthropocene. Annual Review of Environment and Resources, vol. 47, 16.1-16.29.https://doi.org/10.1146/annurev-environ-112420-015211.

Feurdean, A., Diaconu, A.C., Pfeiffer, M., Gałka, M., Hutchinson, S. M., Butiseaca, G., Gorina, N., Tonkov, S., Niamir, A., Tantau, I., Zhang, H., and Kirpotin, S. 2022. Holocene wildfire regimes in western Siberia: interaction between peatland moisture conditions and the composition of plant functional types, Clim. Past, 18, 1255–1274, https://doi.org/10.5194/cp-18-1255-2022.

Gałka, M., Hölzer, A., **Feurdean, A.,** Loisel, J., Teickner, H., Diaconu, A.C., Szal, M., Broder, T., Knorr, K.H. 2022. Insight into the factors of mountain bog and forest development in the Schwarzwald Mts.: Implications for ecological restoration. Ecological Indicators, 40, 109039. https://doi.org/10.1016/j.ecolind.2022.109039.

Gałka, M., Obremska, M., **Feurdean, A.** 2022**.** Forest ecosystem development in European nemoreal-boreal forest (NE Poland) over the last 2200 years: Impact of human activity and climate change. The Holocene. 2022;32, 650-663. doi:10.1177/09596836221088249.

Gałka, M., Diaconu, A.C. **Feurdean, A.,** Loisel, J., Teickner, H., Broder, T., Knorr, K.H. 2022. Relations of fire, palaeohydrology, vegetation succession, and carbon accumulation, as reconstructed from a mountain bog in the Harz Mountains (Germany) during the last 6200 years.Geoderma,424,115991,https://doi.org/10.1016/j.geoderma.2022.11599.

Githumbi, E…**Feurdean, A.,** et al. 2022. European pollen-based REVEALS land-cover reconstructions for the Holocene: methodology, mapping and potentials. Earth Syst. Sci. Data, 14, 1581–1619, https://doi.org/10.5194/essd-14-1581-2022, 2022.

Harrison, S.P…**Feurdean, A.,** et al. 2022. The Reading Palaeofire Database: an expanded global resource to document changes in fire regimes from sedimentary charcoal records. Earth Syst. Sci. Data, 14, 1109–1124. https://doi.org/10.5194/essd-14-1109-2022, 2022.

Butiseacă, G.A*., Vasiliev, I., van der Meer, M.T., Krijgsman, W., Palcu, D.V., **Feurdean, A.,** Niedermeyer, E.M., Mulch, A. 2021. Severe late Miocene droughts affected western Eurasia. Global and Planetary Change. 206:103644. https://doi.org/10.1016/j.gloplacha.2021.103644.

Feurdean, A. 2021. Experimental production of charcoal morphologies to discriminate fuel source and fire type in the Siberian taiga, Biogeosciences, 18, 3805-3821. https://doi.org/10.5194/bg-18-1081-2021, 2021.

Gałka, M., **Feurdean, A.,** Sim, T., Tobolski, K., Aunina, L., Apolinarska, K. 2021.A multi-proxy long-term ecological investigation into the development of a late Holocene calcareous spring-fed fen ecosystem (Raganu Mire) and boreal forest at the SE Baltic coast (Latvia), Ecological Indicators, 126,107673. https://doi.org/10.1016/j.ecolind.2021.107673.

Kirpotin, S.N., Antoshkina, O.A., Berezin, A.E., Elshehawi, S., **Feurdean, A.,** Lapshina, E.D., Pokrovsky, O.S., Peregon, A.M., Semenova, N.M., Tanneberger, F. and Volkov, I.V., 2021. Great Vasyugan Mire: How the world's largest peatland helps addressing the world's largest problems. Ambio, https://doi.org/10.1007/s13280-021-01520-2.

Feurdean, A., Grindean, R., Florescu, G., Tanţău, I., Niedermeyer, E. M., Diaconu, A.-C., Hutchinson, S. M., Nielsen, A. B., Sava, T., Panait, A., Braun, M., and Hickler, T. 2021. The transformation of the forest steppe in the lower Danube Plain of southeastern Europe:

6000 years of vegetation and land use dynamics, Biogeosciences, 18, 1081–1103, https://doi.org/10.5194/bg-18-1081-2021.

Feurdean, A., Florescu., G., Tanţău, I., Feurdean, A., Florescu, G., Tanţău, I., Vannière, B., Diaconu, A.C., Pfeiffer, M., Warren, D., Hutchinson, S.M., Gorina, N., Gałka, M. and Kirpotin, S., 2020. Recent fire regime in the southern boreal forests of western Siberia is unprecedented in the last five millennia. Quaternary Science Review, 244, p.106495, https://doi.org/10.1016/j.quascirev.2020.106495. Invited paper.

Carter, V.A., Bobek, P., Moravcová, A., Šolcová, A., Chiverrell, R.C., Clear, J.L., Finsinger, W., **Feurdean, A.,** Tanţău, I., Magyari, E. and Brussel, T. 2020. The role of climate-fuel feedbacks on Holocene biomass burning in upper-montane Carpathian forests. Global and Planetary Change, *193*, p.10326,4https://doi.org/10.1016/j.gloplacha.2020.103264.

Davis, B. A. S., …**Feurdean, A.,**.2020. The Eurasian Modern Pollen Database (EMPD), Version 2, Earth Syst. Sci. Data Discuss., https://essd.copernicus.org/articles/12/2423/2020/

Kaufman D, McKay N, Routson C, Erb M, Davis B, Heiri O, Jaccard S, Tierney J, Dätwyler C, Axford Y, Brussel T…**Feurdean, A.,** et al… 2020. A global database of Holocene paleotemperature records. Scientific Data 7, 1-34. https://www.ncdc.noaa.gov/paleo/study/27330.

Vasiliev, I., **Feurdean, A**., Reichart, G. Mulch, A. 2020. Late Miocene intensification of continentality in the Black Sea region. International Journal of Earth Sciences (Geol Rundsch) 109**,** 831–846. https://doi.org/10.1007/s00531-020-01832-w.

Galka, M., Tantau, I., Carter, AV., **Feurdean, A**. 2020. The Holocene dynamics of moss communities in subalpine wetland ecosysthems in the Eastern Carpathians, Central Europe. The Bryologist, 123, 84-97. https://doi.org/10.1639/0007-2745-123.1.084

#**Feurdean, A.,** Vannière, B., Finsinger, W., Warren, D., Connor, S. C., Forrest, M., Liakka, J., Panait, A., Werner, C., Andrič, M., Bobek, P., Carter, V. A., Davis, B., Diaconu, A.-C., Dietze, E., Feeser, I., Florescu, G., Gałka, M., Giesecke, T., Jahns, S., Jamrichová, E., Kajukało, K., Kaplan, J., Karpińska-Kołaczek, M., Kołaczek, P., Kuneš, P., Kupriyanov, D., Lamentowicz, M., Lemmen, C., Magyari, E. K., Marcisz, K., Marinova, E., Niamir, A., Novenko, E., Obremska, M., Pędziszewska, A., Pfeiffer, M., Poska, A., Rösch, M., Słowiński, M., Stančikaitė, M., Szal, M., Święta-Musznicka, J., Tanţău, I., Theuerkauf, M., Tonkov, S., Valkó, O., Vassiljev, J., Veski, S., Vincze, I., Wacnik, A., Wiethold, J., and Hickler, T., 2020. Fire risk modulation by long-term dynamics in land cover and dominant forest type in Eastern and Central Europe. Biogeosciences, 17, 1213-1230, 10.5194/bg-17-1213-2020.

Diaconu, A.C*., Tantau, I., Knorr, K.H., Borken, W., **Feurdean, A**., Panait, A., Gałka, M. 2020. A multi-proxy analysis of hydroclimate trends in an ombrotrophic bog over the last millennium in the Eastern Carpathians of Romania. Palaeogeography, Palaeoclimatology, Palaeoecology. https://doi.org/10.1016/j.palaeo.2019.109390

Feurdean, A., Gałka, M., Tantau, Florescu, G., I., Hutchinson, S.M., Diaconu, A., Kirpotin, S., 2019c. 2000 years of variability in hydroclimate and carbon accumulation in western Siberia and the relationship with large scale atmospheric circulation: A multiproxy peat record. Quaternary Science Review. https://doi.org/10.1016/j.quascirev.2019.105948

Swindles, G.T., Morris, P.J., Mullan, D.J., Payne, R.J., Roland, T.P., Amesbury, M.J., Lamentowicz, M., Turner, T.E., Gallego-Sala, A., Sim, T., Barr, I.D., Blaauw, M., Blundell, A., Chambers, F.M., Charman, D.J., **Feurdean, A**., Galloway, J.M., Gałka, M., Green, S., Kajukało, K., Karofeld, E., Korhola, A., Lamentowicz, L., Langdon, P., Marcisz, K., Mauquoy, D., Mazei, Y.A., McKeown, M., Mitchell, E.A.D., Novenko, E., Plunkett, G., Roe, H.M., Schoning, K., Sillasoo, Ü., Tsyganov, A.N., van der Linden, M., Väliranta, M., Warner, B. 2019. Widespread drying of European peatlands in recent centuries. Nature Geoscience. 10.1038/s41561-019-0462-z

Feurdean, A., Tonkov, S., Pfeiffer, M., Panait, A., Warren, D., Vannière, B., Marinova, M. 2019b. Fire frequency and intensity associated with functional traits of dominant forest type in the Balkans during the Holocene. European Journal of Forest Research, 138, 1049-1066. https://doi.org/10.1007/s10342-019-01223-0

Florescu, G*., Brown, K., Carter, V.C., Kuneš, P., Veski, S., **Feurdean, A**. 2019. Holocene rapid climate changes and ice-rafting debris events reflected in high-resolution European charcoal records. Quaternary Science Reviews, 222, 105877.https://doi.org/10.1016/j.quascirev.2019.105877

Panait, A*., Tantau, I., Hutchinson, S.M., Diaconu, A., **Feurdean, A.** 2019. Disentangling dust and sand deposition using a peat record in CE Europe (northern Romania): a novel multiproxy analysis. Palaeogeography, Palaeoclimatology, Palaeoecology, 532, 109257. https://doi.org/10.1016/j.palaeo.2019.109257

Tonkov, S., Marinova, E., **Feurdean, A**. 2019. Peat bog Vapsko-2, Rila Mountains (Bulgaria). Grana, 58, 393–395. https://doi.org/10.1080/00173134.2019.1583278

Cleary, D.M.,* **Feurdean, A**., Tanțău, I., Forray, F.L. 2019. Pollen, δ15N and δ13C guano-derived record of late Holocene vegetation and climate in the southern Carpathians, Romania. Review of Palaeobotany and Palynology, 265, 62-75. https://doi.org/10.1016/j.revpalbo.2019.03.002

Feurdean, A., Vasiliev, I. 2019c. The contribution of fire to the late Miocene spread of grasslands in eastern Eurasia (Black Sea region). Scientific Reports, 9, 6750. https://doi.org/10.1038/s41598-019-43094-w

Grindean, R*, Nielsen AB, Tanţău I, **Feurdean A**. 2019b. Relative pollen productivity estimates in the forest steppe landscape of southeastern Romania. Review of Palaeobotany and Palynology, 264, 54-63. https://doi.org/10.1016/j.revpalbo.2019.02.007

Grindean, G*., Tanţău, I., **Feurdean, A**. 2019a. Linking vegetation dynamics and stability in the old-growth forests of Central Eastern Europe: Implications for forest conservation and management. Biological Conservation. 229, 160-169. https://doi.org/10.1016/j.biocon.2018.11.019

Haliuc, A., **Feurdean, A**., Mîndrescu, M., Frantiuc, A., Hutchinson, S.M. 2019. Impacts of forest loss in the Eastern Carpathian Mountains: linking remote sensing and sediment changes in a mid-altitude catchment (Red Lake). Regional Environmental Change, 19, 461-475. https://doi.org/10.1007/s10113-018-1416-5

#**Feurdean, A.,** Ruprecht E., Molnar, Zs., Hutchinson, S.M., Hickler, T. 2018. Biodiversity-rich European grasslands: ancient, forgotten ecosystems. Biological Conservation, 228, 224-232. https://doi.org/10.1016/j.biocon.2018.09.022

Dietze, E... **Feurdean A.** et al. Holocene fire activity during low-natural flammability periods reveals scale-dependent cultural human-fire relationships in Europe. Quaternary Science Review, 201, 44-56. https://doi.org/10.1016/j.quascirev.2018.10.005

Gałka, M., **Feurdean, A.,** Tantau, I., Apolinarska, K., Milecka,K., Hutchinson, S.M. 2018. Response of a spring-fed fen ecosystem in Central Eastern Europe (NW Romania) to climate changes and human impact during the last 4000 years: a high resolution multi-proxy reconstruction. Palaeogeography, Palaeoclimatology, Palaeoecology, 504, 170-185. https://doi.org/10.1016/j.palaeo.2018.05.027

Florescu, G*., Vannière B., **Feurdean, A.** 2018. Exploring the influence of local controls on fire activity using charcoal records from Northern Romanian Carpathians. Quaternary International, 488, 41-57. https://doi.org/10.1016/j.quaint.2018.03.042

Tonkov, S., Marinova, E, **Feurdean A**. 2018. Peat bob Vapsko-1, Rila Moutaina (Bulgaria). Grana, 57, 158-160. https://doi.org/10.1080/00173134.2017.1339733

Gałka, M., Swindles, G.T., Szal, M., Fulweber, R., **Feurdean A**. 2018. Response of plant communities to climate change during the late Holocene: Palaeoecological insights from

peatlands in the Alaskan Arctic. Ecological Indicators, 85, 525–536. https://doi.org/10.1016/j.ecolind.2017.10.062

Feurdean, A., Veski, S., Florescu, G*., Vannière, B., Pfeiffer, M., O'Hara, R.B., Stivrins, N., Amon, L., Heinsalu, A., Vassiljev J., Hickler, T., 2017. Broadleaf deciduous forest counterbalanced the direct effect of climate on Holocene fire regime in hemiboreal / boreal region (NE Europe). Quaternary Science Reviews, 169, 378-390. https://doi.org/10.1016/j.quascirev.2017.05.024

Feurdean, A., Vannière, B. 2017. Natural and human-driven fire regime and land-cover changes in Central and Eastern Europe. PAGES report https://doi.org/10.22498/pages.25.2.115

Gałka, M., Tanţău, I., **Feurdean, A.** 2017. Plant succession in a peatland in the Eastern Carpathian Mts. (CE Europe) during the last 10,200 years: Implications for peatland development and palaeoclimatic research, Review of Palaeobotany and Palynology, 244, 203-217. https://doi.org/10.1016/j.revpalbo.2017.05.014

Grindean, R*., Tanţău I., **Feurdean, A**. 2017. Doda Pilii, Apuseni Mountains (Romania). Grana, 56, 478-480. https://doi.org/10.1080/00173134.2017.1329342

Diaconu, A.,* Tóth, M., Lamentowicz, M., Heiri, O., Kuske, E., Tantau, I., Panait, A.,* **Feurdean, A**. 2017. How warm? How wet? The past 7500 years of hydroclimate reconstructions in the northern Carpathians, Romania. Palaeogeography, Palaeoclimatology, Palaeoecology. 482,1-12. https://doi.org/10.1016/j.palaeo.2017.05.007

Gałka M, Aunina, L., **Feurdean, A.,** Hutchinson, S.M., Kołaczek, P, Apolinarska, K. 2017. Rich fen development in CE Europe, resilience to climate change and human impact over the last ca. 3500 years Palaeogeography, Palaeoclimatology, Palaeoecology, 473, 57-72. https://doi.org/10.1016/j.palaeo.2017.02.030

Florescu, G*., Hutchinson, S.M., Kern, K., Mîndrescu, M., Cristea I.A, Mihăilă, D., Łokas, K. **Feurdean, A.,** 2017. Last 1000 years of environmental history in Southern Bucovina, Romania; a high resolution multi-proxy lacustrine archive. Palaeogeography, Palaeoclimatology, Palaeoecology, 473, 26-40. https://doi.org/10.1016/j.palaeo.2017.01.047

Panait, A.,* Diaconu, A.,* Galka, M., Hutchinson, S.M., Hickler, T., Lamentowicz, M., Mulch, A., Tantau, I., Werner, C., **Feurdean, A.** 2017. Hydrological conditions and carbon accumulation rates reconstructed from a mountain raised bog in the Carpathians: a multi-proxy approach. Catena, 152, 57-68. https://doi.org/10.1016/j.catena.2016.12.023

Feurdean, A., Florescu, G.,* Vanniere, B., Tanţău, I., O'Hara, R.B., Pfeiffer, M., Hutchinson, S.M., Gałka, M., Moskal-del Hoyo, M., Hickler, T. 2017. Fire has been an important driver of forest dynamics in the Carpathian Mountains during the Holocene. Forest Ecology and Management, 389, 15-26. https://doi.org/10.1016/j.foreco.2016.11.046

Feurdean, A., Munteanu, C., Kuemmerle T., Nielsen, A.B., Hutchinson, S.M., Ruprecht, E., Parr, C.L., Persoiu A., Hickler, T. 2017. Long-term land-cover/use change in a traditional farming landscape in Romania inferred from pollen data, historical maps and satellite images. Regional Environmental Change, 17, 2193-2207. https://doi.org/10.1007/s10113-016-1063-7

#**Feurdean, A.,** Tantau I. 2017. The evolution of vegetation from the Last Glacial Maximum until the present. Landform Dynamics and Evolution in Romania. (Eds. Radoane, M, Vespremeanu-Stroe, A). Book Chapter. Springer. pp.67-83. **DOI**https://doi.org/10.1007/978-3-319-32589-7_4

Iepure, S., **Feurdean, A**., Badaluta, C., Nagavciuc, V., Persoiu, A. 2016. Groundwater copepods and ostracods in the Eastern Carpathians, Romania: a distributional pattern and palaeoenvironmental perspective. Biological Journal of the Linnean Society, 119, 593-608. https://doi.org/10.1111/bij.12686

Gałka, G., Aunina, L., Tobolski, K., **Feurdean, A.** 2016. Development of rich fen on the SE Baltic coast, Latvia, during the last 7500 years, using paleoecological proxies: implications for

plant community development and paleoclimatic research. Wetlands, 36, 689–703. https://doi.org/10.1007/s13157-016-0779-y

Marlon, J.R., Kelly, R., Daniau, A.L., **…Feurdean, A…**et al. 2016**.** Reconstructions of biomass burning from sediment charcoal records to improve data-model comparisons. Biogeosciences, 13, 3225-3244. 10.5194/bg-13-3225-2016.

Feurdean, A., Galka, M., Tantau, I., Geanta, A*., Hutchinson, S.M., Hickler, T. 2016. Tree and timberline shifts in the northern Romanian Carpathians during the Holocene and the responses to environmental changes. Quaternary Science Reviews, 134, 100-113. https://doi.org/10.1016/j.quascirev.2015.12.020

Galka, M., Tantau, I., Ersek, V., **Feurdean, A.** 2016. A 9000 year record of cyclic vegetation changes identified in a montane peatland deposit located in the Eastern Carpathians (Central-Eastern Europe): Autogenic succession or regional climatic influences? Palaeogeography, Palaeoclimatology, Palaeoecology, 449, 52-61. https://doi.org/10.1016/j.palaeo.2016.02.007

Vannière, B., Blarquez, O., Rius, D., Doyen, E., Brücher, T., Colombaroli D., Connor S., **Feurdean A**., Hickler T., Lemmen C., Leys B., Massa C., Olofsson J., 2016. 7000-year human legacy of elevation-dependent European fire regimes. Quaternary Science Reviews, 132- 206-212. ttps://doi.org/10.1016/j.quascirev.2015.11.012

Haliuc, A.,* Hutchinson, S.M., **Feurdean, A.** 2016. The role of fire in landscape dynamics: example of two sediment records from the Rodna Mountains, Northern Romanian Carpathians. Catena, 137, 432-440. https://doi.org/10.1016/j.catena.2015.10.021

Hutchinson, S.M., Mîndrescu, M., Begy, R., **Feurdean, A.** 2016. Recent sediment accumulation rates in contrasting lakes in the Carpathians (Romania): impacts of shifts in socio-economic regime. Regional Environmental Change, 16, 501-513. https://doi.org/10.1007/s10113-015-0764-7

Persoiu, A., **Feurdean, A.,** Hoek, W.Z. 2015. Closing and exposing the gaps in knowledge: INTIMATE workshop on terrestrial records from central Eastern Europe for the Last Glacial-Interglacial transition. Quaternary International, 388, 1-3. https://doi.org/10.1016/j.quaint.2015.09.003

Grindean, R*., **Feurdean, A.**, Hurdu, B., Fărcaş, S., Tanţău, I. 2015. Vegetation responses from the Lateglacial / Holocene transition to mid-Holocene climate changes in the Apuseni Mountains (NW Romania). Quaternary International 388, 76-86. https://doi.org/10.1016/j.quaint.2015.05.056

Feurdean, A., Galka M, Kuske E*, Tantau I, Lamentowicz M, Florescu G, Hutchinson SM, Liakka J, Mulch A, Hickler T. 2015. Last Millennium hydro-climate variability in Central Eastern Europe (Northern Carpathians, Romania). The Holocene 25, 1179-1192. https://doi.org/10.1177/0959683615580197

Feurdean, A., Marinova, E., Nielsen, A.B., Liakka, J., Veres, D.**,** Hutchinson, S.M., Braun, M., Timar-Gabor, A., Astalos, C., Mossbruger, V., Hickler, T. 2015. Origin of the forest steppe and exceptional grassland diversity in Transylvania (central-eastern Europe) Journal of Biogeography, 42, 951-963. **h**ttps://doi.org/10.1111/jbi.12468

#Feurdean, A., Perşoiu, T., Stevens, S, et al., 2014. Climate variability and associated vegetation response throughout Central and Eastern Europe (CEE) between 60 and 8 ka. Quaternary Science Reviews, 106, 206-224. https://doi.org/10.1016/j.quascirev.2014.06.003

Geanta, A.,* Galka, M., Tantau, I., Hutchinson, S.M., **Feurdean, A.** 2014. Determining the sensitivity of the high mountain region in Northern Romania to climate- and land use changes through multi-proxy analysis. The Holocene, 24, 944-956. https://doi.org/10.1177/0959683614534747

Tantau, I., **Feurdean, A.,** de Beaulieu, J.L., Reille, M., Farcas, S. 2014. Vegetation sensitivity to climate changes and human impact in the Harghita Mountains (Eastern Romanian

Carpathians) over the past 15 000 years. Journal of Quaternary Science, 29, 141-152. https://d1wqtxts1xzle7.cloudfront.netT

Tantau, I., Geanta, A.,* **Feurdean**, Tamas, T. 2014**.** Pollen analysis from a high altitude site in Rodna Mountains (Romania). Carpathian Journal of Earth and Environmental Sciences, 9, 23 – 30. http://www.ubm.ro/sites/CJEES/viewTopic.php?topicId=417

Seddon, A**….. Feurdean, A** and 60 others. Looking forward through the past. 2014. Identification of fifty priority research questions in palaeoecology. Journal of Ecology, 102, 256-267. 10.1111/1365-2745.12195.

Feurdean, A., Liakka, J., **Vanniere, B.,** Marinova, E., Hutchinson, S.M., Mossbruger V., Hickler T. 2013. 12,000-Years of fire regime drivers in the lowlands of Transylvania (Central-Eastern Europe): a data-model approach Quaternary Science Reviews, 81, 48-61, https://doi.org/10.1016/j.quascirev.2013.09.014

#**Feurdean, A.,** Bhagwat, S.A. Willis, K.J. H. Birks, J.B., Lischke, H, Hickler, T. 2013. Tree migration-rates: narrowing the gap between inferred post-glacial rates and projected rates. PlosOne. DOI-71797. doi: 10.1371/journal.pone.0071797

#**Feurdean, A.,** Parr, C.L., Tanţău, I., Fărcaş, S., Marinova, E., Perşoiu, I. 2013. Biodiversity variability across elevations in the Carpathians: parallel change with landscape openness and land use. The Holocene, 23, 869-881. https://doi.org/10.1177/0959683612474482

Mîndrescu, M., Cristea, A.I, Hutchinson, S.M., Florescu, G., **Feurdean, A**. 2013. Interdisciplinary investigations of the first reported laminated lacustrine sediments in Romania. Quaternary International, 293, 219-230. https://doi.org/10.1016/j.quaint.2012.08.2105

#**Feurdean, A.,** Spessa, A., Magyari, E.K., Willis, K.J., Veres, D., Hickler, T. 2012. Trends in biomass burning in the Carpathian region over the last 15,000 years. Quaternary Science Reviews, 45, 111-125. https://doi.org/10.1016/j.quascirev.2012.04.001

#**Feurdean, A.,** Tămaş, T., Tanţău, I., Fărcaş, S., 2012. Elevational variation in regional vegetation responses to late-glacial climate changes in the Carpathians. Journal of Biogeography, 39, 258-271. https://doi.org/10.1111/j.1365-2699.2011.02605.x

Willis, K.J., **Feurdean, A**., Birks, H.J.B., Bjune, A.E., Breman, E., Broekman, R, Grytnes, J.A., New, M., Singarayer, J.S., Rozema, J. 2011. Quantification of UV-B flux through time using UV-B absorbing compounds contained in fossil Pinus sporopollenin. New Phytologist, 192, 553-560. https://doi.org/10.1111/j.1469-8137.2011.03815.x

#**Feurdean, A.,** Tanţău, I., Fărcaş, S., 2011. Holocene variability in the range distribution and abundance of Pinus, Picea abies, and Quercus in Romania; implications for their current status. Quaternary Science Reviews, 30, 3060-3075. https://doi.org/10.1016/j.quascirev.2011.07.005

Tantau, I., **Feurdean, A.,** de Beaulieu, J.L., Reille, M., Farcas, S. 2011. Holocene vegetation history in the upper forest belt of the eastern Romanian Carpathians. Palaeogeography, Palaeoclimatology, Palaeoecology, 309, 281-290. https://doi.org/10.1016/j.palaeo.2011.06.011

Giesecke, T., Bennett, K.D., Birks, H.J.B., Bjune, A.E., Bozilova, E., **Feurdean, A.,** Finsinger, W., Froyd, C., Pokorný, P., Rösch, M., Seppä, H., Tonkov, S., Valsecchi, V., Wolters, S. 2011. The pace of Holocene vegetation change – testing for synchronous developments. Quaternary Science Reviews, 30, 2805-2814. https://doi.org/10.1016/j.quascirev.2011.06.014

Feurdean, A., Perşoiu, A., Pazdur, A., Onac, B.P. 2011. Evaluating the palaeoecological potential of pollen recovered from ice in caves: a case study from Scarisoara Ice Cave, Romania" Review of Palaeobotany and Palynology, 165, 1-10. https://doi.org/10.1016/j.revpalbo.2011.01.007

#**Feurdean, A.**, Willis, K.J., Parr, C., Tantau, I., Farcas, S. 2010. Postglacial patterns in vegetation dynamics in Romania: homogenization or differentiation? Journal of Biogeography, 37, 2197–2208. https://doi.org/10.1111/j.1365-2699.2010.02370.x

Feurdean, A., 2010. Forest conservation in a changing world: natural or cultural? Example from the Western Carpathians forests, Romania. Studia Universitatis Babes-Bolyai, Geologia, 55, 45-48. DOI: http://dx.doi.org/10.5038/1937-8602.55.1.6

Weninger, B., Clare, L., Rohling, E., Bar-Yosef, O., Böhner, U., Budja, M., Bundschuh, M., **Feurdean, A.,** et al. 2009. The impact of rapid climate change on prehistoric societies during the Holocene in the Eastern Mediterranean. Documenta Praehistorica, XXXV1, 7-59. https://doi.org/10.4312/dp.36.2

Feurdean, A., Willis, K.J., Astalos, C. 2009. Legacy of the past land use changes and management on the 'natural' upland forests composition in the Apuseni Natural Park, Romania The Holocene, 19, 967-981. https://doi.org/10.1177/0959683609337358

Feurdean, A., Willis, K.J. 2008. Long-term variability of Abies alba (Mill.) populations in the NW Romanian forests - implications for its conservation management. Diversity and Distribution 14, 1004-1017. https://doi.org/10.1111/j.1472-4642.2008.00514.x

Feurdean, A., Willis, K.J. 2008. The usefulness of a long-term perspective in assessing current forest conservation management in the Apuseni Natural Park, Romania). Forest Ecology and Management, 256, 421-430. https://doi.org/10.1016/j.foreco.2008.04.050

Feurdean, A., Klotz, S., Brewer, S., Mosbrugger, V., Tamas, T., Wohlfarth B. 2008. Lateglacial climate development in NW Romania - comparative results from three quantitative pollen based methods. Palaeogeography, Palaeoclimatology, Palaeoecology, 265,121-133. https://doi.org/10.1016/j.palaeo.2008.04.024

Feurdean, A., Klotz, S., Mosbrugger, V., Wohlfarth, B. 2008. Pollen-based quantitative reconstruction of Holocene climate variability in NW Romania. Palaeogeography, Palaeoclimatology, Palaeoecology, 260, 494-504. https://doi.org/10.1016/j.palaeo.2007.12.014

Feurdean, A., and Bennike B. 2008. Plant macrofossils analysis from Steregoiu NW Romania, taphonomy, representation and comparison with pollen analysis. Studia Universitatis Babes-Bolyai, Geologia, 53, 5-10. DOI: http://dx.doi.org/10.5038/1937-8602.53.1.1

#**Feurdean, A.**, Wohlfarth, B., Björkman, L., Tantau, I., Bennike, O., Willis, K.J., Farcas, S., Robertsson, A.M. 2007. The influence of refugial population on Lateglacial and early Holocene vegetational changes in Romania. Review of Palaeobotany and Palynology, 145, 305-320. https://doi.org/10.1016/j.revpalbo.2006.12.004

Feurdean, A., Mosbrugger, V., Onac, B., Polyak, V., Veres, D. 2007. Younger Dryas to mid-Holocene environmental history of the lowlands of NW Transylvania, Romania. Quaternary Research, 68, 364-378. DOI: https://doi.org/10.1016/j.yqres.2007.08.003

Farcas, S., Tantau, I., **Feurdean, A**. 2007**.** L'histoire des forets et du paleoclimat Holocene dans les Monts Apuseni. Istoria padurilor si paleoclimatului postglaciar din Muntii Apuseni. Contributii Botanice, XXXVI, 115-126.

Feurdean, A. 2005. Holocene forest dynamics in northwestern Romania. The Holocene, 15, 435-446. https://doi.org/10.1191/0959683605hl803rp

Feurdean, A., Astalos, C. 2005. The impact of human activities in the Gutaiului Mountains: Studia Universitatis Babes-Bolyai, Geologia, 50, 63-72. DOI: http://dx.doi.org/10.5038/1937-8602.50.1.7

Feurdean, A. 2005. Tracking Lateglacial and early Holocene environmental changes –a paleolimnological study of sediment at Preluca Tiganului, NW Romania. Studia Universitatis Babes-Bolyai, Geologia, 50, 3-11. DOI: http://dx.doi.org/10.5038/1937-8602.50.1.1

Feurdean, A., Bennike, O. 2004. Late Quaternary palaeoecological and paleoclimatological reconstruction in the Gutaiului Mountains, NW Romania. Journal of Quaternary Science, 19, 809-827. https://doi.org/10.1002/jqs.872

Björkman, L., **Feurdean, A.**, Wohlfarth, B. 2003. Late Glacial and Holocene vegetation development at Steregoiu in the Gutaiului Mountains, NW Romania. Review of

Palaeobotany and Palynology, 124, 79-111. https://doi.org/10.1016/S0034-6667(02)00249-X

Björkman, L., **Feurdean, A.**, Cinthio, K., Wohlfarth, B., Possnert, G. 2002. Lateglacial and early Holocene vegetation development in the Gutaiului Mountains, northwestern Romania. Quaternary Science Reviews, 21, 1039-1059. https://doi.org/10.1016/S0277-3791(01)00061-0

Feurdean, A., Björkman, L., Wohlfarth, B. 2001. A paleoecological reconstruction of the Late Glacial and Holocene based on multidisciplinary studies at Steregoiu site (Gutai Mts., NW Romania). Studia Universitatis Babes-Bolyai, Geologia, XLVI, 2, 125-140. DOI: http://dx.doi.org/10.5038/1937-8602.46.2.11

Wohlfarth, B., Hannon, G., **Feurdean, A.**, Ghergari, L., Onac, B.P., Possnert, G. 2001. Reconstruction of climatic and environmental changes in NW Romania during the early part of the last deglaciation (15,000-13,600 cal years BP). Quaternary Science Reviews, 20, 1897-1914. https://doi.org/10.1016/S0277-3791(01)00014-2

Onac, B.P., Tyseeland, M., Bengeanu, M., **Hofenpradli**, **A (Feurdean A)**. 1997. Deposition of black manganese and iron-rich sediments in Vantului Cave, Romania Proceedings of the International Congress of Speleology, 1997, Switzerland 1, 235-238.

Selected recent talks as a keynote speaker

Feurdean A. Land cover and land use changes during the Holocene in SE Europe: a palaeoecological perspective. Institut für Ur- und Frühgeschichte, Kiel, Archäologischen Kolloquiums, 7.02.2022.

Feurdean A. Past responses of the Carpathian vegetation to a warmer world and anthropogenic impact. Invited talk at the Carpathian-Balkan Paleoscience Workshop 2021 http://pastglobalchanges.org/calendar/2020/127-pages/1996.5-9.10.2021.

Feurdean A. Pollen-based land cover and land use changes during the Holocene in SE Europe, Kolloquium Prähistoricum, Institut für Archäologische Wissenschaften, Goethe University, Frankfurt. 15.06.2021.

Feurdean A. The role of plant traits in fire regime dynamics in Siberian boreal forests. Ecosysthems and Fire. Online conference organised by University of Latvia, 20.01. 2021

Feurdean A. Ecosystem resilience to disturbance by fire determined from fossil records. Institute of Plant Science, University of Bern, Switzerland, 27.11.2019.

Feurdean A. Determining ecosystem resilience to disturbance by fire using palaeoecological records. Department of Botany, Charles University, Prague, Czech Republic, 15.10. 2019.

Feurdean, A. 2000 years of variability in hydroclimate and carbon accumulation in western Siberia and the relationship with large scale atmospheric circulation**.** 4thAnnual International Workshop by SECNET: Siberia in a global context. 1-6.10.2019, Tomsk, Russia.

Feurdean, A. Holocene land cover-fire interactions in central Europe. 5e Fire MIP Workshop. 29.10. –1.11.2018, Frankfurt am Main, Germany.

Feurdean, A. Low intensity fire regimes as consequence of LBA and IA land use developments in the Carpathians, Danube plain and Black Sea region? Subsistence economy, land use and mineral resources during the Late Bronze Age, Iron Age and Roman period in SE Europe. Leuven, Belgium 24-25.11.2017.