FLE TRIBE

BONUS COURSE · TESTING, PERFORMANCE & SHIPPING · THURSDAY · LESSON GUIDE

Continuous integration with GitHub Actions

This course: Make your apps production-ready: tested, fast, accessible and deployed automatically.

What continuous integration is

Continuous integration (CI) runs your checks automatically on every push: install, test, build. If something breaks, you find out in minutes, before it reaches users.

Your first GitHub Actions workflow

Create `.github/workflows/ci.yml` in your project:

```
name: CI
on: [push, pull_request]

jobs:
  test:
    runs-on: ubuntu-latest
    steps:
      - uses: actions/checkout@v4
      - uses: actions/setup-node@v4
        with:
          node-version: 20
      - run: npm ci
      - run: npm test -- --run
      - run: npm run build
```

Push it, then open the **Actions** tab on GitHub to watch it run.

Protect your main branch

In GitHub → Settings → Branches, add a rule for `main` that requires the CI check to pass before a pull request can be merged.

When a run fails

- Open the failed step and read the last lines of the log first.
- Run the same command locally (`npm test`) to reproduce it.
- Fix, commit, push: the check runs again automatically.

Research questions

Answer these in the app, in your own words, to unlock the next lesson.

1. Add a workflow that runs your tests on every push.
2. Which checks should block a merge, and which shouldn't?

Start your research here

- GitHub Actions quickstart: https://docs.github.com/en/actions/writing-workflows/quickstart